

CONTENTS

Air conditioning 44
Air conditioning spare parts 46
Fridges - Dometic 51
Fridges - Engel 52
Fridges - Ice Makers 50
Fridges - Vitrifriigo 46
Fridges - Waeco 52
Fridges - accessories and spare parts 53
Microwaves 38
Rangehoods 42
Rangehood spare parts 43
Stoves and cookers 55
Stoves and cooker spare parts 57
Washing machines 39
Washing machine spare parts 40



MAJOR APPLIANCES



CAMEC MICROWAVE 25 LITRE 900 WATT, 6 POWER LEVELS

Designed with the RV market in mind, our microwave features a large mirror finish door that is an ideal match for modern RVs and cookers with mirror top lids. It also has a black body ensuring it will blend unobtrusively in its mounting location.

FEATURES:

- Auto Cook with 8 pre-set common food settings
- Stylish design to suit RVs
- 5 selectable power levels
- Easy defrost mode

SPECIFICATIONS:

- Dimensions: 483mm(w) x 281mm(h) x 399mm(d)
- Weight: 14.8kg
- 900W output
- 240V operation

041439



COMPACT RV 4KG FRONT LOAD WASHING MACHINE

With a large 4kg capacity for its size, you can now enjoy all of the features and wash modes you are accustomed to with your home machine, right in your RV. Requiring only a cold water supply hot water washing is possible using the machine's in-built heater element.

FEATURES:

- 15 wash programs incl 3 quick wash modes (14, 30 and 59 min)
- 400-1000 RPM spin speed (adjustable)
- Special AQUAPLUS "delicate skin" wash mode
- Auto water level control
- Delayed start option
- Bi-directional wash selector knob
- Wash time remaining display

SPECIFICATIONS:

- 240V operation
- Weight: 47kg
- Dimensions: 510mm(w) x 430mm(d) x 700mm(h)
- Water Usage: Min 19L, max 45L depending on load size and wash cycle
- 1300W max power consumption (hot wash)
- 230W power consumption (cold wash)
- 12 month warranty

042308



CAMEC COMPACT RV 2.5KG WASHING MACHINE

Ideal for caravans and motorhomes, this easy to use fully automatic RV washing machine offers washing convenience wherever your travels take you. Featuring simple controls and flexible washing modes, you have the convenience of washing when you want.

FEATURES:

- Economical cold water washing
- Blue LED display with wash time remaining function
- 7 washing program combinations including Quick Wash
- High and low water level adjustment for large and small loads

SPECIFICATIONS:

- 240V operation
- Dimensions: 410mm(w) x 640mm(h) x 420mm(d)
- Water Usage: Approx 15L on low and 20L on high
- Weight: 16kg
- Spin cycle speed: 900 RPM

041133



DOMETIC FRONT LOAD WASHING MACHINE WMD1050

The Dometic Space Saver washing machine is the ideal solution for those people with limited space. The European produced front loader washing machine is compact in design and manufactured to comfortably handle laundry loads of up to 3kg. Unlike conventional top loading appliances, the Space Saver can be installed under a work bench. This allows you to maximise work bench space in your kitchen or laundry.

FEATURES:

- Hot or cold water fill
- Can be positioned under-counter or free standing
- Space saving design
- Economy and quick wash options with 9 different programs and 7 temperature options

SPECIFICATIONS:

- Weight: 54kg
- 240V/50Hz
- Dimensions: 495mm(l) x 670mm(h) x 515mm(d)

033474



LEMAIR MINI WASH MACHINE 240 VOLT

The top loading Lemair Washing Machine features compact size, 800RPM spin speed and a 12 month warranty.

FEATURES:

- Fast spin, variable water selection and wash completion alarm
- Ideal for small spaces
- 3 wash cycles. A minimum of 36 mins for a full gentle load through to a maximum of 56 mins for a full regular soak load
- Fully automatic
- Designed for small apartments, granny flats, caravans and motorhomes

SPECIFICATIONS:

- 800rpm spin speed
- Weight: 18kg
- Dimensions: 438mm(l) x 695mm(h) x 438mm(w)

039041



WASHING MACHINE 240 VOLT TWIN

A compact 2.0 litre twin tub washing machine. The minimum and maximum water levels are shown on the see through sides.

FEATURES:

- Modes - normal, gentle, drain
- Vented back
- Wash and spin operation
- Manual water fill (hose included), automatic draining
- Wash timer - 15 mins
- Spinner - 5 mins
- 2-way agitator action
- Quiet operation
- Auto-lock spin top lid
- Conserve water - wash/soak in any level

SPECIFICATIONS:

- Dimensions: 340mm(l) x 550mm(h) x 550mm(d)
- 2kg wash capacity, 1kg spin capacity
- Wash/spin operation
- Washing power - 240W, spin capacity 90W

039698

Washing machine spare parts for Compact 2.5kg 041133



REPLACEMENT STABILISER BASKET - PART ID C2

041921



REPLACEMENT LID INCLUDING MAGNET - PART ID 2

041922



REPLACEMENT INLET HOSE - PART ID 80

041923



REPLACEMENT WATER LEVEL SENSOR - PART ID 7

041908



REPLACEMENT/MOUNTING BRACKET - PART ID C1

041920



DRAIN HOSE - PART ID 89

042798



PUMP HOSE HQ RUBBER - PART ID 93

042797



HOSE CLAMP - PART ID 94

042796



WATER INLET VALVE - PART ID 16

041912



SPIN SENSOR - PART ID 6

041907



PCB BOARD - PART ID 5

041906



MODE SWITCH - PART ID 55T

041911



V-BELT - PART ID 65

041914



MOTOR - PART ID 68

041909



MOTOR PULLEY - PART ID 66

041919



LID SPRING - PART ID 21

041915



DRAIN PUMP - PART ID 91

041913



AIR TRAP HOSE - PART ID 9

041918



REPLACEMENT BASE COVER - PART ID 31

041928



DRAIN HOSE - PART ID 142

043529



DAMPER ASSEMBLY - PART ID 250/251/256/281

043530



CONTROL PANEL - PART ID 31

043532



DOOR FRAME - PART ID 62

043533



FOOT ASSEMBLY - PART ID 80

043534



INLET VALVE - PART ID 134

043535



PRESS SWITCH - PART ID 153

043536



MOTOR - PART ID 161

043537



DOOR LOCK - PART ID 162

043538



DOOR SEAL - PART ID 271

043539



SUMP/DRAIN - PART ID 272

043540



TUB HOSE - PART ID 273

043541



HEAT ELEMENT - PART ID 286

043542



PULLEY - PART ID 290

043543



PCB - PART ID 328

043545



FILTER COVER - PART ID 604

043546



HINGE ASSEMBLY - PART ID 242B

043550

MORE FRONT LOAD 4.0KG SPARES

DISPENSER DRAWER - PART ID 101

043551



CONTROL KNOB - PART ID 10

043531



BELT - PART ID 292

043544

OTHER WASHING MACHINE SPARE PARTS

LEMAIR WASHING MACHINE LID	034771
LEMAIR AUTO WASHER LINT FILTER	000205
LEMAIR MINI WASHER DRAIN HOSE	000207
LEMAIR MINI WASHER LINT FILTER	041760
LEMAIR TOP LID MINI WASHER	041409



PUMP - PART ID 16

043547



SPRINGS

LEFT - PART ID 242A
RIGHT - PART ID 242B

043548
043549



CAMEC 12V TURBO FLUSH MOUNT RANGEHOOD

With a stainless steel exterior and featuring proven components, powerful twin 2-speed extraction fans, removable filter and stylish custom LED strip lighting. CAMEC's 12V Turbo Flush Mount Rangehood is a great addition to any RV. This rangehood is equipped with twin high performance turbo dual speed fans (not just computer fans) connected to a custom vented ducting system to ensure the swift removal of cooking vapours, odours and heat. Ducting can be directed either through the side or rear of the unit simply by changing the position of the supplied outlet adaptor.

FEATURES:

- Convenient side or rear air venting
- Removable filter for easy cleaning and replacement
- Illuminated, reliable control buttons
- 2 bright LED strip lights
- Stainless steel construction
- Proven design components
- Powerful 12V 2 speed twin turbo extractor fans

SPECIFICATIONS:

- Mounting Cavity - 465mm(w) x 187mm(d) x 53mm(h)
- External Body - 518mm(w) x 228mm(d) x 15.6mm(h)

SUPPLIED ACCESSORIES:

- Outlet adaptor
- 0.5m flexible duct hose
- Allen key

040865



CAMEC RANGEHOOD 12V 2-SPEED LED DOWN LIGHTS

Stainless Steel finish with twin turbo extraction fans and dual low energy LED down lights. Also features a removable filter for easy cleaning and illuminated touch controls. Venting is rear or roof selectable and an optional 50mm venting adaptor (041132) is also available if a venting hose is required.

FEATURES:

- Illuminated control buttons
- Powerful 12V turbo 2 speed twin extractor fans
- Convenient roof or rear air venting
- Removable filter for easy cleaning and replacement.

SPECIFICATIONS:

- 2 low energy LED down lights
- Dimension: 586mm(l) x 305mm(w) x 60mm(h)

040864



OUTLET ADAPTOR TO SUIT CAMEC 12V RANGEHOOD - REFER CODE 040864

Outlet Adaptor for CAMEC 12V Rangehood (refer code 040864).

041132



CAMEC RANGEHOOD DUCT TUBE BLACK

To suit 041132 rangehood adaptor. 1000mm length.

042359



REPLACEMENT LED DOWN LIGHT LONG LEAD TO SUIT CAMEC 12V RANGEHOOD (REFER CODE 040864)

Each.

041751



REPLACEMENT LED DOWN LIGHT SHORT LEAD (PCB SIDE) TO SUIT CAMEC 12V RANGEHOOD (REFER CODE 040864)

Each.

041762



REPLACEMENT FILTER TO SUIT CAMEC 12V RANGEHOOD (REFER CODE 040864)

041755



REPLACEMENT FAN TO SUIT CAMEC 12V RANGEHOOD (REFER CODE 040864)

041477



REPLACEMENT SWITCH PANEL TO SUIT CAMEC 12V RANGEHOOD (REFER CODE 040864)

041753



REPLACEMENT CIRCUIT BOARD TO SUIT CAMEC 12V RANGEHOOD (REFER CODE 040864)

041752



RANGEHOOD SWITCH (SUITS GLOBE RANGEHOOD)

LIGHT LOGO
FAN LOGO

003547
003548



REPLACEMENT FRONT STICKER TO SUIT CAMEC 12V RANGEHOOD (REFER TO CODE 040684)

041754



ELECTROLUX FLUSH MOUNT RANGEHOOD 12V CK150

FEATURES:

- Easy installation with removable washable filter
- Silent 12V operation
- Integrated halogen light. 1 speed fan
- Powerful performance
- Flush mount

SPECIFICATIONS:

- 375mm(l) x 50mm(h) x 140mm(d)

017022



SWITCH FOR CAMEC RANGEHOOD

Note: This switch will illuminate for the 12V rangehoods.

003513



IBIS3 R/C AIR CONDITIONER (8000001)

The Ibis 3 model includes higher capacity heating and cooling and is stylish, ultra low profile, and super quiet.

FEATURES:

- Whisper quiet operation (8Db) quieter on high fan speed than the Ibis 2
- Massive increase in air flow with the unique 'S Flow' air distribution providing more air, more efficiently
- Ultra thin, stylish four-way independently closing inside plenum with easily removable filter for cleaning
- Premium quality generator start technology included as standard (check with your generator supplier for compatibility)
- Easier to fit with the revolutionary weather collar, improving the seal on the roof while reducing amount of sealant required

SPECIFICATIONS:

- Overall Dimensions: 1160mm(l) x 848mm(w) x 222mm(d)
- Plenum Dimensions: 535mm(l) x 535mm(w) x 32mm(d)
- Install Weight: 45kg
- Opening: 360mm x 360mm
- Cooling Capacity: 3.1kW
- White

042523



IBIS2 REVERSE CYCLE AIR CONDITIONER (8000002)

The Ibis air conditioner's proven reliability and excellent performance has become renowned, even in the harshest climate in the world.

FEATURES:

- High-capacity, 2.8kW cooling and 2.2kW Heating, reverse-cycle

SPECIFICATIONS:

- Electrical rating: 240V, 50hz
- Nominal Cooling Capacity: 2.8kW
- Heating Capacity: 2.2kW
- Current Draw: Cooling: 5.7A
- Current Draw: Heating: 5.3A
- Inside Air Delivery, Maximum: 140l/s
- Total Weight: 52kg
- Overall Dimensions: 1040mm(l) x 825mm(w) x 220mm(h)
- Plenum Dimensions: 555mm(l) x 535mm(w) x 65mm(h)

002496



CORMORANT REVERSE CYCLE AIR CONDITIONER (5750001/5702007)

The Cormorant is one of the highest capacity caravan/RV air conditioners on the market with 3.5KW cooling and heating, suitable for up to 23' vans.

The unit boasts remote/electronic controls and is fully reverse cycle with electronic defrost to allow operation in -5°C degrees.

FEATURES:

- Designed to dehumidify the air to help asthma sufferers and fitted with a stylish internal plenum

SPECIFICATIONS:

- Installed Weight (including plenum): 45kg
- Overall Dimensions: 1050mm(l) x 715mm(w) x 346mm(h)
- Plenum Dimensions: 555mm(l) x 535mm(w) x 65mm(h)
- Roof Opening: 360mm(l) 360mm(w)
- Air Delivery Maximum: 150 litres
- Nominal Cooling Capacity: 3.5kw
- Heating Capacity: 3.6kw
- Current Draw: Cooling: 5.6A
- Current Draw: Heating: 5.2A
- Inside Air Delivery, Maximum: 150 litres

002497



SPARROW REVERSE CYCLE AIR CONDITIONER (5850001 + 5852006)

The Sparrow reverse cycle heat pump roof top air conditioner is a lightweight rooftop style unit.

FEATURES:

- The Sparrow provides both heating and cooling as well as filtered and dehumidified air
- Its lightweight design makes it suitable for a range of applications that the bigger units are unable to achieve
- Australian made

SPECIFICATIONS:

- Nominal Cooling Capacity: 2.0kw
- Heating Capacity: 2.2kw
- Current Draw: Cooling: 3.9A
- Current Draw: Heating: 4.0A
- Inside Air Delivery, Maximum: 110l/s
- Total Weight: 29kg
- Overall Dimensions: 975mm(l) x 560mm(w) x 65mm(h)
- Plenum Dimensions: 555mm(l) x 535mm(w) x 65mm(h)

039253



HERON 2.2 SPLIT SYSTEM AIR CONDITIONER SERIES 3 (4270001)

The Heron 2.2 is a compact, efficient split system air conditioner that allows great flexibility of installation.

FEATURES:

- It is composed of an evaporator (air handler) which is installed in a cupboard or overhead locker and a separate condenser that is usually fitted under a bed
- Ideally suited for the single axle sized pop top caravans and similar sized motorhomes, etc

SPECIFICATIONS:

- Electrical rating: 240V, 50hz
- Nominal Cooling Capacity: 2.2kw
- Heating Capacity: 1.5kw
- Current Draw: Cooling: 4.0A
- Current Draw: Heating: 6.5A
- Inside Air Delivery, Maximum: 110l/s
- Installed Weight: 36kg
- Air Handler Dimensions: 350mm(l) x 250mm(w) x 240mm(h)
- Condenser Dimensions: 462mm(l) x 450mm(w) x 245mm(h)
- Minimum cupboard dimensions required 490mm(w) x 290mm(h) x 310mm (d)

WHITE

002457



HERON Q MK4 SPLIT SYSTEM AIR CONDITIONER SILVER (4810002)

The Heron Q is a compact, efficient reverse cycle split system air conditioner that allows great flexibility of installation.

FEATURES:

- It is composed of an evaporator (air handler) which is installed in a cupboard or overhead locker and a separate condenser that is usually fitted in a wardrobe.

SPECIFICATIONS:

- Nominal Cooling Capacity: 3.2kw
- Nominal Heating Capacity: 3.2kw
- Current Draw: Cooling: 6.5A
- Current Draw: Heating: 6.5A
- Inside Air Delivery, Maximum: 138l/s
- Installed Weight: 38kg
- Condenser Dimensions: 770mm(h) x 455mm(w) x 295mm(d)
- Air Handler Dimensions: 240mm(h) x 380mm(w) x 250mm(d)
- Minimum cupboard dimensions required 490mm(w) x 290mm(h) x 310mm(d)

SILVER

040205



DENSO ROOF TOP AIR CONDITIONER

Designed and manufactured in Australia for Australian conditions

FEATURES:

- Super quiet operation with multi-speed fans
- True reverse cycle cooling and heating
- Contemporary styling to suit modern RVs
- Remote control with timer
- Sleek and stylish air distribution unit

SPECIFICATIONS:

- Dimensions (ext): 1096mm(l) x 739mm(w) x 207mm(h)
- Dimensions (int): 550mm(l) x 430mm(w) x 59mm(h)

- Roof Thickness: 25-80mm
- Roof Aperture: 360x360mm or 400x400mm
- Electrical Rating: 230-240V, 50HZ
- Rated Current: 8A (maximum)
- Airflow Volume: 340m³/h (maximum)
- Typical Output Capacity: 2.5kw
- Typical Ambient Range: -3 to 48 C
- Temperature Range: Cooling 16°C to 48°C / heating -3°C to 25°C cooling / 2.0kw heating
- Flexible 360mm x 360mm or 400mm x 400mm installation options

041712



JABIRU ALL-IN-ONE REVERSE CYCLE AIR CONDITIONER - 6100001

The Jabiru is a unique all-in-one unit designed to fit into the cupboard of your caravan, small RV or camper trailer.

FEATURES:

- Electronic climate control LED control panel
- Full function remote control with sleep timer and dehumidifying functions
- Heat pump reverse cycle heating and cooling with electronic defrost

SPECIFICATIONS:

- Electrical rating (single phase) 240V, 50 hz
- Nominal Cooling Capacity: 2.2KW
- Nominal Heating Capacity: 2.2KW
- Current Draw: Cooling 5.2A
- Current Draw: Heating 5.2A
- Air Delivery Maximum: 120l/s
- Overall Weight: 40kg
- Overall Height: 750mm
- Overall Width: 300mm
- Fascia Depth: 15mm projecting from the outside of the cupboard face
- Recess Required: 747mm(h) x 270mm(w) x 565mm(d) (the rear duct that projects through the wall is 42mm long and 565mm depth, total depth with duct is 607mm)

040206



DENSO UBI UNDER BUNK AIR CONDITIONER UNIT

Note: This unit does not come with installation kit. Please also order 040952 3M Air Unit Install kit, or 040953 6M Air Unit Install kit.

FEATURES:

- Designed in Australia for Australian conditions
- Unobtrusive slim-line design
- Multi-speed interior and exterior fans
- Floor mounted unit, ideal for pop-tops and reduced height fixed-roof vans
- Certified to Australian Standard AS-NZS 60335

SPECIFICATIONS:

- Compressor Capacity: 3.2kW
- Cooling Capacity: 2.6kW
- 240V
- Heating Temp Range: 0-25°C
- Cooling Heat Range: 16-45°C

040951

Air conditioning spare parts

CORMORANT					
CORMORANT INDOOR FAN BLADE	036568	IBIS		OTHER	
CORMORANT INTERFACE ASSEMBLY	038950	IBIS MK2 CORM/SPAR REMOTE CONTROL	038447	AIRCOMMAND IBIS 3 REMOTE CONTROL	043301
CORMORANT PLENUM T/S MID 2008	039356	IBIS PLENUM BOX	038736	AIRCOMMAND ADAPTOR MOUNTING KIT	043091
CORMORANT TOP HOUSING (SHROUD)	042286	IBIS ELECTRONIC CARD	039469	AIRCOMMAND CONDENSER FAN GRILLE	041587
CORMORANT MK2 ROOF SEALING	042462	IBIS MK2 BASE	042399	AIRCOMMAND PC BOARD KIT MK1 I	040985
CORMORANT MK1 REMOTE CONTROL	038288	IBIS SATURN INTERFACE MK2	042537	H-FRAME T/S COLEMAN/E'LUX/WREN	002523
HERON 2.2		IBIS ROOF GASKET	002449	EUROPEAN AIR CON HATCH ADAPTER	040585
HERON 2.2 CONDENSER FAN MOTOR	002460	IBIS COMPRESSOR MOUNT KIT	041042	OUTER SHROUD T/S B1900 AIRCON	034935
HERON 2.2 FASCIA PLATE WHITE	002466	IBIS CORMORANT DUST FILTER	042098	DOMETIC	
HERON 2.2 CONTROL KNOBS WHITE	002471	IBIS MK2 CONDENSER FAN ASSEMBLY	042079	DOMETIC DUCTING SUIT SAPHIR	043590
HERON 2.2 SWITCH BOX ASS.	002473	IBIS CONDENSOR INLET GRILLE	041824	DOMETIC A/C FILTER PAD	002501
HERON 2.2 THERMOSTAT	034302	IBIS EVAP FAN MOTOR MK2	041495	DOMETIC GRILL AIR RETURN	042066
HERON 2.2 PLASTIC INTAKE GRILL	035127	IBIS MKII CONDENSER FAN GRILLE	042384	DENSO	
HERON 2.2 COMPRESSOR	035420	SANDPIPER		DENSO AIR UNIT-INSTALL KIT 3M	040952
HERON 2.2 CONTROL KNOBS SILVER	039005	SANDPIPER DUCTING TUBE 20M	042577	DENSO AIR UNIT-INSTALL KIT 6M	040953
HERON 2.2/3 HEATER ELEMENT	002472	SPARROW		DENSO UBI ACCESSORY DUCT COVER	040954
HERON 2.2/3 RETURN AIR FILTER	002468	SPARROW CANOPY TOP COVER	041894	DENSO UBI REMOTE CONTROL	040955
HERON 3.0		WREN		DENSO UBI FILTER	040956
HERON 2.2/3 HEATER ELEMENT	002472	WREN 2000/2100 INSTALLATION KIT	002402	DENSO UBI FUSE (ECU)	040957
HERON 2.2/3 RETURN AIR FILTER	002468	WREN ROTARY SWITCH	002411	DENSO UBI DUCT ONLY 3M	040958
HERON 3.0 CONDENSER ASSEMBLY	002478	WREN CENTRIFUGAL FAN BLADE	002418		
HERON Q		WREN ROTARY COMPRESSOR	002422		
HERON Q GRILL KIT	002491	WREN 2000-2100 CMA ASSEMBLY	002430		
HERON Q FASCIA PLATE WHITE	038942	WREN THERMOSTAT KNOB WHITE	002443		
HERON Q MK4 EXTERNAL GRILL	040193	WREN CONTROL KNOB	002445		
		WREN THERMOSTAT	002399		
		WREN 2000 AIR FILTER	002416		

Vitrifrigo fridges - internal compressor



Exclusive to Camec, Vitrifrigo is a member of the Rivacold Group, a leading worldwide company specialising in industrial refrigeration. Vitrifrigo utilises advanced research and development programs to provide high-quality design, functionality and performance of every product. The RV and marine refrigeration range offers a solution for every need and flexibility for every application, while providing a perfect balance between high technology and modern aesthetic style. All products are manufactured, assembled and tested in its factories, located in Montecchio, Italy, using the most reliable and efficient components available. Camec backs up this quality range with a large selection of spare parts available in stock and warranty service throughout Australia and New Zealand.



**VITRI DP2600 BLACK 2 DOOR FRIDGE/
FREEZER 230 LITRE 12-24VOLT BD-50
COMPRESSOR WITH FITTING FRAME AND
AIR LOCK**

These 2-door refrigerators have huge capacity and feature large separate freezer compartments for long term storage of frozen foods. The DP2600i, has a flush mount surround for ease of installation and also has the Air Lock catch system as standard equipment. The cooling unit is mounted directly onto the refrigerator cabinet.

FEATURES:

- Reversible hinge
- Internal cooling unit
- LED light in freezer and fridge
- Super silent operation

SPECIFICATIONS:

- Overall Dimensions: 1355mm(h) x 630mm(w) x 597mm(d) (plus handle)
- Weight: 58kg
- Space Required for Installation: 1337mm(h) x 588mm(w) x 593mm(d)
- Capacity: 230 litres, (Fridge 170L and freezer 60L)
- Nominal Input: 54.5w
- Average Consumption: 42w

043659



**VITRI DPI50i 2 DOOR FRIDGE
150 LITRE 12-24VOLT AND BD-50
COMPRESSOR WITH FITTING FRAME AND
SWING LOCK**

These 2-door refrigerators represent the pinnacle of excellence within the Vitrifrigo range. They have huge capacity and feature large separate freezer compartments for long term storage of frozen foods. The DPI50i model comes with a safe and practical door catch mechanism.

FEATURES:

- Internal compressor
- Large capacity fridge/freezer fitted with a safe and practical swing lock door

SPECIFICATIONS:

- Dimensions: 525mm(l) x 1095mm(h) x 580mm(d)
- 2 door (separate freezer)
- Capacity: 150 ltr
- Nominal Input: 54.5W
- Average Consumption: 28W
- Weight: 38.8 kg

002989



VITRI C115i FRIDGE FREEZER 118 LITRE 12-24VOLT WITH FITTING FRAME AND AIR LOCK

Built in fridge/freezers suitable for RV and marine use complete with Air Lock.

FEATURES:

- Door is interchangeable

SPECIFICATIONS:

- 17L Freezer compartment
- Dimensions: 525mm(l) x 765mm(h) x 550mm(d)
- Weight: 21.2kg
- Power Voltage: 12/24V
- Current Consumption: 12V 2.8A

043587



VITRI C85i FRIDGE 90 LITRE 12-24VOLT WITH FITTING FRAME AND AIR LOCK

Built in fridge/freezers suitable for RV and marine use complete with Air Lock.

FEATURES:

- Door is interchangeable

SPECIFICATIONS:

- 12.8L Freezer compartment
- Dimensions: 485mm(l) x 785mm(h) x 470mm(d)
- Weight: 16.1kg
- Power Voltage: 12/24V
- Current Consumption: 12V 2.8A

043583



VITRI C60i FRIDGE 60 LITRE 12-24VOLT WITH FITTING FRAME AND AIR LOCK

Built in fridge/freezers suitable for RV and marine use complete with Air Lock.

FEATURES:

- Door is interchangeable

SPECIFICATIONS:

- 10.2L Freezer compartment
- Dimensions: 470mm(l) x 615mm(h) x 460mm(d)
- Weight: 15.8kg
- Power Voltage: 12/24V
- Current Consumption: 12V 2.8A

043584

Vitrifrigo fridges - external compressor



VITRI C130L FRIDGE 133 LITRE 12-24 VOLT AND EXTERNAL COMPRESSOR WITH FITTING FRAME AND AIR LOCK

Built in fridge with external cooling unit which allows the compressor to be located in a cupboard or other convenient place with sufficient ventilation.

FEATURES:

- Adjustable thermostat control
- Remote compressor arrangement boosting maximum capacity
- Connection pipes are approximately 1.5m long
- Features a full width freezer compartment in lieu of the standard icebox

SPECIFICATIONS:

- Weight: 27.4kg
- Compressor: 170mm(h) x 270mm(w) x 155mm(d)
- Power Voltage: 12/24
- Nominal Input: 38.5w
- Current Consumption: 12V: 3.78A

043585



VITRI C75L FRIDGE FREEZER 75 LITRE 12-24VOLT AND EXTERNAL COMPRESSOR WITH FITTING FRAME AND AIR LOCK

Built in fridge/freezer with external cooling unit which allows the compressor to be located in a cupboard or other convenient place with sufficient ventilation. Length of connection pipe is approx. 1.6m.

FEATURES:

- Fridge/Freezer

SPECIFICATIONS:

- 10.2L freezer compartment
- Dimensions: 467mm(l) x 470mm(h) x 467mm(d)
- Weight: 21.2kg
- Power Voltage: 12/24V
- Current Consumption: 12V 2.8A

043562



Vitrifrigo fridges - stainless steel - internal compressor



VITRI DP2600X STAINLESS STEEL 2 DOOR FRIDGE/FREEZER 230 LITRE 12/24 VOLT WITH NAUTIC LOCK

This 2-door refrigerator has huge capacity and features large separate freezer compartments for long term storage of frozen foods. The DP2600iX, has a flush mount surround for ease of installation and also has the marine standard 'Nautic' catch system as standard equipment. Refrigerators with internal cooling units are easy to install because the cooling unit is mounted directly onto the refrigerator cabinet. These units are recommended in all applications where there is sufficient ventilation around the refrigerator, especially behind it, near the cooling unit.

FEATURES:

- Stainless steel finish
- 2 door (separate freezer)
- Super silent operation
- LED light in freezer and fridge
- Reversible hinge
- Internal cooling unit
- Replaceable door insert

SPECIFICATIONS:

- Overall Dimensions: 1335mm(h) x

630mm(w) x 597mm(d)
(plus handle)

- Recess Required: 1330mm(h) x 585mm(w) x 593mm(d)
- Capacity: 230 litres (170 fridge, 60 Freezer)
- Power Supply: 12/24V DC
- Rated Current: 4.4A/2.2A

- Average Consumption: 40 W/H
- Weight: 62 kg

002991



VITRI C180 157L STAINLESS STEEL FRIDGE ONLY 12/24V PAD LOCK

DW series fridge only in a stainless steel finish with digital temperature control.

FEATURES:

- Super silent operation
- Pad lock
- LED internal light

SPECIFICATIONS:

- Dimensions: 608mm(l) x 853mm(h) x 538mm(d)
- Weight: 48kg
- Power Voltage: 12/24V
- Current Consumption: 12V 3.78A
- Capacity: 157 litres

041542



VITRI FRIDGE/FREEZER 62 LITRE 12/24 VOLT C62iX STAINLESS STEEL

Built-in fridge/freezer for RV and marine use, complete with a Nautic front operated lock.

FEATURES:

- Interchangeable door
- Mechanical thermostat control

SPECIFICATIONS:

- Dimension: 513mm(l) x 548mm(h) x 546mm(d)
- Weight: 19.6kg
- Power Voltage: 12/24V
- Current Consumption: 12V 2.8A
- Capacity: 62 litres
- 4.5L freezer compartment

002997

Vitrifrigo fridges - stainless steel - external compressor



VITRI FRIDGE WITH EXTERNAL COOLING UNIT 12/24VOLT 75 LITRE CAPACITY C75LX (Inox316)

Stainless steel version of the C75 for marine and RV use.

FEATURES:

- Fridge/Freezer
- Mechanical thermostat control
- Single internal shelf

SPECIFICATIONS:

- Dimensions: 533mm(l) x 638mm(h) x 401mm(d)
- Weight: 21.2kg
- Power Voltage: 12/24V
- Current Consumption: 12V 2.8A
- Capacity: 75 litres
- 10.2L freezer compartment

041831



VITRI FRIDGE WITH EXTERNAL COOLING UNIT 12/24VOLT 42 LITRE CAPACITY C42LX

Stainless steel fridge with external compressor to maximise available space in the fridge.

FEATURES:

- Fridge/Freezer
- Mechanical thermostat control
- Single internal shelf

SPECIFICATIONS:

- Dimensions: 433mm(l) x 563mm(h) x 377mm(d)
- Weight: 15.8kg
- Power Voltage: 12/24V
- Current Consumption: 12V 2.1A
- Capacity: 42 litres
- 3.6L freezer compartment

041832





VITRI DW360BTX FRIDGE/DRAWER FREEZER x 2 301L STAINLESS STEEL

Flagship Vitrifrigo model featuring a door fridge and twin drawer freezers with excellent access.

FEATURES:

- Integrally mounted twin compressor system ensures more consistent freezer temperatures
- Electronic LED thermostat

SPECIFICATIONS:

- Dimensions: 608mm(l) x 1690mm(h) x 540mm(d)
- Weight: 100kg
- Power Voltage: 12/24V and 110/240V
- Current Consumption: 12V 2.1A + 1.8A (2 compressors)
- 157L fridge/80L drawer freezer/64L drawer freezer
- Capacity: 301 litres

039501



VITRI DW250BTX DRAWER FRIDGE/ FREEZER 232L STAINLESS STEEL 12/24V WITH AIR LOCK

Features top fridge with bottom drawer freezer available in two handle/mounting configurations.

FEATURES:

- Integrally mounted twin compressor system ensures more consistent freezer temperatures
- Electronic LED thermostat

SPECIFICATIONS:

- Dimensions: 607mm(l) x 1314mm(h) x 540mm(d)
- Weight: 65kg
- Power Voltage: 12/24V and 110/240V
- Current Consumption: 12V 2.8A + 3.0A (2 compressors)
- 157L fridge/ 75L drawer freezer/ 64L drawer freezer
- Capacity: 232 litres

043906



VITRI DW210 DRAWER FRIDGE 182L STAINLESS STEEL 12/24V

Elegant design with a number of configuration options.

FEATURES:

- Integrally mounted twin compressor system ensures more consistent freezer temperatures
- Electronic LED thermostat
- Icemaker only available in 110V or 240V

SPECIFICATIONS:

- Dimensions: 681mm(l) x 865mm(h) x 552mm(d)
- Weight: 60kg
- Power Voltage: 12/24V (110 or 240V Icemaker version)
- Current Consumption: 12V 4.4A
- 78L top drawer/ 104L bottom drawer
- Capacity: 182 litres

DW210DT FREEZER/FRIDGE SLAMLOCK	041492
DW210RF FRIDGE/FRIDGE	039881
DW210BT FREEZER/FREEZER	039880
DW210DTX FREEZER/ICEMKER +FR 240V	042398
DW210DTX FREEZER/ICEMKER +FR 110V	042396



VITRI DW180.2 DRAWER FRIDGE 144L STAINLESS STEEL 12/24V

Elegant design with a number of configuration options.

FEATURES:

- 80L top drawer/ 64L bottom drawer
- Integrally mounted compressor system

SPECIFICATIONS:

- Dimensions: 608mm(l) x 853mm(h) x 523mm(d)
- Weight: 55kg
- Power Voltage: 12/24V
- Current Consumption: 12V 2.8A
- Capacity: 144 litres

DW180.2RF FRIDGE/FRIDGE	002992
DW180.2RF FRIDGE/FREEZER SLAM LOCK	042861
DW180.2RF FRIDGE/FRIDGE SLAM LOCK	043236
DW180.2RF FREEZER/FREEZER SLAM LOCK	043237
DW180.2DT FREEZER/FRIDGE	002993
DW180.2BT FREEZER/FREEZER	033871
DW180.2BT FREEZER/FREEZER SLAM LOCK	041541



VITRI DW100 DRAWER FRIDGE 95L STAINLESS STEEL 12/24V

Compact, easy access with many configuration options.

FEATURES:

- Integrally mounted compressor system
- Electronic LED thermostat

SPECIFICATIONS:

- Dimensions: 526mm(l) x 543mm(h) x 591mm(d)
- Weight: 27kg
- Power Voltage: 12/24V
- Current Consumption: 12V 2.8A
- Capacity: 95 litres

DW100RF DRAWER FRIDGE	039883
DW100RF DRAWER FRIDGE SLAM LOCK	042521
DW100BT DRAWER FREEZER	042538
DW100BT DRAWER FREEZER SLAM LOCK	041804



VITRI DW70 DRAWER FRIDGE 75L STAINLESS STEEL 12/24V

Elegant design with a number of configuration options.

FEATURES:

- Integrally mounted compressor system
- Electronic LED thermostat
- Icemaker only available in 240V

SPECIFICATIONS:

- Dimensions: 608mm(l) x 449mm(h) x 520mm(d)
- Weight: 26kg
- Power Voltage: 12/24V (240V Icemaker version)
- Current Consumption: 12V 3.0A
- Capacity: 75 litres

DW70BT FREEZER ONLY	002994
DW70RF FRIDGE ONLY	034784
DW70BT IM FREEZER/ICEMAKER 240V	041531
DW70RF FRIDGE ONLY SLAM LOCK	043254

Vitrifrigo wine cellars



VITRIFRIGO DCW95 WINE COOLER 95L

Safely store your wine at the optimum temperature.

FEATURES:

- Darkened glass for protection against UV rays
- Brushed steel

SPECIFICATIONS:

- Dimensions: 460mm(w) x 840mm(h) x 460mm(d)
- Weight: 26kg
- Capacity: 95L
- Absorption: 85W
- Consumption: 0.55kw/24h
- Voltage: 12/24V and 110/240V
- Bottle capacity: 33

042622



VITRIFRIGO DCW62 WINE COOLER 62L

Safely store your wine at the optimum temperature.

FEATURES:

- Darkened glass for protection against UV rays
- Brushed steel

SPECIFICATIONS:

- Dimensions: 430mm(w) x 650mm(h) x 470mm(d)
- Weight: 21kg
- Capacity: 62L
- Absorption: 85W
- Consumption: 0.50kw/24h
- Voltage: 12/24V and 110/240V
- Bottle capacity: 20

042621



VITRIFRIGO DCW46 WINE COOLER 46L

Safely store your wine at the optimum temperature.

FEATURES:

- Darkened glass for protection against UV rays
- Brushed steel

SPECIFICATIONS:

- Dimensions: 430mm(w) x 520mm(h) x 470mm(d)
- Weight: 18kg
- Capacity: 46L
- Absorption: 85W
- Consumption: 0.65kw/24h
- Voltage: 12/24V and 110/240V
- Bottle capacity: 16

042620

Ice makers



VITRI IM HYDRO XTP ICE MAKER 24L 240V

Low profile Ice Maker that is plumbed to the vessel or RV's fresh water system. Constructed from marine grade 316 stainless steel.

FEATURES:

- Cooling unit is vented through the front
- Door can be mounted left or right and has magnetic closure
- Dual function thermostat – ice production/ice maintenance

SPECIFICATIONS:

- Dimensions: 387mm(l) x 522mm(h) x 513mm(d)
- Ice Production: 11kg/24 hrs; 6kg ice storage
- Weight: 28kg
- Power Voltage: 240V or 110V version
- Current Consumption: 140W
- Includes 6m inlet hose (can be reduced)
- Capacity: 24 litres

110V

240V

043559

043560



VITRI ICE MAKER HYDRO 24L

Classic Ice Maker that is plumbed to the vessel or RV's fresh water system. Constructed from marine grade 316 stainless steel.

FEATURES:

- Cooling unit is vented through the front
- Door can be mounted left or right and has magnetic closure
- Dual function thermostat – ice production/ice maintenance

SPECIFICATIONS:

- Dimensions: 404mm(l) x 628mm(h) x 370mm(d)
- Ice Production: 11kg/24 hrs; 6kg ice storage
- Weight: 26kg
- Power Voltage: 240V or 110V version
- Current Consumption: 140W
- Includes 6m inlet hose (can be reduced)
- Capacity: 24 litres

110V

240V

043557

043558



VITRI IM CLASSIC REFILL ICE MAKER 24L 240V

Ice Maker with built-in water storage tank. Constructed from marine grade 316 stainless steel.

FEATURES:

- 8L Water tank for ice production
- Cooling unit is vented through the front
- Door can be mounted left or right and has magnetic closure
- Dual function thermostat – ice production/ice maintenance

SPECIFICATIONS:

- Dimensions: 404mm(l) x 628mm(h) x 370mm(d)
- Ice Production: 11kg/24 hrs; 6kg ice storage
- Weight: 26kg
- Power Voltage: 240V
- Current Consumption: 140W

002965



DOMETIC FRIDGE 3 WAY 60L WITH LEFT HAND HINGE RM5310

5-series featuring contemporary looks and an illuminated interior in ice-blue. Technical improvements include a battery-powered ignition system and thermostat regulation in 230V and gas mode.

FEATURES:

- Absolutely silent
- Secure door locking with vent option
- Door with magnetic seal, reversible door hinges
- Interior light
- User-friendly control panel
- Thermostat regulation in 230-volt and gas mode

SPECIFICATIONS:

- Freezer Capacity: 5 litres
- Cooling Capacity: Refrigerator + 7degrees, freezer compartment up to -12 degrees at ambient temp. up to + 32 degrees
- Capacity: 60 litres, inc 5 litre freezer compartment
- Materials: Coated sheet steel - cabinet, plastic, panel, coated aluminium - door

LH 040709
RH 040708



DOMETIC FRIDGE 2 WAY 190 LITRE LEFT HAND HINGE RMD8551

Absorption refrigerator, 12/240V and gas, two door model, with manual energy selection.

FEATURES:

- Fingertip door opening
- Interior light
- Magnetic seal on door
- Replaceable door seals
- Door locking with vent option
- User friendly control panel
- Flexible arrangement of shelves
- Ergonomic door shelves with leakage protection

SPECIFICATIONS:

- Dimensions: 523mm(w) x 1245mm(h) x 623mm(d)
- Cut Out Dimensions: 1249mm(h) x 527mm(w) x 572mm(d)
- Weight: 41.5 kg
- Capacity: Total 190 litres (freezer 35 litres)
- Voltage: 240Vs - 120W, 12Vs - 120W
- Gas: 12.5 g/h

043260



DOMETIC FRIDGE 3 WAY 90 LITRE RM2350

Manual control model absorption refrigerator for 12/240Vs and gas. Single-curved door model.

FEATURES:

- 3 way silent operation - LP Gas, 12V and 240V
- Magnetic door seal and travel latch which secures door during travel

- Automatic flame failure device shuts off gas if flame is extinguished
- Environmentally friendly - CFC and Freon free

SPECIFICATIONS:

- Weight: 29kg
- Dimensions: 550mm(l) x 766mm(h) x 565mm(d)

003187



DOMETIC FRIDGE 3 WAY 90 LITRE CAPACITY AUTO ENERGY SELECTOR RM2355

With battery powered ignition. AES series absorption refrigerator for 12/240Vs and gas. Single-curved door model.

FEATURES:

- Gas operation with battery powered ignition, thermostatic control for 240V, 12V and gas

- Wide metal mounting flange for built-in application - no exterior skin

SPECIFICATIONS:

- Weight: 28kg
- Dimensions: 565mm(d) x 766mm(h) x 550mm(w)
- Capacity: 90 litres (freezer 11 litres)

035515



DOMETIC 3 WAY FRIDGE 120 LITRE MANUAL ENERGY SELECTOR RM2453

FEATURES:

- 3 way silent operation - LP Gas, 12V and 240V
- Performance enhanced cooling units - designed and manufactured for harsh Australian conditions
- Environmentally friendly - CFC and Freon free
- Automatic flame failure device shuts off gas if flame is extinguished
- Magnetic door seal and travel latch secures door during travel

SPECIFICATIONS:

- Dimensions: 632mm(l) x 948mm(h) x 627mm(d)
- Weight: 41kg
- Capacity: 120L

003189



DOMETIC 3 WAY FRIDGE 150 LITRE RM2553

FEATURES:

- 3 way silent operation - LP Gas, 12V and 240V
- Performance enhanced cooling units - designed and manufactured for harsh Australian conditions
- Environmentally friendly - CFC and Freon free
- Automatic flame failure device shuts off gas if flame is extinguished
- Magnetic door seal and travel latch which secures doors during travel

SPECIFICATIONS:

- Dimensions: 632mm(l) x 1104mm(h) x 627mm(d)
- Weight: 46kg
- Capacity: 150L

003190



DOMETIC 3 WAY FRIDGE 184 LITRE RM4601

FEATURES:

- 3 way silent operation - LP Gas, 12V, 240V
- Performance enhanced cooling units
- Environmentally friendly - CFC and Freon free
- Automatic flame failure device

- Magnetic door seal and travel latch secures doors during travel

SPECIFICATIONS:

- Dimensions: 632mm(l) x 1427mm(h) x 668mm(d)
- Weight: 61.5kg
- Capacity: 184L

003193



DOMETIC FRIDGE 2WAY 220 LITRE RGE410

The Dometic RGE410 large capacity gas and electrical refrigerator/freezer has a total capacity of 220 litres including a separate frozen food compartment of 45 litres offering maximum storage volume.

FEATURES:

- 3 way silent operation - LP Gas, 12V and 240V
- Performance enhanced cooling units - designed and manufactured for harsh Australian conditions
- Environmentally friendly - CFC and Freon free
- Automatic flame failure device shuts off gas if flame is extinguished
- Magnetic door seal and travel latch secures doors during travel

SPECIFICATIONS:

- Dimensions: 1612mm(h) x 592mm(w) x 623mm(d)
- Weight: 73kg
- Total Gross Volume: 220 Ltr
- Freezer Volume: 45 Ltr
- Energy Consumption: @ amb temp +25°C 3.9kWh/24h
- Max Input: 240V 325w
- Max Input: Gas (g/h) 21
- Voltage: 240V
- LP Gas/240vV
- Shelves: 4
- Total racks (inner door): 4

003194



WAECO FRIDGE CR-140 12VOLT/24 VOLT

The exclusive WAECO CoolMatic CR refrigerators satisfy the most discerning demands. Freezer maintains -18°C even at an ambient temperature of +43°C, while the rest of the refrigerator maintains the desired +5°C to +7°C. Elegant matt silver look with proven compressor technology.

FEATURES:

- Tropical-rated compressor refrigerators with luxury equipment
- Separate, energy efficient freezer compartment
- Double door lock
- Cool blue interior light
- Excellent, functional design in stainless steel look
- Including a bottle holder, functional trays and vegetable bins

SPECIFICATIONS:

- Energy Supply: 12/24V DC and 100 - 240V AC
- Weight: 32kg
- Silver
- Dimensions: 807mm(h) x 551mm(w) x 619mm(d)
- Capacity: 136 litres (freezer 11.5 litres)
- Cut Out Required: 525mm(w) x 805mm(h) x 619mm(d)

039291



ENGEL STF100F 95 LITRE FREEZER

FEATURES:

- 60W Swing Motor compressor and vacuum panel insulation
- LED Interior light
- Unique Auto switching between 12V/24V DC and 240V AC standard in most of Engel's uprights
- Reversible door and replaceable door panel so you can customize your refrigerator to match your vehicle's interior
- Turbo fan standard
- Designed to be paired with the STR100F as a side by side fridge/freezer
- Standard colour black with black gloss door panel

SPECIFICATIONS:

- Capacity: 95 Litre
- External Dimensions: 786mm(h) x 531mm(w) x 579mm(d)
- Weight: 35kg
- DC Power Consumption: variable from 0.5 to 4.8A maximum
- Power: Built In 240V AC/12V DC/24V DC

043235



ENGEL FRIDGE 40 LITRE SR48F

Affordable, extremely compact built-in refrigerator that will provide more than adequate storage capacity when space is at a premium. Built-in 12V, 24V and 240V. Reversible door and replaceable door panel so you can customize your refrigerator to match your vehicle's interior. Turbo fan standard.

FEATURES:

- Interchangeable for left/right opening
- No exterior skin - frame type door with replaceable door panel
- 12V to 240V automatically selects mains power when connected

SPECIFICATIONS:

- Dimensions: 419mm(l) x 544mm(h) x 500mm(d)
- Cut out dimensions: 510mm(h) 380mm(w) x 455mm(d)
- Capacity: 40 litre

003199



ENGEL BUILT IN FRIDGE 55 LITRE SR70F

Compact built in fridge with an area for frozen goods, to suit most campervans or yachts. Maximization of storage capacity allows you to separate beverages and perishables easily. Auto switching between 12/24V DC and 240V AC. Reversible door and replaceable door panel so you can customize your refrigerator to match your vehicle's interior. Turbo fan standard.

FEATURES:

- No exterior skin but with frame type door with replaceable door panel

SPECIFICATIONS:

- Dimensions: 419mm(l) x 544mm(h) x 500mm(d)
- Cut out dimensions: 517mm(h) x 467mm(w) x 547mm(d)
- Capacity: 55 litre

003201



ENGEL FRIDGE FREE STANDING 80 LITRE ST90F

Large capacity 80 litre free-standing fridge that incorporates a separate freezing compartment. Cleverly designed to fit into confined spaces in caravans and boats. Unique auto switching between 12/24V DC and 240V AC standard in most of Engel's uprights SR48F, SR70F, ST68E, SR90E. Reversible door and replaceable door panel so you can customize your refrigerator to match your vehicle's interior. Turbo fan standard.

FEATURES:

- Variable from 0.5 to 2.5 A maximum

SPECIFICATIONS:

- Dimensions: 520mm(l) x 780mm(h) x 548mm(d)
- Cut out: 505mm(d)
- Voltage: 240V AC/12V DC/24V DC
- Capacity: 80 litre

003204



CAMEC FRIDGE BULLS EYE LEVEL

Clear plastic level which can be used on any flat surface.

042670



SOLAR FRIDGE FAN

Solar powered exhaust fan increases the cooling efficiency of refrigerator by venting hot air from the coils.

000684



SOLAR FRIDGE FAN - SOLAR PANEL

This solar panel suits the Solar fridge fan (refer code 000684).

000685



FRIDGEMATE 12V FRIDGE FAN

Increases cooling efficiency by up to 40% on hot days. Attaches to bottom of refrigerator compartment and blows into the coils and toward the top vent.

000688

Fridge spare parts

VITRIFRIGO SPARE PARTS

AIR IO ELECTRONIC THERMOSTAT	003040
BD35/50F 12-24V ELECT CONT UNIT (DANFOSS)	003009
BD35/50 MODULE ELECT DANFOSS AC/DC	039968
BD35/BD50 ELEC CONTROLER AND SPEED VARIATION KIT	041494
BD35F 12-24V COMPRESSOR	003003
BD35F RESISTOR BLUE (12-24V - 3500RPM)	003014
BD50 12-24V COMPRESSOR	003004
BRK32PX DOOR WITH PUSH AND TURN LOCK	043090
C110BT FRIDGE DOOR	003140
C110BT MERONI914WMAGNET MAGNETIC FREEZER DOOR CATCH	003118
C110BT S/S FREEZER DOOR	034422
C110BT S/S SHELF KIT KIT (1 PAIR)	039989
C115/130 USA BASE FRAME	003154
C115/130 USA FIT FRAME	003153
C115/C130 FREEZER DOOR PLASTIC INSULATED	043234
C115/DP2600/S150-05 DOOR METAL RETAINER	041695
C115I/130L EVAPORATOR "U" SHAPE CURRENT VERSION	003166
C1200/C115/DP150 CRISPER CLEAR	043149
C130L DRAIN TRAY R11263AS	034938
C130L FR DOOR MOULDING BOTTOM FRIDGE DOOR	039928
C130L SS FRIDGE DOOR	003139
C130L/DP150I FRIDGE DOOR FRIGO	003134
C130LX FITTING FRAME SS	003128
C130LX FIX FRAME BASE SS	003127
C220MP HINGE WHITE	042880
C26/41 LID LOCK CLIP C1300 FREEZER DOOR CATCH	003061
C26/45/60, BRK-35 T-STAT K50L3105	003043
C30 AND DP150I DOOR	003132
C35BT/C55BT/C110BT K50-L3321 THERMOSTAT	003045

C41 MOUNTING BRACKET	003168
C41 T-STAT E-TRONIC LED	003041
C45 DRAIN TRAY HOLDER	003110
C45 NAUTIC LOCK PLATE	003111
C45 PLASTIC FREEZ LID	003099
C45L TOP DR SHELF	003114
C47 FRONT LOAD FRIDGE 47 LITRES V12/24	039898
C60/75 MOUNT FOR DOOR TOP FIXING TO CABINET	003105
C60/75 WIRE SHELF	003086
C60/C115 BOTTLE STOPPER	039962
C60/C75 FITTING FRAME	003125
C60/C75L FREEZER DOOR	043528
C60/C75L/C85I EVAPORATOR "U" SHAPE CURRENT PLASTIC FREEZER DOOR	003017
C60I/75L FRIDGE DOOR	003133
C62IX CONNECTOR PLUG	043646
C65, C41, C26 DIAL T-STAT EWPC901	003162
C75 THERMOSTAT	043157
C75L/C85 BOTTOM DR SHELF	003159
C75L/C85 TOP DR SHELF	003115
C85I FRIDGE DOOR PLUS KIT SHELF R501.435	003137
C85I TOP DOOR SHELF	038555
C85I/900 WIRE SHELF	003087
CL220V CONTACTS SPARE PARTS FOR ICEMAKER	039966
D31370 FINNED CONDENSOR	003010
DOOR UPPER HINGE BRACKET WITH TWO HOLES	003156
DP150 FITTING FRAME	003121
DP150 FRIDGE EVAPORATOR	003035
DP150 THERMOSTAT BLACK KNOB	043263
DP150/C1200/1300 FRIDGE SHELVING 430MM WIDE	003091
DP150I 14023 DOOR LOCK	036571

DP150I T-STAT K60-L2066	003042
DP2600 BL FREEZER DR FOR NEW MODEL FRIDGES	042169
DP2600 BL FRIDGE DR NEW MODEL FOR NEW MODEL FRIDGES	042168
DP2600 DOOR SHELVING (TOP) ALSO SUITS DP150	003082
DP2600 DRAIN TRAY	003104
DP2600 FESTOON 24V 3W GLOBE	003176
DP2600 FLUSH FIT FRAME	003129
DP2600 FR EVAPORATOR	003021
DP2600 FREEZER DOOR	003143
DP2600 FRIDGE DOOR	003141
DP2600 GLASS SHELF	043170
DP2600 GLASS SHELF FOR 043149 CRISPER	043170
DP2600 HINGE MANUFACT'D JAN14 TO JULY14	041129
DP2600 SS FITTING FRAME STAINLESS STEEL	003130
DP2600 SS FREEZER DOOR	003144
DP2600 SS FRIDGE DOOR	003142
DP2600 SS HINGE MANUFACT'D UP TO DEC 2013	003094
DP2600 VEGETABLE TRAY	003079
DP2600I FLANGE BLACK NEW FOR MID 2014 ON HINGES	042884
DP2600I SS FRIDGE DR NEW FOR NEW MODEL FRIDGES	042167
DP2600I/IX HINGE KIT NEW UPPER AND LOWER	042881
DP2600IX FLANGE S/S NEW FOR MID 2014 ON HINGES	042883
DP2600IX SS FREEZER DOOR SUIT NEW MODEL	041415
DRAWER FRIDGE RIVET KIT 10 PIECE	043189
DRAWER FRIDGES R-COPPIA (GUIDE 45 X300) SLIDING DRIVERS	039959
DRAWER RUNNERS 60KG WHITE HEAVY DUTY	040704
DRAWER STRIP LIGHT 4 PIN	043238

DRAWER STRIP LIGHT 8 PIN	043239	LOWER DOOR SHELF	042047	2413981305	042843
DRAWER STRIP LIGHT LENS	043240	RM2300 UPPER RM360 2002261-24 DOOR SHELF	038390	RMD8551 SHELF UPPER GRATING 2413981107	042844
DW180 / DW70 VENT	041396	RM2330 KNOB GAS CONTROL 2932607019	035746	RPD215 TOP VENT	043173
DW180 BOTTLE STOPPER ANCHORAGE	039813	RM2330/2453 2955037011 FLAME INDICATOR	035743	SHELF RETAINER HOLDER 293069204	039900
DW180 DRAWER HANDLE R14025	033857	RM2330/2453/2553 2931336016 DUAL THERMOSTAT	038978	SIDE VENT SUITS 100 AND 200 LITRE FRIDGES	042718
DW180 EVAPORATOR PLATE FREEZER OR FRIDGE/FREEZER	038400	RM2330-2453-2553 2932605013 KNOB THERMOSTAT	003341	TOP VENT INSERT	016568
DW180 EVAPORATOR PLATE FRIDGE ONLY	038401	RM2350 3850359013 LOCKING LATCH RH	034452	UPPER VENT AND FRAME N/S LESS INSERT	038887
DW180 INSULATED BOTTOM DRAWER LINER	041534	RM2350 CONTROL COVER BLACK	039106	VENT ALI FLUE TUBE	016573
DW180 INSULATED LOWER DOOR FRONT	041105	RM2350 HINGE PIN WASHER 7344880013	038955	VENT BLK EXTEN. PIECE	016575
DW180 S/S DRAWER COVER	039115	RM2350 KNOB FUEL BLACK	043074	VENT FRAME AND GRILL REQUIRED FOR 3 WAY ABOVE 101L	040380
DW180 S/S SURFACE FLANGE	039956	RM2350 KNOB THERMOSTAT 3850317011	040257	VENT KIT ALI FLUE AND T-PCE TYPE A	016580
DW180 THERMOSTAT FRIDGE ONLY	038339	RM2350 LH DOOR HINGE REVERSAL KIT	041505	VENT PLASTIC CLIP/BOLT	016577
DW180 TOP DRAWER LINER	039114	RM2350 LOWER DOOR DECO STRIP 3850259015	039058		
DW180.2 DRAWER RUNNER	036658	RM2350 LOWER HINGE PIN 385026901	038956	WAECO SPARE PARTS	
DW180/210 SX R-FRIDGE CLOSURE	039958	RM2350 UPPER HINGE PIN 2932415017	036637	25-60L CCF/CF FIXING KIT UNIVERSAL	003314
DW180/DW70 DOOR SHELF	039960	RM2453 FREEZER DOOR 2932650019	036805	CFD-35 CF-25 TO CF-60 CABLE RIGHT ANGLE	003302
DW180BT-DT DW70BT AND DW100BT R502.1018BT.S THERMOSTAT	040907	RM2553 DOOR BLACK	040622	CF RANGE SP-38-AU2000B4 240V CABLE	034992
DW180DT DRIP TRAY	042487	RM2553 MAIN DOOR HINGE KIT	003348	CF18 CABLE 2M - 12/24V	003303
DW180DT LOWER DRAWER SEAL	042489	RM2553 SELECTOR KNOB BLACK	042291	CF25 TO CF60 72W MOBITRONIC 12/240V AC ADAPTOR	003328
DW180FX FIT FRAME OUTSIDE PIN LOCK	043448	RM2553 TOP SHELF FRIDGE	003191	CF60 END CAPS 40-005-11PA8F	040949
DW180RF, DW210RF 502.1018.S THERMOSTAT	040910	RM360 SEALING GASKET FREEZER 2000917-01	035747	CF80/110 LATCH ASSY	003318
DW210 BT/DT THERMOSTAT FRIDGE AND FREEZER	040308	RM4200-RM4400 DOOR LOCK ASSY BROWN 2952700009	041484	CF80-110 CABLE 1M 12/24V	003304
DW210BT-DT R502.1023BT.S THERMOSTAT	040908	RM4200-RM4400 DOOR LOCK ASSY GREY 2952700058	041485	CR065-EST STD MOUNT FRAME	038323
DW250 SS SURFACE FLANGE R128229.1	040790	RM4400 295217003 ELEMENT 240V 135W BENT	003182	CR1065 FREEZER DOOR	041668
DW70 FREEZER AND DW180 FRIDGE/FREEZER THERMOSTAT	038338	RM4400/74004/8501 ELEMENT 130W 12V	043217	CR110 STANDARD MOUNT FRAME	003313
DW70 THERMOSTAT FRIDGE ONLY	038340	RM4401 FRIDGE DOOR SHELF 2951308	034998	CR140 FLUSH MOUNT FRAME	039295
DW70RF, DW100RF R5021070.S THERMOSTAT	040909	RM4401 GAS THERMOSTAT KNOB 2951455	034172	CR140 STANDARD FRAME	039296
		RM4401/4210/4211 GAS JET #43 292203306/9	035942	CR50 FLUSH MOUNT FRAME	034436
DOMETIC SPARE PARTS		RM4601 3850644257 ELEMENT 240V 325W	038772	CR65 FLUSH MOUNT FIXING KIT	003311
BENT RM660 17373901 ELEMENT 12V 175W	035703	RM4601 KNOB FUEL SELECTOR BLACK	041966	CR80 FLUSH MOUNT FRAME	034586
CHESCO PIEZO IGNITOR 2072173012	035748	RM4601 KNOB THERMOSTAT BLACK	041967	CR80 STD MOUNTING FRAME	033330
CR140 FRIDGE WINTER KIT	043065	RM4605 AND RM4805 ELEMENT 323W 240V	043183	CU84 COOLING UNIT BD35 COMPRESSOR SYSTEM	003333
ELECTROLUX ROOF FRIDGE VENT BASE	016565	RM4605 FRIDGE HANDLE	040467	CU95 COOLING UNIT	003331
ELECTROLUX ROOF FRIDGE VENT CAP (NEW)	016564	RM7 MODELS KNOB BEIGE	041532	HDC160 DOOR HANDLE SP-0400247C	038925
ELECTROLUX ROOF FRIDGE VENT CAP (OLD)	041795	RM7401 DOOR LOCK 2412757607	039261	HDC160 SP-0415560B DOOR HINGE	036807
FREEZE DOOR LH SPRING HOUSING	003351	RM7401 FREEZER DOOR FLAT	043123	HDC220 BOTTOM DOOR SHELF	035909
FREEZE DOOR R.H. SPRING	003354	RM7401 HINGE SUIT FLAP	043124	MDC 110 LOCKING ROD SP-180800/0	034915
FREEZER DOOR L.H. SPRING - RED	003353	RM7851 DOOR LOCK ASSY 241275787	040207	RPD80 WIRE SHELF	033480
FREEZER DOOR RH SPRING HOUSING	003352	RM7851 FREEZER DOOR LATCH 2412757805	034199	SP071 WINE COOLER DOOR	039018
FRIDGE RETAIN BAR DBL-394>711	003357	RM7851 FRIDGE ELEMENT 12V 170W	041699	TRAVEL DOOR LATCH SP444390001	003300
FRIDGE RETAIN BAR SGL-394>711	003356	RM7851 FRIDGE SHELF MIDDLE 24120705109	035623	VD06 COOLMATIC EVAPORATOR	036822
FRIDGE VENT KIT 8 PIECE AS1625 + TP	016567	RMD8551 LH FRIDGE 3 WAY MANUAL ENERGY SELECTOR	043260	VD06 EVAPORATOR	038721
FRIJLOK DBL FRIDGE DR LOCK	003364	RMD8551 SHELF LOWER GRATING		VD-09 SERIES 80 EVAPORATOR	038812
HDC MID AND TOP SHELF 0436164/B	040782				
LOWER FRIDGE VENT KIT NEW STYLE	038725				
MDC110 FR FREEZER SURROUND	003252				
RGE400 RM2455/53 2553/5 RM4601					



SMEV STAINLESS STEEL 4 BURNER GAS-ELEC GRILL AND OVEN

400 Series.

FEATURES:

- 4 burner HOB 3 gas/1 electric
- Grill tray and oven rack
- Glass lid
- 12V electric ignition to burners and grill
- Flame failure safety device to all burners
- Flush mounting
- Stainless steel finish

SPECIFICATIONS:

- Dimensions: 515mm(w) x 515mm(d) x 651mm(h)

040600



SMEV 2 BURNER/HOTPLATE STAINLESS STEEL DROP IN WITH GLASS LID

8000 Series stainless steel with glass fold-down lid and compact design. This model features flame failure protection on both burners, therefore if the flame blows out, the gas will stop flowing to that burner. Each burner also has Piezo ignition which is operated at the push of a button.

FEATURES:

- The fold down glass lid gives added bench space when the stove is not being used
- Complete with mounting clamps that pull up to hold the stove in place

SPECIFICATIONS:

- Dimensions: 480mm(w) x 90mm(h) x 370mm(d)
- Gas inlet is female 1/4" BSP
- Nominal Gas Consumption: 15.6 MJ/h

040321



SMEV 3 BURNER DROP-IN HOTPLATE AND GLASS LID

The 3 burner version of the Smev 8000 Series cookers complements the matching stainless steel sink and oven.

FEATURES:

- Space saving design
- Practical glass lid sits flush
- Hot plate incorporates 12V electric ignition and flame failure safety device to all burners

SPECIFICATIONS:

- Dimensions: 560mm(l) x 440mm(d) x 90mm(h)

040393



DOMETIC CRAMER COOK TOP

The Dometic Cramer hob features an integrated heat-resistant safety glass lid, detachable chromed pan supports, stainless steel burner caps, safety ignition system, recessed controls and a low profile rubber seal. If there are no pots on the hob, you can close the glass lid to gain additional work space - and protect the hob at the same time.

FEATURES:

- Safety ignition system
- Detachable pan supports
- Stainless steel burner caps

2 BURNER COOK TOP

040264

3 BURNER COOK TOP

040052



SMEV 3 BURNER/HOTPLATE AND RIGHT HAND SINK WITH GLASS LIDS (NO TAP)

Space saving stainless steel design with folding glass lids.

FEATURES:

- Stainless steel construction
- Flame failure safety device to all burners
- Modern, space saving design
- Separate opening glass lids to maximise bench space
- Includes mounting brackets

SPECIFICATIONS:

- Dimensions: 970mm(l) x 150mm(d) x 430mm(w)

040853



SMEV 4 BURNER GRILL GAS WITH MIRROR DOOR AND SAFETY CUT OFF

FEATURES:

- 400 Series
- 4 burner HOB 3 gas / 1 electric
- Grill
- Glass lid
- 12V electric ignition to burners and grill
- Also available as a 4 burner gas only

040601



CRAMER COMBI 3 BURNER HOB WITH SINK

FEATURES:

- Safety ignition system
- Integrated heat-resistant safety glass lid
- Detachable pan supports - easy to clean
- Stainless steel burner caps

SPECIFICATIONS:

- Dimensions: 840mm(l) x 440mm(w) x 130mm(d)
- Tap not included

043452



ORIGO 1 BURNER SPIRIT STOVE FLUSH 2000

FEATURES:

- Single burner stove for built in applications
- Available with or without tempered glass hinged cover

SPECIFICATIONS:

- Dimensions: 396mm(l) x 150mm(h) x 150mm(d)
- Cut-Out Dimensions: 345mm(w) x 325mm(d)

002873



ORIGO METHO 2 BURNER RECESS STOVE OH4100

FEATURES:

- 2 burner stove for built in applications

SPECIFICATIONS:

- Dimensions: 623mm(l) x 150mm(h) x 377mm(d)
- Cut-Out Dimensions: 575mm(w) x 325mm(d)

035713



SMEV MINI GRILL

Compact, 2 position grill tray, with Piezo ignition.

FEATURES:

- Electronic 12V ignition
- Stainless steel construction
- Safety ignition system
- Bottom hinged black glass door

SPECIFICATIONS:

- Dimensions: 485mm(w) x 425mm(d) x 240mm(h)
- Weight: 6.5kg

040934



SMEV OVEN AND GRILL

Featuring a grill that is an integral part of the oven space allowing the oven to be located below the cook top.

FEATURES:

- Polished stainless steel
- Weighs only 19kg
- Oven with grill
- 12V electronic ignition to oven and grill
- Oven light

SPECIFICATIONS:

- Recess Required: 500mm(l) x 460mm(h) x 480mm(d)

040941



ORIGO 6000 2 BURNER MARINE STOVE AND OVEN

The Origo 6000 is a large spirit stainless steel stove with a built-in oven.

FEATURES:

- Gimbal mounting as standard
- Easily fitted
- Oven with grill
- 12V electronic ignition to oven, grill and burners
- Flame failure safety device to all burners
- Oven light

SPECIFICATIONS:

- Dimensions: 465mm(l) x 562mm(h) x 335mm(d)
- Weight: 28.8kg
- Fuel Capacity: 1.2L
- Burning Duration: 4.5hrs (approx)

034898



ORIGO METHO BENCHTOP STOVE (OH3000)

Double burner free standing alcohol stove.

FEATURES:

- Free-standing benchtop stove
- Compact design - easy to stow away
- Ideal for indoor and outdoor use
- High cooking power on all burners
- Easy access to the alcohol fuel container

1 BURNER

2 BURNER

002870

035712



LIDO JUNIOR 2 BURNER AND GRILL

No flame arrest. Suitable for camping and outdoor use.

FEATURES:

- 2 burner and grill
- Stainless body with painted base and hinged lid

SPECIFICATIONS:

- Dimensions: 500mm(l) x 170mm(h) x 280mm(d)

002721



LIDO JUNIOR 2 BURNER AND GRILL SUITABLE FOR RVs OR BOATS

Updated model designed for RV and weekenders.

FEATURES:

- 2 burner and grill
- Flame arrest on all burners
- Stainless steel body with painted base and hinged lid
- Hose and regulator required

SPECIFICATIONS:

- Dimensions: 500mm(l) x 170mm(h) x 280mm(d)
- Weight: 3.6kg

040326



CRAMER SPARE PARTS

CRAMER STOVE BRACKET SET ALL	042519
GLASS LID SUIT CRAMER 2B STOVE 36365	038277

LIDO SPARE PARTS

LIDO JNR 2BANDG KNOB	002762
----------------------	--------

ORIGO SPARE PARTS

ORIGO FUEL CONTAINER 3880009-80	036804
ORIGO POT HOLDER FOR 1500 3000	042389

SMEV SPARE PARTS

SMEV 400 SERIES GRILL DOOR COMPLETE	041578
SMEV 400 SERIES COOKER BOTTOM TRIM BLK TRIM 039807	
SMEV 400 SERIES COOKER LOWER TRIM PANEL ALSO SUITS DOMETIC 401/402	043266
SMEV 400 SERIES COOKER FRONT SIDE TRIM R/H BLK TRIM	039808
SMEV 400 SERIES COOKER FRONT SIDE TRIM L/H BLK TRIM	039809
SMEV 400 SERIES COOKER SIDE TRIM R/H BLK TRIM	039810
SMEV 400 SERIES GLASS LID	002561
SMEV 400 SERIES ELEC. BURNER KNOB SILVER	002568
SMEV 400 SERIES GRID FOR CUCINA ENAMELLED	041392
SMEV 400 SERIES UB26 ELECT IGNITION UNIT HOB AND GRILL	002651
SMEV 400 SERIES OVEN BNR SUPPLY TUBE	039660
MEV 400 SERIES ELEC ELEMENT K1940003	036652
SMEV 400 SERIES GLASS LID MIRROR FINISH	042755
SMEV 400 SERIES LH LID END	035098
SMEV 400 SERIES RH LID END	035099
SMEV 400 SERIES T/STAT CONTROL KCB0400220E00	036653
SMEV 400 SERIES DOOR HANDLE SILVER/NICKEL	041504
SMEV 400/7000 SERIES OVEN 12V 5W OVEN LAMP	002614
SMEV 400/7000 SERIES OVEN WIRE SHELF	002637

SMEV 401 SERIES THERMOCOUPLE	043350
SMEV 2014-002 LH S/S TRIM SQUARE FRONT	040079
SMEV 2014-002 RH S/S TRIM SQUARE FRONT	040078
SMEV 7000 GRILL BNR T/COUPLE	039090
SMEV 7000 GRILL SUPPLY TUBE	039091
SMEV 7000 GRILL THERMOSTAT	039093
SMEV 7000 OVEN SUPPLY TUBE	039092
SMEV 7000 SERIES BI-FOLD HGE RH LID WHITE	002593
SMEV 7000 SERIES BI-FOLD HGE LH LID WHITE	002594
SMEV 7000 SERIES BURNER TOP AND BOTTOM D45	042841
SMEV 7000 SERIES BURNER TOP AND BOTTOM D60	042842
SMEV 7000 SERIES 4 BANDO COOKER TRIVET	002625
SMEV 8000 SERIES OVEN DOOR HANDLE BLACK	002607
SMEV 2BNR DROP IN GLASS LID	002855
SMEV 2/3BNR DROP IN POT HOLDER	002844
SMEV 2/3BNR HOLD DOWN CATCH BLK	002861
SMEV 2/3BNR SPARK ELECTRODE 260MM FLAT CONNECTION	002854
SMEV 2/3BNR TRIVET DROP IN BLACK	002860
SMEV 2/3BNR PLASTIC SCREW COV	002863
SMEV 3BNR DROP IN GLASS LID	002856
SMEV 3BNR ENAMELLED PAN SUPPORT SUIT 040393	042539
SMEV STOVE 12V IGNITION SWITCH ALSO SUITS 3BNR 7000 AND 4BNR MARINE	002848
SMEV 4BNR AND GRILL WIRE RACK	002549
SMEV 4BNR AND GRILL TRAY	002550
SMEV MINI GRILL GLASS DOOR W BLK HANDLE	002598
SMEV PIEZO IGNITER	002601
SMEV STOVE TRIVET RUBB GROMMET RIF: 00181	002623
SMEV OVEN/GRILLER THERMOCOUPLE NEW STYLE	002643
SMEV LH S/S TRIM CURVED FRONT FOR EARLY MODELS	002553
SMEV COMBO HOTPLATE GLASS LID	002790
SMEV COMBO SINK GLASS LID FOR 8103	002791
SMEV MARINE GLASS OVEN DOOR MIRROR/SILVER GLASS FINISH	002809
SMEV MARINE OVEN DOOR GLASS	002810

SMEV MARINE OVEN LIGHT SWITCH	002813
SMEV MARINE SS BURNER CAP 47MM TWO HOLE	002815
SMEV MARINE SS BURNER CAP 62MM TWO HOLE	002816
SMEV MARINE SS BURNR CAP SCREW TWO HOLE	002817
SMEV MARINE STOVE POT HOLDER (LEFT/RIGHT HAND)	002820
SMEV HOTPLATE IGNITOR LONG	002839
SMEV DROPIN T/COUPLE 220MM	002850
SMEV DROPIN T/COUPLE 350MM	002851
SMEV D45 BURNER TOP AND BOTTOM TOP BLACK ENAMELLED W/SCREWS	042895
SMEV D60 BURNER TOP AND BOTTOM TOP BLACK ENAMELLED W/SCREWS	
SMEV LID T/S 2010 MOD 4BG/4BG0 SUITS PART NO. 039586/039587	039855
SMEV THERMOCOUPLE LENGTH 450MM 1300332	041482
SPARE PART KIT DOOR MINIGRILL BOMB KSF00400113-1	040841
SPARE PART SMEV KIT DOOR OVEN CU400 STOPSOL REV.1 K3940021-1	040859

SPINFLOW SPARE PARTS

BURNER CROWN AND CAP SPPCC0806	038490
CAPRICE MK1 GRILL DOOR SMA00395BK3	038840
CAPRICE GLASS LID BUMP STOP RUBBER	038487
GLASS LID - CAPRICE/MINIGRILL SGL6013	034454
GRILL/HOB KNOB - MK3 FLAME PICTURE	038026
MK3 CAPRICE OVEN SHELF	038425
MK3 OVEN CONTROL KNOB SPCC0595	038846
OVEN DOOR DUPLEX MK3 SMA03435:BK5	038158
GRILLER TRAY COMPLETE SMAC0066	034933
4B BIFOLD GLASS LID	002684

TUDOR SPARE PARTS

TUDOR S-STEEL LID ONLY 600-077	002699
TUDOR TRIVET WIRE	002700
TUDOR BOILING BURNER	002702
TUDOR GRILLER BURNER	002703
TUDOR KNOB W-SPRG CLIP PRE3/99 100-035	002708

