

CHASSIS

Mudguards and wheels	118
Hub and drum kits.....	119
Brakes and axles.....	119
Jockey wheels.....	121
Caravan movers	123
Couplings.....	125
Camper Legs	126
Springs & Shock Absorbers.....	127
Vehicle steps	128





MUDGUARDS AND WHEELS



WHEEL ARCH

006543 SINGLE GALVANISED 30"
006544 TANDEM GALVANISED



WHEEL SPAT - SINGLE NEW STYLE MILLARD

036433
• White
• Each



KLAMP IT WHEEL LOCKS

000402 - B KLAMP IT 13"-15" TYRE WIDTH 165MM- 185MM
000403 - C KLAMP IT 13"-17" TYRE WIDTH 195MM-205MM
000404 - D KLAMP IT 15"-17" TYRE WIDTH 215MM-245MM
000405 - E KLAMP IT 14"-16" (4WD) TYRE WIDTH 265MM-285MM



WHEEL LOCK STRETCHMASTER

000406

The fastest way to ensure your motor vehicle, boat trailer, caravan, camper or box trailer stays secure. Fits up to 290mm wide wheels. Hardened steel and weighs under 3kg.



MUD GUARD - POLY PLASTIC

Strong with steps on both sides as well as on top. Complete with mud flaps, brackets not included.

SMALL 10" WHITE 036283
SMALL 10" SILVER 036284
MEDIUM 13" WHITE 036285
MEDIUM 13" SILVER 036286
LARGE 14" WHITE 036287
LARGE 14" SILVER 036288



STEEL ROAD WHEEL
036455

• HT 14X 6



STEEL ROAD WHEEL, SUIT HOLDEN HQ
036452



ALLOY WHEEL (VELOX) HUB MOUNT WITH TYRE
036470

• 10"



FORD WHITE 14" WHEEL
006615

WHEELS AND TYRES

043160 - GALVANIZED 13" WHEEL WITH ALL TERRAIN TREAD FOR HT/FORD 165R13C TYRE
043161 - 13" WHITE POWDER COATED WHEEL TO SUIT FORD WITH 155/80 TYRE
036452 - STEEL ROAD WHEEL, SUIT HOLDEN HQ 55MM BLACK
038357 - STEEL ROAD WHEEL, SUIT HOLDEN HR 330MM BLACK
036455 - STEEL ROAD WHEEL, SUIT HOLDEN HT14XIN SUNRAYSIA BLACK
006615 - STEEL ROAD WHEEL, SUIT FORD 14X6IN SUNRAYSIA WHITE
036462 - ALLOY WHEEL (VELOX) HOLDEN BEARING MOUNT WITH TYRE 200MM
036470 - ALLOY WHEEL (VELOX) HUB MOUNT WITH TYRE 250MM
006608- DRESS RIM WHITE 14"



WHEEL SPAT -PAIR PLASTIC - LH/RH SUIT VISCOUNT SINGLE WHEEL

036432
• White
• Pair



WHEEL SPAT - SINGLE PLASTIC WHITE

006642
• White
• Each



MULTI-FIT SPARE WHEEL CARRIER

044652
• Suits 4,5 & 6 stud wheels
• Suits drawbar size 50-100mm
• Locking facility secures wheel and prevent theft



SPARE WHEEL MOUNT WELD ON
000511



SPARE WHEEL MOUNT BOLT ON
000512



SPARE WHEEL MOUNT JAYCO BOLT ON
000515

WHEELS AND TYRE SPARE PARTS

000511 - SPARE WHEEL MOUNT WELD ON
000512 - SPARE WHEEL MOUNT BOLT ON - STRAIGHT
000515 - SPARE WHEEL MOUNT JAYCO - BOLT ON
036426 - SPARE WHEEL COVER WHITE - 30MM
036428 - SPARE WHEEL COVER BLACK - 30MM
006635 - WHEEL STUD SUIT 7/16"X1&5/8" HOLDEN
006636 - WHEEL STUD SUIT 1/2"UNFX1&5/8" FORD
036187 - WHEEL STUD SHORT SPLINE, 1/2"IND - 50MM SPEC
036186 - WHEEL STUD LONG SPLINE, 1/2"IND - 55MM SPEC
036188 - WHEEL STUD LONG SPLINE, 9/16"IND - 55MM SPEC
006638 - WHEEL NUT 600 - SUIT FORD 7/16"
006639 - WHEEL NUT 600 - SUIT FORD 1/2"



NON BRAKED HUB 036088

NON BRAKED HUBS

036088- MINI C/W STUDS, NUTS AND HOLDEN LM BEARINGS

036101- SUIT LANDCRUISER 6 STUD C/W STUDS NUTS AND HOLDEN LM BEARINGS

036096 - SUIT FORD S/L

Complete with studs, nuts, bearings and seals. All unbraked hub kits are manufactured from high grade ductile iron to give maximum achievable strength. For marine conditions, there are a range of hubs that are galvanised for additional strength. Most jus available with Ford (Slimline) bearing option



GALVANISED HUB KIT 040629

HUB KITS - GALVANISED

036102

042727



HQ HOLDEN 038751

BOXED HUB KITS - INCLUDES STUDS, NUTS, CUPS, CONES, CHINESE BEARINGS

038751 - HQ HOLDEN RETAIL BOXED C/W LM BEARINGS

042720- FORD 5 STUD RETAIL BOXED C/W STUDS NUTS STD SEAL L/M BEARINGS

042717- HT HOLDEN STUDS S/L BEARINGS



HUB DRUM KIT 036128

HUB DRUM KITS - ELECTRICAL

036128 - ELECTRICAL LANDCRUISER 250MM 5 STUD C/W STUDS, NUTS AND SLIMLINE BEARINGS

042712 - BOXED ELECTRIC FORD 10IN RETAIL BOXED, C/W STUDS ONLY

042737 - BOXED ELECTRIC LANDCRUISER 250MM 6 STUD RETAIL BOXED, C/W STUDS, NUTS JAP SLIMLINE BEARINGS

042738 - BOXED ELECTRIC FORD 250MM RETAIL BOXED, C/W STUDS, NUTS JAP SLIMLINE BEARINGS

042714 - BOXED ELECTRIC LANDCRUISER 250MM 6S TUD NO NUTS OR BEARINGS S/PARALLEL BEARINGS

9" DRUMS ALSO AVAILABLE

BRAKES



BRAKE ASSEMBLY 006340

BRAKE PLATES AND SPARE PARTS

006340- BRAKE ASSY PLATE RIGHT HAND, MECHANICAL 9IN

006341 - BRAKE ASSY PLATE LEFT HAND, MECHANICAL 9IN

036107 - BRAKE PLATE HYDRAULIC 230MM LEFT HAND, NO PARK BRAKE

036108 - BRAKE PLATE HYDRAULIC 230MM RIGHT HAND, NO PARK BRAKE

036111 - BRAKE ASSY PLATE ELECTRICAL LEFT HAND, OFF ROAD

036112 - BRAKE ASSY PLATE ELECTRICAL RIGHT HAND, OFF ROAD

036113 - BRAKE ASSY PLATE 250X56 ELECTRICAL, TRAILTECH RIGHT HAND

036114 - BRAKE ASSY PLATE 250X56 ELECTRICAL, TRAILTECH LEFT HAND

033582 - BRAKE ASSY PLATE ELECTRICAL SUIT 12IN - PR

006333 - BRAKE ASSY PLATE RIGHT HAND WITH PARK BRAKE 250X56 (10X2)

006334 - BRAKE ASSY PLATE LEFT HAND WITH PARK BRAKE 250X56 (10X2)

006395 - ADAPTOR PLATE SUIT 40MM RND HOLE, FOR ELECT/MECH BACKING PLAT

006397 - ADAPTOR PLATE SUIT 45MM MECHANICAL/ELECTRIC

006336 - ADAPTOR PLATE MOUNT NUT ONLY 7/16" UNF



DISC BREAK HUB 036166

MECHANICAL DISC BRAKES

036166 - MECHANICAL DISC BRAKE HUB HT HOLDEN AL-KO GALVANISED C/W HOLDEN BEARINGS

038754 - MECHANICAL DISC BRAKE HUB HT HOLDEN BOXED GALVANISED C/W SLIMLINE BEARINGS

038755 - MECHANICAL DISC BRAKE HUB - FORD BOXED GALVANISED C/W SLIMLINE BEARINGS

036145 - MECHANICAL DISC BRAKE CALIPER

036159 - MECHANICAL DISC CALIPER RETAINING SPRING

036158 - MECHANICAL DISC CALIPER BOLT

036163 - MECHANICAL DISC CALIPER MOUNTING BUSH

036147 - MECHANICAL DISC BRAKE ADAPTOR PLATE 40MM AL-KO VERSION



BEARING KIT 006565

BEARING CONES, CUPS AND KITS

036183 - BEARING KIT SUIT HOLDEN, 4 PIECE CHINA

006553 - BEARING KIT SUIT HOLDEN INNER 2 PIECE

006556 - BEARING KIT SUIT FORD INNER 2 PIECE

006562 - BEARING KIT COMPOSITE, BLISTER PACK KIT

006563 - BEARING KIT HOLDEN, BLISTER PACK KIT

006565 - BEARING KIT FORD, BLISTER PACK KIT

038325 - BEARING KIT (2000KG)

006560 - BEARING SET PARALLEL SUIT FORD, 2 X INNER BEARINGS AND CONES

036180 - BEARING SUPER SEAL SUIT FORD, 2PIECE SLIMLINE

006555 - BEARING SUIT FORD INNER 2 PIECE LM68149/10

BRAKES AND AXLES



10" OVAL, SUITS
HAYES AND AL-KO
006384

BRAKE MAGNETS

- 006384 - 10" OVAL, SUITS HAYES AND AL-KO
034873 - 12" OVAL AL-KO
006388 - LEFT HAND OFFROAD AL-KO 10"
006389 - RIGHT HAND OFFROAD AL-KO 10"
006385 - CLIP FOR KELSEY OVAL MAGNET
006387 - BRAKE ARM RIGHT HAND OVAL MAGNET KELSEY



HYDRAULIC DISC BRAKE CALIPER 034170



HYDRAULIC MASTER CYLINDER 006346

HYDRAULIC BRAKE SPARE PARTS

- 034170 - HYDRAULIC DISC BRAKE CALIPER AL-KO DACROMET COATED
006346 - HYDRAULIC MASTER CYLINDER 3/4"
006350 - HYDRAULIC MASTER CYLINDER CAP ONLY SUIT 3/4IN
036153 - HYD DISC BRAKE CALIPER TRIGG A200M
036162 - HYD DISC BRAKE PAD TROJAN AL-KO 341103



BRAKE SHOES 040625

BRAKE SHOES

- 040625 - 10" EL PR/SET PAIR PART NO 339135BX
034871 - 12" PRIMARY AL-KO 339122
034872 - 12" SECONDARY AL-KO 339123
006390 - 10INX2AND1/4 PRIMARY
006391 - 10INX2AND1/4 SECONDARY



BRAKE CABLE CLAMPS



BEARING BUDDIES 006574



BEARING BUDDY COVER 006575



RUBBER DUST CAP 036478

BRAKE SPARE PARTS

- 036218 - MECHANICAL PARKING MECHANISM AL-KO
006361 - BRAKE CABLE ADJUSTER WITH PULLEY
006362 - BRAKE CABLE PULLEY
006370 - BRAKE CABLE KIT (8M+ADJ+2CLIPS+2PULLEYS)
006372 - WIRE CABLE CLAMP ONLY 5MM GAL
038134 - OIL SEAL 2 TONNE
006558 - OIL SEAL HOLDEN DOUBLE LIP STUB AXLE (2.328" X 1.437" X 0.4")
006559 - OIL SEAL SLIMLINE
036194 - WIRE CABLE CLAMP ONLY 4MM
006375 - CABLE SWAGE 2.5MM
006568 - DUST CAP - METAL
036478 - DUST CAP RUBBER SUIT VELOX
006569 - DUST CAP METAL SUIT 1.5/2T AXLE, 2 1/2IN
006574 - BEARING BUDDIES W COVER AL-KO STEEL RETAIL PACK
006575 B- EARING BUDDIES COVER ONLY

**AL-KO 12" OFF ROAD MAGNET**

- 050087 - LEFT HAND
050088 - RIGHT HAND

**STRAIGHT AXLE**

This style of axle is usually used on domestic or boat trailers and anywhere the height of the trailer is not a major consideration.

- 40MM SQUARE 1000KG EACH
036015 - 1397MM LM MACHINED PROFILE
036024 - 1650MM LM MACHINED PROFILE
036027 - 1727MM LM MACHINED PROFILE
036036 - 1956MM LM MACHINED PROFILE
036020 - 1549MM LM MACHINED PROFILE
036051 - 2337MM LM MACHINED PROFILE
45MM SQUARE 1450KG EACH
036063 - 1702MM SLIMLINE MACHINED PROFILE
036064 - 1727MM SLIMLINE MACHINED PROFILE
036065 - 1778MM SLIMLINE MACHINED PROFILE
036066 - 1829MM SLIMLINE MACHINED PROFILE
036071 - 2108MM SLIMLINE MACHINED PROFILE
036072 - 2185MM SLIMLINE MACHINED PROFILE
036076 - 2362MM SLIMLINE MACHINED PROFILE

**STUB AXLE**

- 036078 - 39MM ROUND 200MM SHORT
036079 - 39MM ROUND 250MM LONG
036080 - 45MM SQUARE 200MM
036083 - 45MM ROUND 280MM LONG
036084 - 39MM SQUARE 200MM SHORT
036085 - 40MM SQUARE 250MM LONG
036086 - 45MM SQUARE 305MM

**GALVANISED U BOLTS WITH NYLOC NUTS**

- 042592 - U-BOLT GALVANISED 39MM ROUND
042593 - U-BOLT GALVANISED 40MM SQUARE
042594 - U-BOLT GALVANISED 45MM SQUARE

OFF ROAD JOCKEY WHEEL

044576	500KG RATED
044577	750KG RATED
044987	SPARE HANDLE

The Extreme Off Road Series Jockey Wheels is probably the toughest, most advanced Jockey Wheel in Australia today. But not only is it tough, it's also versatile – with multiple height options, a highly maneuverable trailing yoke design and 5 different yoke locking positions. Makes moving easy both on and off road.

FEATURES:

- Magnetic, removable, side-winding handle
- Easier raising & lowering of trailers/caravans - away from stone guards, toolboxes or jerry can holders
- Magnetic, removable handle ensures safe stowage and prevents damage in offroad situations
- Heavy duty body available in 500kg or 750kg rating
- Increases load carrying capacity and eliminates the likelihood of "bend" under weight
- 4 x adjustable height positions
- 250mm height adjustability at each of the 4 positions, whilst maintaining a central swivel point for extra strength
- Heavy duty swivel clamp
- 4 bolt pivot point ensures no more bowing under weight
- Suitable for 75mm, 100mm, 130mm and 150mm drawbars
- Comes with mounting hardware - no more welding onto drawbars
- Wheel pivots easily, even under heavy load or on soft ground
- Dual wheel with sealed bearings & offroad tread
- Increases offroad grip and spreads the load
- Variable yoke lock
- Rust resistant finish



TRAIL-A-MATE HYDRAULIC JOCKEY WHEEL AND JACK

A hydraulic jockey wheel that converts in to a jack when you need it. You simply swap the wheel for a solid base plate. The key features of the Trail-A-Mate are as follows:


- Capacity - WLL 1,000kg / ATM 2,900kg
- Versatility - Easily converts from a jockey wheel to a jack
- Ease of Use - Being hydraulic it takes very little effort to operate
- Safety - Fully complies with the Australian mandatory safety standards (2693:2007)

It has many applications and uses such as caravanning, horse floats, trailers, food vans, motorhomes.

FEATURES:

- For stress free raising and lowering of caravans, boats and trailers
- Safety nonslip lugs built in
- No need to climb under the vehicle to jack it up
- Suitable for most jockey wheel brackets
- Both a jack and jockey wheel
- Trail-A-Mate - safe working load of 1000kg when base is fitted
- Trail-A-Mate II - safe working load of 1500kg when base is fitted

TRAIL-A-MATE



TRAIL-A-MATE MKII

000417 - TRAIL-A-MATE JOCKEY WHEEL, HYDRAULIC, LIFTING CAPACITY 1000KG

040981 - TRAIL-A-MATE MKII JACK, HYDRAULIC, LIFTING CAP 1500KG NO WHEEL (JACK ONLY)

000431 TRAIL-A-MATE SIDEWINDER JACK LIFTING CAPACITY 500KG

000429- TRAIL-A-MATE JACK HANDLE ONLY

000420 - TRAIL-A-MATE LIFTING CLAMP

000418 - TRAIL-A-MATE BASE PLATE

000421 - TRAIL-A-MATE KIT INCL FORK WHEEL PIN

000427 - TRAIL-A-MATE SERVICE KIT

000422 - TRAIL-A-MATE JACK BRACKET ONLY

036666 - TRAIL-A-MATE WHEEL ONLY

043244 - TRAIL-A-MATE SERVICE KIT FOR MKII

042460 - TRAIL-A-MATE CLAMP 60MM

043965 - TRAIL-A-MATE JACK SCREW

044955 - TRAIL-A-MATE LIFTING CLAMP

044976 - TRAIL -A-MATE WHEEL

JOCKEY WHEELS



JOCKEY WHEEL NO CLAMP OR STANDARD CLAMP REMOVABLE
 006404 - AL-KO STANDARD NO CLAMP 6" 150MM
 006408 - JOCKEY WHEEL 8X2 W/STD CLAMP
 038556- AL-KO STANDARD WITH CLAMP 350MM X 410MM
 042352 - AL-KO STANDARD NO CLAMP 8" 200MM



POWER MOVER WITH SOLID WHEEL (AL-KO)
 038543
 000464 SPARE HANDLE

A most efficient caravan mover featuring original dual pawl ratchet system. This model can be mounted on either side of the drawbar, thereby allowing maximum manoeuvrability. It is fitted to the normal jockey wheel bracket and can be wound up to a height of 840mm.

FEATURES:

- Ratchet jockey wheel
- Assists the manual movement of a caravan or trailer
- Includes handle and clamp
- 250mm diam



CLAMP ONLY FOR CAMEC JOCKEY WHEEL
 043250



JOCKEY WHEEL WITH SMALL CLAMP 50 X 50 FRAME BOLT OR WELD ON
 036244 - 6" SMALL BRACKET
 006416 - AL-KO STANDARD WITH SMALL SWIVEL



AL-KO ADJUSTABLE STAND AND CLAMP
 006450 006451

JOCKEY STANDS - VARIOUS

039992 - ARK ADJUSTABLE STAND WITH SWIVEL BRACKET - SIDE WINDER
 006445 - EASYLIFT ADJ STAND NO CLAMP 27"
 006450 - AL-KO ADJUSTABLE STAND AND CLAMP 14"
 006451 - AL-KO ADJUSTABLE STAND AND CLAMP 20"
 042292 - JOCKEY WHEEL TWIN WHEEL HEAVY DUTY WITH SOLID WHEELS, INC CLAMP AND LOAD CAPACITY 1000KG



LARGE JOCKEY WHEEL HOLDER
 050029


SPECIFICATIONS:

- Size: 204 x 204 x 35mm
- Can be pegged to the ground suits 6", 8" and 10" jockey wheels



JOCKEY WHEELS WITH LARGE SWIVEL CLAMP 50, 75, 100MM HIGH A FRAMES. BOLT OR WELD ON

006410 - 8" LARGE SWIVEL PLATE
 006406 - 6" LARGE SWIVEL PLATE
 038561 - 350 X 410MM SWIVEL PLATE



SWIVEL CLAMP AL-KO BOLT ON 036263
 HEX CRANK HANDLE - CAMEC 043248
 0043249

JOCKEY WHEEL AND STAND SPARE PARTS

043248 - HEX CRANK HANDLE - CAMEC 670MM LONG
 043249 - HEX CRANK HANDLE - CAMEC 780MM LONG
 039993 - CLAMP ARK BOLT ON
 036263 - SWIVEL CLAMP AL-KO BOLT ON
 006424 - PULLING HANDLE AL-KO FOR MOVING THE VAN ABOUT
 000410 - RECEIVER RUBBER
 006429 - RUBBER WHEEL AL-KO SUIT 8"X2"X1/2" SOLID STEEL WHEEL WITH RUBBER TYRE
 006433 - RUBBER TUBE ONLY SUIT 250X4
 006437 - RUBBER TUBE ONLY SUIT 410X350
 006452 - RUBBER WHEEL FOR BACK LEG 3IN
 036266 - RUBBER TYRE ONLY SUIT 4.10 X 3.50 X 4 PLY
 036270 - TYRE AND TUBE ARTWELL COMPLETE PNEUMATIC TYRE AND TUBE SUIT SIZE 410X350
 006425- BOLT AND WASHER KIT SUIT AL-KO 1/2" JOCKEY WHEEL CLAMP
 036247 - UBOLT KIT SUIT AL-KO J/WHEEL 75W X 75L
 036246 - UBOLT KIT SUIT AL-KO JOCKEY WHEEL 100W X 75L
 006428 - RUBBER WHEEL 6X2X1/2" SOLID
 006438 - HANDLE ONLY FOR JOCKEY WHEEL AL-KO
 006440 - THRUST BEARING JOCKEY WHEEL 6X2"
 036264 - HANDLE ONLY JOCKEY WHEEL 2/ LFT HAN6



CARAVAN MOVER ELITE® 2

043321

- Economical and effective solution for manoeuvring your caravan
- Aluminium rollers that are friendly to tyres
- Optimum compact design, reasonable ground clearance, suitable for almost any light duty single axle chassis
- Corrosion-protected by e-coating and powder coating
- Easy winding action to engage or disengage the roller.
- The powerful motor will not allow the RV to roll while being manoeuvred on a gradient (Do not use the system as a brake. Always disengage rollers when not in use)
- Caravan/trailer stops immediately and automatically if it is out of range of the remote control or there is malfunction
- Not submersible

MODEL	ELITE® 2 EM303
PART NUMBER	043321
OPERATIONAL VOLTAGE	12V DC
AVERAGE CURRENT CONSUMPTION	20 AMPS
MAXIMUM CURRENT CONSUMPTION	100 AMPS
REMOTE CONTROL TRANSMITTING FREQUENCY	868 MHZ
SPEED	90MM / SEC.
WEIGHT	37KG APPROX.
SAFE WORKING LOAD (SWL)	1,800KG (2 MOTORS) OR UP TO 1,500KG ON AN 18% GRADIENT 2,500KG (4 MOTORS) OR UP TO 1,800KG ON AN 18% GRADIENT
MINIMUM WIDTH (CARAVAN/TRAILER)	1800MM
MAXIMUM WIDTH (CARAVAN/TRAILER)	2500MM
MAXIMUM TYRE WIDTH	205MM

CARAVAN MOVER ELITE® PRO 2

043322

- Accurate and durable gearing
- Aluminium rollers that are friendly to tyres
- Simply by pressing the button on remote control handset the rollers will properly engage or disengage on the tyres
- Manoeuvre your caravan effortlessly with soft stop and start
- The powerful motor will not allow the RV to roll while being manoeuvred on a gradient (Do not use the system as a brake. Always disengage rollers when not in use)
- Caravan/trailer stops immediately and automatically if it is out of range of the remote control or there is malfunction
- If you forget to disengage the rollers, an emergency function will wind them back if it is connected to a tow vehicle.
- Not submersible

MODEL	ELITE® PRO 2 EM305
PART NUMBER	043322
OPERATIONAL VOLTAGE	12V DC
AVERAGE CURRENT CONSUMPTION	30 AMPS
MAXIMUM CURRENT CONSUMPTION	120 AMPS
REMOTE CONTROL TRANSMITTING FREQUENCY	868 MHZ
SPEED	110MM / SEC.
WEIGHT	33KG APPROX.
SAFE WORKING LOAD (SWL)	2,000KG (2 MOTORS) OR UP TO 1,750KG ON AN 18% GRADIENT 3,000KG (4 MOTORS) - UP TO 2,350KG ON AN 18% GRADIENT
MINIMUM WIDTH (CARAVAN/TRAILER)	1800MM
MAXIMUM WIDTH (CARAVAN/TRAILER)	2500MM
MAXIMUM TYRE WIDTH	205MM

SPARE PARTS

042626 ALUMINIUM ROLLER IN PAIR FOR CAMEC ELITE MOVER	043498 MAINFRAME COVER ELITE	043675 REMOTE HANDSET SERIES 2 FOR ELITE PRO
042625 CONTROL UNIT FOR CAMEC ELITE MOVER	043499 MAINFRAME COVER ELITE PRO	043676 CONTROL BOX SERIES 2 ELECTRONICS FOR ELITE
042630 MOTOR BRUSHES FOR CAMEC ELITE MOVER	043497 MOVER MOUNTING PLATES SET OF 2 WITH BOLTS	043677 CONTROL BOX SERIES 2 ELECTRONICS FOR ELITE PRO
042624 REMOTE HANDSET FOR CAMEC ELITE MOVER	043498 MAINFRAME COVER FOR ELITE	043678 ENGAGING MOTOR FOR ELITE PRO
042636 FUSE HOLDER AND FUSE FOR CAMEC ELITE AND ELITE PRO	043499 MAINFRAME COVER FOR ELITE PRO	043679 EMERGENCY KEY FOR ELITE AND ELITE PRO
042635 ALUMINIUM ROLLER IN PAIR FOR CAMEC ELITE PRO MOVER	043663 WALL HOLDER FOR REMOTE HANDSET FOR ELITE AND ELITE PRO	043680 CONVOLUTED CABLE TRUNKING 4M
042634 CONTROL UNIT FOR CAMEC ELITE PRO MOVER	043664 COMPLETE MOTOR PART B FOR ELITE	043681 ENGAGING GEARBOX FOR ELITE
042637 MOTOR BRUSHES FOR CAMEC ELITE PRO MOVER	043665 COMPLETE MOTOR PART B FOR ELITE PRO	043682 ENGAGING GEARBOX COVER FOR ELITE
042633 REMOTE HANDSET FOR CAMEC ELITE PRO MOVER	043666 DRIVING MOTOR WITHOUT GEAR FOR ELITE PRO	043683 MAIN SWITCH WITH KEY & WALL MOUNTING HOUSING FOR ELITE AND ELITE PRO
042631 ENGAGEMENT TOOL FOR CAMEC ELITE MOVER	043667 MOTOR CABLE SET 5M CABLE FOR ELITE AND ELITE PRO	043684 MAIN SWITCH WITH RED KEY FOR ELITE AND ELITE PRO
042628 ISOLATION KEY FOR CAMEC ELITE AND ELITE PRO	043668 BATTERY CABLE SET FOR ELITE AND ELITE PRO	043685 EMERGENCY SOCKET COVER FOR ELITE PRO
042632 MOTOR RUBBER COVER IN PAIR	043669 ENGAGING CONNECTION BAR 3 PARTS	043686 MOUNTING BOLTS 8 FOR MOUNTING PLATES FOR ELITE AND ELITE PRO
042629 ROLLER DISTANCE SPACER IN PAIR 20X20MM	043670 ENGAGING CONNECTOR COMPLETE	043687 A MOTOR BRACKET FOR ELITE
043497 MOVER MOUNTING PLATES WITH BOLTS X2	043671 FUSE 80A FOR ELITE AND ELITE PRO	043688 B MOTOR BRACKET FOR ELITE
	043672 COVER A DECORATION FOR ELITE	043689 A MOTOR BRACKET FOR ELITE PRO
	043673 COVER B DECORATION FOR ELITE	044870 DISTANCE PLATES FOR ELITE PRO 2
	043674 REMOTE HANDSET SERIES 2 FOR ELITE	

CARAVAN MOVERS



TRAILER VALET MOVER

042965

Manual mover designed for trailers up to 2,200kg with a ball weight of up to 220kg. Perfect for small caravans, campers and car trailers. Very simple to use.

FEATURES:

- Attaches to your A-frame and can replace your jockey wheel
- Patented drive system with high and low drive gears (select high or low gear depending on your terrain)
- Brake is incorporated in the system for safety
- Unit can be rotated out of the way on the mount for travel or removed completely
- Spare mounting plates are available to enable you to move the Trailer Valet from one vehicle to another easily

SPECIFICATIONS:

- Weight: 20.5kg
- High quality steel with powder-coated hammer finish
- 2 x 9" pneumatic tyres

TRAILER VALET XL MOVER

043705

The Trailer Valet XL is the toughest and most compact trailer dolly. Sharing the same great features as its little brother, but with a few upgrades. The XL moves most trailers up to 4,500kg just using a crank handle or an 18V drill. It features dual, 9" tyres that can handle a ball weight of up to 400kg and positraction technology for making tight turns. The automatic brake engages when the handle is released for superior safety, making it ideal for large caravans, boats, construction and farm equipment, horse floats and flat bed trailers.

FEATURES:

- Handles most trailers weighing up to 4,500kg (450kg tongue weight)
- Patented ball attachment mechanism for quick attachment and greater maneuverability
- High strength pneumatic tyres that can withstand 225kg of pressure per tyre
- A greater gear reduction to make cranking even easier
- High quality steel with powdercoat hammer finish
- Brass bearings
- Drill attachment that enables the user to attach most 18V cordless drills
- Automatic safety brake
- One year manufacturer's warranty
- Positraction for maximum traction and ease of handling

SPECIFICATIONS

- Tow ball coupling ball size: 50mm
- Weight: 23.5kg



TRAILER VALET BRAKE CAP HANDLE

042969



TRAILER VALET DRILL ATTACHMENT

043706



TRAILER VALET TYRE AND TUBE 2X9"

042967



TRAILER VALET CRANK HANDLE

042968



DO35 COUPLING V3-R
044634

The V3-R version of the DO35 is without a handbrake and ideal for caravans with a pre-existing handbrake mounted elsewhere on the A-frame.

SPECIFICATIONS:

- Articulation: 360 degrees axial, minimum 70 degrees other axes
- Locking: Fully ADR 62/02 compliant including automatic secondary lock
- Finish: Supa Alloy 5
- Bolt pattern: 4 bolts at 185mm x 54mm
- Rating: 3.5 Tonne
- Action: Drop-On
- Maintenance: Fully Greasable

DO35 COUPLING SPARE PARTS

- 044636 - DO35 BI-LOCK PIN ASSY
- 044637 - DO35 FORGED TOW PIN 7/8
- 044638 - COVER DO35 TOWING PIN V3
- 044639 - C-SPANNER UNIVERSAL
- 044640 - DO35 TOW PIN WF KIT
- 044641 - DUST CAP C/W LANYARD V2
- 044642 - DUST CAP C/W LANYARD V3
- 044643 - WDH HR 550/750 - ADAPTOR
- 044644 - STANDARD WDH ADAPTOR KIT



U BRACKET AND SPRING 006295



MECHANICAL COUPLING 006300

TREG POLYBLOCK COUPLING AND ACCESSORIES

- 006300 - COUPLING MECHANICAL OVERRIDE TREG POLYBLOCK BOLT ON, AX LOAD 3000KG, NO HAND BRAKE
- 006301 - COUPLING TREG POLYBLOCK WELD ON, MAX LOAD 3000KG, NO HAND BRAKE (WELD ON WITH 3/4 PIN)
- 006295 - COUPLING U BRACKET AND SPRING PIN TREG DETACHABLE
- 042605 - OVERRIDE COUPLING TREG POLYBLOCK COUPLING ONLY, CAST OLT ON, MAX LOAD 3000KG
- 042608 - SPRING PIN TREG YELLOW ZINC PLATED
- 006293 - COUPLING SPRING AND LYNCH PIN TREG SPRING AND LYNCH IN KIT TO SUIT TREG COUPLING



DO35 COUPLING V3-I WITH INTEGRATED HANDBRAKE
044635

Forged steel, high quality polyurethane, laser cut stainless steel and precision casting has been brought together to increase the couplings strength yet also reduce weight. This updated DO35 is over 50% stronger than the outgoing model. These advanced processes have also allowed the elimination of hitch adaptors allowing you to get on the road with less fuss.

SPECIFICATIONS:

- Articulation: 360 degrees axial, minimum 70 degrees other axes.
- Locking: Fully ADR 62/02 compliant including automatic secondary lock
- Finish: Supa Alloy 5
- Bolt pattern: 4 bolts at 185mm x 54mm
- Rating: 3.5 Tonne
- Action: Drop-On
- Maintenance: Fully Greasable



MECH BRAKE ARM ATTACHMENT AL-KO
044568

This ALKO Lever Hand Brake and Mounting Plate suits the ALKO Mechanical Override Coupling System.



OVERRIDE COUPLING 006281
OVERRIDE COUPLINGS

- 006281 - COUPLING HYDRAULIC OVERRIDE AL-KO WITH HANDBRAKE & 3/4" MASTER CYLINDER MAX LOAD 2000KG
- 006317- COUPLING HYDRAULIC BRACKET WITH MASTER CYLINDER
- 006285 - COUPLING MECHANICAL OVERRIDE AL-KO ZINC PLATED, MAX LOAD 2 TONNE, NO HAND BRAKE, ARM ATTACHMENT



COUPLING FIXED PRESSED METAL AL-KO AK7
006276

Zinc plated, 760kg max load.



COUPLING ELECTRICAL AL-KO ZINC PLATED
006280

Suits electric brakes. Quick release, 4 hole bolt on, 3500kg max load. 50mm Ball



4WD COUPLING 040837

COUPLING MECHANICAL

- 006278 - COUPLING QUICK RELEASE AL-KO ZINC PLATED, BOLT ON, 2 HOLE, 2000KG MAX LOAD, HEAD ADJUSTING SCREW
- 036199 - COUPLING QUICK RELEASE BOLT ON, 3 HOLE, 2270KG MAX LOAD, HEAD ADJUSTING SCREW
- 006283 - COUPLING QUICK RELEASE TRIGG, OVERRIDE, BOLT ON, NO BRAKE ARM, N2000KG MAX LOAD
- 006302 - COUPLING 4WD FIXED 3PCE TRIGG, OFF ROAD, FULL 360 DEGREE ROTATION, TOWBAR ADAPTOR, POLYBLOCK WITH BRASS BUSHES AND 10MM PIN

COUPLINGS

COUPLING SPARE PARTS

- 036216 - DETACHABLE PIN ASSEMBLY TRIGG
- 006312 - REVERSING LATCH TRIGG
- 006315 - HANDBRAKE PLATE SUIT TRIGG COUPLING
- 034823 - POLY BLOCK TOWBAR ADAPTOR TRIGG
- 036221 - COUPLING REVERSING CATCH AL-KO
- 006323 - COUPLING TRIGGER AL-KO
- 006332 - COUPLING TRIGGER SPRING AL-KO
- 006327 - COUPLING ADJUSTABLE SCREW AND NUT KIT AL-KO
- 041490 - COUPLING LOCK RING AL-KO SUIT AKS2000 OFFROAD COUPLING
- 006294 - COUPLING LYNCH PIN CLIP TREG SIZE 6MM
- 006299 - SPRING PIN WITH LOCK TREG KIT CONTAINS COUPLING PIN AND LOCK FOR TREG POLYBLOCK
- 039997 - COUPLING MOUNT BOLTS SET OF 3 (1 1/2" X 1/2")
- 039998 - COUPLING MOUNT BOLTS SET OF 4 (4" X 1/2")
- 042784 - D-SHACKLE AND BRIM GAL 10MM RATED 1000KG
- 042785 - D-SHACKLE AND BRIM GAL 11MM RATED 1500KG
- 042786 - D-SHACKLE AND BRIM GAL 13MM RATED 2000KG
- 042783 - D-SHACKLE AND BRIM GAL 8MM RATED 750KG
- 006723 - D SHACKLE AND BRIM 10MM ZINC PLATED, UNRATED
- 006724 - D SHACKLE AND BRIM 8MM UNRATED

- 006727 - D SHACKLE AND BRIM 12MM UNRATED
- 036493 - VIN PLATE TRAILER I.D. 1 PIECE, WA ONLY 006293 PIN COMPLETE T/S TREG COUPLING WITH SPRING AND LYNCH PIN
- 006322 - COUPLING PARTS KIT ALKO - HANDLE, TRIGGER, SPRINGS, SPINDLE
- 006305- TRIGG SAFETY CATCH SPRING
- 006307 - TRIGG SAFETY LOCKING PIN



TRIGG COUPLING 4WD 006302



QUICK RELEASE COUPLING 036199



REVERSING CATCH 036221



PIN ASSEMBLY 036216

CAMPER LEGS



ADJUSTABLE FRONT LEG 006470



ADJUSTABLE DROP DOWN LEG 034280



CORNER STEADY PADS 006486

ADJUSTABLE CORNER STEADIES

- 006469 - ADJUSTABLE LEG FRONT MANUTECH SUIT HEX HANDLE 500MM LENGTH
- 006470 - ADJUSTABLE LEG FRONT MANUTECH SUIT SLOTTED HANDLE 500MM LENGTH
- 006471 - ADJUSTABLE LEG FRONT MANUTECH SUIT HEX HANDLE 600MM LENGTH
- 006473 - ADJUSTABLE LEG REAR MANUTECH SUIT SLOTTED HANDLE 500MM LENGTH
- 006457 - ADJUSTABLE LEG FRONT DYMWOOD SUIT SLOTTED HANDLE 18" LENGTH
- 006476 - ADJUSTABLE LEG FRONT AL-KO SUIT HEX HANDLE 500MM LENGTH
- 006479 - ADJUSTABLE LEG REAR AL-KO SUIT HEX HANDLE 500MM LENGTH
- 006477 - ADJUSTABLE LEG FRONT AL-KO SUIT HEX HANDLE 600MM LENGTH
- 006480 - ADJUSTABLE LEG REAR AL-KO SUIT HEX HANDLE 600MM LENGTH
- 006478 - ADJUSTABLE LEG FRONT AL-KO SUIT HEX HANDLE 700MM LENGTH
- 006481 - ADJUSTABLE LEG GALVANISED AL-KO SUIT HEX HANDLE 500MM TOP MOUNT TO SUIT JAYCO
- 006482 - ADJUSTABLE LEG GALVANISED AL-KO SUIT HEX HANDLE 700MM TOP MOUNT TO SUIT JAYCO

Ensure the caravan or trailer is secure and even when stationary. Adjustable corner steadies are available in positive drive wind-down or drop-down models. Corner steadies are not designed as a jack and must not be used for this purpose.

DROP DOWN CORNER STEADIES

- 034280 - ADJUSTABLE LEG MANUTECH WELD ON WITH LARGE ALUM FOOT 400MM LENGTH 240MM LIFT
- 042816 - ADJUSTABLE LEG QUICK RELEASE MANUTECH WELD ON WITH LARGE ALUM FOOT 620MM LENGTH 240MM LIFT
- 006488 - ADJUSTABLE LEG DROP DOWN MANUTECH SUIT HEX HANDLE 415MM LENGTH
- 006489 - ADJUSTABLE LEG DROP DOWN MANUTECH SUIT HEX HANDLE 455MM LENGTH
- 006490 - ADJUSTABLE LEG DROP DOWN MANUTECH SUIT HEX HANDLE 515MM LENGTH
- 006483 - ADJUSTABLE LEG DROP DOWN CORNER STEADY AL-KO WITH BIG FOOT PAD SET, SUIT HEX HANDLE 590MM LENGTH EXTENDED
- 006485 - ADJUSTABLE LEG DROP DOWN CORNER STEADY AL-KO WITH BIG FOOT PAD SET, SUIT HEX HANDLE 740MM LENGTH EXTENDED
- 042662 - ADJUSTABLE LEG DROP DOWN CORNER STEADY AL-KO WITH BIG FOOT PAD SET, SUIT HEX HANDLE 820MM LENGTH EXTENDED

Drop down corner steadies provide convenient and stable platforms when used on a caravan or trailer.

ADJUSTABLE LEGS AND DROP DOWN CORNER STEADIES SPARE PARTS

- 006486 - DROP DOWN CORNER STEADY PADS AL-KO BIG FOOT SET 4 PROVIDES AN IDEAL FLAT LOAD BEARING SURFACE FOR SOFT GROUND
- 040233 - DROP DOWN CORNER STEADY PLASTIC FOOT MANUTECH PLASTIC FOOT ONLY
- 040234 - DROP DOWN CORNER STEADY ALUMINIUM FOOT MANUTECH ALUMINIUM FOOT ONLY
- 006500 - 1150MM HANDLE (HEX) AL-KO HEX DRIVE
- 006484 - DROP DOWN CORNER STEADY RED HANDLE AL-KO, REPLACEMENT HANDLE ONLY
- 006493 - ADJUSTABLE LEG HANDLE ARTWELL SLOTTED HANDLE, 565MM OVERALL SIZE
- 006494 - ADJUSTABLE LEG HANDLE ARTWELL SLOTTED HANDLE, 720MM OVERALL SIZE
- 006498 - JACK HANDLE DYMWOOD MILLARD OLD STYLE JACK HANDLE
- 042054 - ADJUSTABLE LEG DROP DOWN PULL PIN ASSY AL-KO TO SUIT AL-KO LEG
- 006487 - ADJUSTABLE LEG HANDLE SUITS MANUTECH QUICK RELEASE SWING DOWN LEG
- 043248 - CRANK HEX HANDLE 670MM
- 043249 - CRANK HEX HANDLE 780MM



TANDEM LEAF SPRING 036309

LEAF SPRING

036309 TANDEM 45 X 8 X 710 8 LEAF



7 LEAF SPRING 040754

LEAF SPRING - EYE TO EYE SHACKLE (CAPACITY LISTED FOR 2 SPRINGS)

036299 - 45X8X710 3 LEAF 850KG
 036300 - 45X8X710 4 LEAF 1100KG
 036301 - 45X8X710 5 LEAF 1300KG
 036302 - 45X8X710 6 LEAF 1500KG
 040754 - 45X8X840 7 LEAF 1600KG



WINDSOR SHOCK ABSORBER 006654



AL-KO SHOCK ABSORBER KIT 036423



SPRING TO SUIT WINDSOR 036827

SHOCK ABSORBERS

006654 - WINDSOR SHOCK ABSORBER 4081-001
 006655 - SHOCK ABSORBER PLATE SUIT WINDSOR
 036423 - SHOCK ABSORBER KIT - AL-KO
 036827 - COIL SPRING SUIT WINDSOR SHOCK ABSORBER



SLIPPER SPRING 040757

SLIPPER SPRING (CAPACITY LISTED FOR 2 SPRINGS)

036328 - 45 X 6 610 7 LEAF 1350KG
 040758 - 44 X 6 X 720 5 LEAF 900KG
 040757 - 44 X 6 X 720 6 LEAF 1050KG
 036333 - DACROMET 3 LEAF 600KG
 036334 - DACROMET 4 LEAF 750KG
 036335 - DACROMET 5 LEAF 1000KG
 036336 - DACROMET 6 LEAF 1200KG
 036337 - DACROMET 7 LEAF 1350KG



ROCKER ARM 036360

SPRING KIT AND SPARE PARTS

036360 - TANDEM FABRICATED ROCKER ARM WITH BUSHES, SUITS 45MM SPRING
 041499 - TANDEM ROCKER SPRING ROCKERS SUIT 60MM SHACKLE SPRING, 18MM PIN, 202MM CENTRE
 036364 - FRONT U HANGER WITH 12MM HOLE 45MM WIDE
 036365 - FRONT U HANGER WITH 14MM HOLE 45MM WIDE
 038133 - CENTRE ROCKER PIN AL-KO M18
 036367 - REAR HANGER BLOCK NO BUSH, 22MM I.D.
 036368 - REAR U HANGER SUIT SLIPPER SPRING
 036375 - SHACKLE BOLT 3AND1/2" X1/2" WHIT
 036369 - SHACKLE BOLT AND NUT 3 1/2"X9/16" GREASEABLE
 036370 - SHACKLE BOLT AND NUT 3 1/2"X5/8" GREASEABLE
 036371 - SHACKLE BOLT AND NUT 3 1/2"X9/16" NON-GREASE
 036372 - SHACKLE BOLT AND NUT 3 1/2"X5/8" NON-GREASE
 036387 - AXLE PAD SUIT FLAT AXLE
 036380 - FISH PLATE GALVANISED, MULTI FIT 8MM
 006527 - FISH PLATE MULTI FIT 8MM BLACK
 036376 - GREASE NIPPLE STRAIGHT
 036374 - NUT NYLOC UNF 5/8"
 006530 - NUT NYLOC UNF 1/2"
 038809 - NUT NYLOC M16 AL-KO
 038135 - NUT NYLOC M18 AL-KO
 006531 - NUT ZINC PLATE 1/2"



NYLON BUSH 006535

SPRING KIT AND SPARE PARTS

006535 - NYLON BUSH 1 3/4 X 9/16 X 3/4IN
 036386 - NYLON BUSH 60MM X 7/8 X 5/8IN
 038810 - SHACKLE BOLT AL-KO GREASEABLE, M16
 038532 - SHACKLE PLATE AL-KO BLACK, M16
 036379 - SHACKLE PLATE GALVANISED, 9/16" HOLES, 75MM CENTRE TO CENTRE
 006526 - SHACKLE PLATE 9/16" HOLES, 75MM CENTRE TO CENTRE
 036378 - SHACKLE PLATE GALVANISED, 1/2" HOLES, 65MM CENTRE TO CENTRE
 006576 - LUBRIMATIC MARINE GREASE 454GM TUB
 006579 - HIGH TEMP BEARING GREASE 500GM TUB



U BOLTS

U-BOLTS AND KITS

036391 - BLACK SQUARE 115MMMM X 40MM 1/2" WHITWORTH SQUARE
 036394 - BLACK SQUARE 140MM X 40MM 1/2" WHITWORTH SQUARE
 006522 - BLACK SQUARE 125MM X 45MM 1/2" WHITWORTH SQUARE
 006523 - BLACK SQUARE 140MM X 45MM 1/2" WHITWORTH SQUARE
 006524 - BLACK SQUARE 150MM X 50MM 1/2" WHITWORTH SQUARE
 036401 - ZINC SQUARE 75MM X 55MM 1/2" WHITWORTH SQUARE
 036402 - ZINC SQUARE 75MM X 100MM 1/2" WHITWORTH SQUARE
 036403 - ZINC SQUARE 100MM X 75MM 1/2" WHITWORTH SQUARE
 036404 - ZINC SQUARE 100MM X 40MM 1/2" WHITWORTH SQUARE
 036405 - ZINC SQUARE 100MM X 100MM 1/2" WHITWORTH SQUARE
 036407 - ZINC SQUARE 130MM X 56MM 1/2" WHITWORTH SQUARE
 036408 - ZINC SQUARE 115MM X 40MM 1/2" WHITWORTH SQUARE
 036410 - ZINC SQUARE 125MM X 45MM 1/2" WHITWORTH SQUARE
 036411 - ZINC SQUARE 125MM X 50MM 1/2" WHITWORTH SQUARE
 036412 - ZINC SQUARE 140MM X 40MM | 1/2" WHITWORTH SQUARE
 036413 - ZINC SQUARE 140MM X 45MM 1/2" WHITWORTH SQUARE
 036414 - ZINC SQUARE 150MM X 40MM 1/2" WHITWORTH SQUARE
 036415 - ZINC SQUARE 150MM X 50MM 1/2" WHITWORTH SQUARE
 036416 - ZINC SQUARE 165MM X 45MM 1/2" WHITWORTH SQUARE
 036417 - ZINC RND 100MM X 40MM 1/2" WHITWORTH ROUND
 036418 - ZINC RND 125MM X 40MM 1/2" WHITWORTH ROUND
 036419 - ZINC RND 125MM X 45MM 1/2" WHITWORTH ROUND
 036420 - ZINC RND 125MM X 50MM 1/2" WHITWORTH ROUND

VEHICLE STEPS

CARAVAN STEPS

Make entry and exit to your caravan or camper easy and safe with the Camec range of steps. Manual or electric, in differing widths that suit all vehicle requirements.



STEP SINGLE ELECTRIC 12V 560MM ALUMINIUM/STEEL

- | | |
|--------|------------------------|
| 006508 | SINGLE |
| 006509 | DOUBLE |
| 043707 | MOTOR ONLY (LEFT SIDE) |

The Tecno Step is fantastic addition to your caravan or motorhome! These single steps have an Aluminium tread and the frame is all galvanised steel construction. They have a 12V motor that extends and stores the step - it is operated by a switch that is usually placed just inside the doorway.

NOTE: Wiring Harness with switch is not included but can be purchased separately

The mounting brackets can be bolted (bolts not included) or welded to the Chassis and are 554mm from outside to outside. **FEATURES:**

- 560mm wide
- Operated by a switch
- Aluminium/steel construction



STEP, SILVER PAINTED, SINGLE TREAD 500MM X 165MM

006502

Single tread standard step.

SPECIFICATIONS:

- Side mounting frame 165mm deep
- Frame ends are 525mm apart (outside), each end frame is 295mm deep x 165mm high
- Silver painted
- 500mm wide



STEP DOUBLE TREAD PEDAL MOUNTING SILVER PAINTED

006504

A two stage step where the bottom steps folds over the middle step, the combined steps slide under the caravan. Must be welded to the chassis

SPECIFICATIONS:

- Outside width is 525mm and 235mm high when folded with a depth of 305 for the frame
- Lower frame as shown in the photo is 610mm wide
- Each tread is 490mm x 190mm
- Clearance when opened 400mm
- Silver paint finish
- Weight: 14.5kg



STEP SINGLE TREAD 455MM X 170MM - MOUNT 500MM X 275MM PAINTED

006501

Single low profile steel step. Used under caravan recessed steps to provide an in-between step.

Specifications:

- Steel 505mm wide
- 180mm deep mounting frame
- Extends 65mm



STEP ALUMINIUM/STEEL MANUAL 560MM

006507

The Tecno Step has an aluminium tread and the frame is a fully galvanised steel construction.

FEATURES:

- 560mm wide manual step
- Aluminium/steel construction
- Spring loaded for easy operation

SPECIFICATIONS:

- Dimensions of step tread: 560mm x 210mm
- Weight: 5.5kg
- Clearance required: 170mm deep when closed
- Closed step is 50mm proud of mounting flange and open step is 300mm proud of mounted flange
- Open step tread is 190mm below mounting flange

SPARE PARTS

- | | |
|--------|--|
| 006510 | ELECTRIC STEP MAIN SWITCH ONLY |
| 006509 | ELECTRIC STEP FOOT BOARD SUIT DOUBLE STEP 12V 560MM WIDE |
| 040912 | ELECTRIC STEP STANDARD HARNESS LOOM 1300MM LOOM SUIT SINGLE STEP |
| 036780 | ELECTRIC STEP SIDE MOULD GREY PLASTIC SUITS ELECTRIC STEPS |
| 039820 | STEP TENSION SPRINGS PAIR SUITS TECHNO STEPS |
| 043707 | MOTOR TO SUIT TECHNO STEPS LEFT SIDE |