

ACCESSORIES



BC300 + COMMLINK

300A External Shunt

Monitor All Connections Direct To Battery



KEY FEATURES

- High current/external charge monitoring
- Wireless Bluetooth communication to Commlink – easy to install / retrofit
- DIY installation and simple pairing procedure
- Compatible with Lead Acid and LiFePO4 deep cycle batteries

BATTERY PROPERTIES MONITORED

- Voltage
- Current (charging / discharging)
- Energy usage (Ah)
- Temperature (not displayed)

DIPPER RANGE

Digital Water Level Indicators

A range of digital water level indicators designed for use in both plastic and metal water tanks. The Dipper gives an accurate reading of levels in fresh and grey water tanks on RVs, camper trailers and boats.

The Dipper is easy to install, retrofitting is a DIY job thanks to the 5 pin connector located close to the ring terminal.

The Dipper has been designed for use with the full suite of BMPRO Battery Management Systems and is compatible with all BMPRO's Monitors and a range of aftermarket tank level indicators.

KEY FEATURES

- Easy Installation - no need to rewire if retrofitting
- Fits existing water tanks
- Compatible with BMPRO RVView, Trek and Drifter series monitors for water tank readings
- Suitable for use in caravans, boats, motor homes and camper trailers
- Suitable for plastic and metal water tanks
- Available in 2.5M, 5M and 7.5M cable lengths