



# HARDWARE & FURNITURE

Mattresses.....	142
Table Legs.....	143
Hinges.....	147
Cupboard Catches.....	148
Handles.....	150
Cupboard Stays.....	150
Gas Struts.....	151
Storage.....	151
One Key System.....	152
Internal Fixings.....	153
External Fixings.....	154
Curtains.....	156
Room Dividers.....	157
Roof.....	158

## MATTRESSES



**MATTRESS INNERSPRING**

- 042832 CUT CORNER 1830 X 1370 X 210
- 042833 STANDARD 1880 X 1220 X 210
- 042834 CUT CORNER 1880 X 1220 X 210
- 042835 SINGLE 1830 X 760 X 210
- 042836 CUT CORNER WITH BOLSTER 1830 (+100) X 1370 X 210
- 042837 CUT CORNER WITH BOLSTER 1830 (+100) X 1500 X 210

There is nothing like a good night's sleep, especially after a hard day's travel. The latest range of Camec mattresses are designed with comfort and support in mind. Made from high quality, durable non-woven Damask fabric, they feature Bonnell hard coil springs, a 2cm high density foam top layer, 400g white cotton felt and come in a range of sizes that will suit nearly all caravans and pop tops. Features a 5 year warranty.

Bolster Explanation: During the day the extra 100mm bolster can be placed on top of the mattress at the head end to provide more space in the RV. At night it can be dropped down to increase the mattress length.

# TABLE LEGS



## TABLE HINGE SECTION

**034298 4M CLEAR ANODISED MALE**

**034299 4M CLEAR ANODISED FEMALE**

**035210 MALE & FEMALE SECTION - 495MM LONG**

Male section mounts onto table and the female section attaches to the wall.



## ALI TABLE HINGE 995MM

**007958 MALE**

**007959 FEMALE**

### FEATURES

- This clip system releases by lifting the far end of the table up - the sections then are easy to separate
- The table requires some form of leg or support at the end away from the clip section.



## PLASTIC HINGE - TABLE SUPPORT LEG

**007908**

Replacement plastic hinge for table support legs (refer codes 007873, 007874 and 007875). Suitable for folding the table leg.



## BREHA TABLE SUPPORT LEG

**007873 305MM**

**007874 355MM**

**007875 457MM**

Hinged support leg for table tops when converting to bed base.



## TABLE SLIDE RAIL KIT

**007960**

Suits bi-fold and folding table legs.

Kit includes: 2 x plugs, 2 x brackets

1 x 500mm Rail

1 x 950mm Rail

### FEATURES

- Attaches to a table top to a wall
- 2 x supplied brackets clip to the aluminium rail to secure table
- 2 x length rails included to allow table to be attached in two separate locations
- Table requires some form of leg support at other end



## PLASTIC BRACKET - TABLE SLIDE

**007961**

Replacement bracket for table slide kit (refer code 007960).



**TABLE LEG - WINEGLASS BENT TUBE**

**035213**

5pcs-Grey Base Silver Zinc Leg.

**FEATURES**

- Centre bent tube section removes to fold table down, and allows the table to rotate in an offset method to give greater clearance
- The top is removable with a finger knob and does not include a table top

**SPECIFICATIONS**

- Table Leg Height: 700mm
- Base: 430mm (diameter)
- Top Plate: 300mm x 170mm
- Pipe: 38mm outside diameter
- Pipe Offset: 200mm
- Grey



**WINEGLASS TABLE LEG WITH ANGLE IRON TOP**

**007884**

A wineglass shaped leg with an angle iron split top.

**SPECIFICATIONS**

- Table Leg Height: 730mm
- Base: 420mm(diam)
- 38mm tube



**WINEGLASS TABLE LEG**

**044956**

This Wineglass Table Leg complete with base and top comes in four parts (top plate, tube, bottom plate & anchor), making it easier to pack up and store while on the go in your caravan or camping.

**SPECIFICATIONS**

- Silver leg black top
- Wineglass table leg complete with base & top
- Includes: 1x top plate, 1 x leg tube, 1 x bottom plate, 1 x anchor
- Height: 700mm including base
- Finish: Powder Coated
- Weight: 5kg
- 45mm tube



**WINEGLASS TABLE LEG - PLATE TOP**

**007885**

Wineglass Table leg in grey. Four pieces make up this table. It has a removable base which can be bolted or unbolted from floor with a finger bolt inside base.

**FEATURES**

- Centre tube section removes to fold table down.
- The top is removable with a finger knob.
- This does NOT include a table top, these must be individually made by the customer.
- 38mm tube



**BREHA ISLAND TUBE TABLE LEG SET**

**007876**

**SPECIFICATIONS**

- Bottom plate is recessed into the floor to stop any tripping hazard when the table is removed
- 45mm tube



**BREHA CLIP - ISLAND LEG POLE**

**007912**

For storage of island table leg poles when table is not in use. Suits 45mm tube.



**BREHA CHROME TUBE FOR PEDESTAL TABLE LEG**

**007924**

**SPECIFICATIONS**

- Dimensions: 690mm(h) x 44.5mm(d)



### TOP PLATE SWING AWAY TABLE LEG

007895

Suits 38mm diameter tube.



### TOP PLATE - TUBULAR ISLAND LEG

007909

Replacement top plate for Island tube table set (refer code 007876). Suits 45mm diameter tube.



### EASY-LIFT TABLE LEG AND ADJUSTABLE PLATE

007890

This telescopic table leg has an adjustable height floor plate to allow for correct height setting when table is being used as a bed base. Lock knob tightens a friction shim to prevent accidental movement.

#### SPECIFICATIONS

- Overall Height: 855mm
- Closed Height: 480mm



### TOP PLATE FOR PEDESTAL TABLE LEG SPLIT

007921

Replacement top plate for pedestal table leg split. Suits 45mm tube.



### TABLE LEG COLLAR SWING AWAY

007897

Replacement swing away collar for table leg (refer code 007892).



### SWING AWAY TABLE LEG 4 PIECE

007892

Swings away where space is very restricted. Designed to swing table out of the way when not being used to provide more space in van.

#### FEATURES

- Includes leg, top plate and bottom plug to secure to floor
- Collar attaches to the side of seat to give added support to leg
- 2 legs required for longer tables

#### SPECIFICATIONS

- Underside of Table to Floor: 750mm
- Offset: 210mm
- Tube Dimension: 38mm
- Weight: 2.79kg



### FOLDING TABLE LEG - 675MM

007906

This unique table top hinge leg offers versatility and portability. The table top can be lifted from the wall bracket and conveniently positioned elsewhere on the caravan, even outdoors.

#### SPECIFICATIONS

- Hinged at the top to allow folding
- Ideal for stowing table top when space is a premium
- Can be used with table hinge section (P3) or table kit (007960 - P3)



### BI-FOLD TABLE LEG - 675MM

007905

This unique table top hinge leg offers versatility and portability. It can also serve as a bed base.

#### FEATURES

- Unique European style aluminium leg
- Adjusts to both table and bed height
- Table top can be lifted from the wall bracket and positioned elsewhere on the caravan, even outside

#### SPECIFICATIONS

- Height: 675mm
- Bi-Fold Height: 315mm



### TABLE LEG - V TYPE 710 MM

007904

These simple "V" shaped, chromed wire legs which lock for vertical support, can pivot horizontally under the table top for ease of storage or when the table top is being used as a bed.

#### SPECIFICATIONS

- Dimensions: 80mm(w) x 710mm(h) x 20mm(d)



**PRIMERO COMFORT TABLE SUPPORT**

**044429**

The elegant Primero Comfort Table Support offers the complete range of functionality and usability for modern caravan and motor homes. Designed and tested to offer maximal stability, longevity and flexibility while considering space and weight. This table support can be moved down smoothly by pulling the handle to convert into an additional sleeping area. While the gas spring helps to raise the table back into its dining position considering space and weight.

**FEATURES**

- Light Weight
- Reduced height compared to previous model (8mm)
- New ergonomic designed handle
- Small footplate to save space
- No screw cover plate required
- Swivel function

**SPECIFICATIONS**

- Height: 300-600mm
- Swing: 360mm
- Weight: 7.7kg

**FIAMMA TUBE PRO TABLE LEG**

**007913 RECESS BASE PLATE**

**007914 DOME TOP PLATE**

**040199 FOLDING TRIPOD BASE**

**040271 TUBE PRO TABLE LEG**

Chrome tube for the Tube Pro 70 table leg. Made from anodised aluminium.

**SPECIFICATIONS**

- The Tube Pro table leg comprises of 3 parts - tube (code 040271), flush top (code 007914), recessed base (code 007913) and optional tripod used to convert table for outdoor use (code 040199). Each item is sold individually
- Can easily be dismantled and stored
- Height: 700mm - height adjustable



**PEDESTAL TABLE LEG - ANGLE IRON TOP**

**007880**

The 4 way chrome base is bolted to the floor with the supplied eye bolt. The table can be easily removed to use outside or as a bed base. The chrome tube and angle iron top can be removed by undoing the wing nuts top and bottom. Two long & 2 short legs on base.

**FEATURES**

- Can be anchored to the floor for travel but can also be moved for use elsewhere
- Freestanding
- Sturdy table legs with an angle iron top plate for extra support
- Includes 2 long and 2 short legs on base

**SPECIFICATIONS**

- Table Leg Height: 690mm
- Long Base: 615mm x 830mm



**KNOB - SWING AWAY TABLE LEG**

**007899**

For wall mounted use. Bottom plug secures to the floor for the tube to swivel, the collar is attached to the side of the seat or wall to give added support to the leg.

**LOCKING KNOB - EASY LIFT LEG**

**007940**

Replacement locking knob with a 3/8" Whitworth thread to suit Eazy lift table leg (refer code 007890).

**SPECIFICATIONS**

- 3/8" Whitworth thread Black

**WING NUT HANDLE**

**007923**

Wing nut handle for pedestal table leg.

# HINGES



## FOLDING BRACKET 305MM WHITE

008006

305mm spring loaded. Can be used for folding bench tops or foot stool supports.

### SPECIFICATIONS

- White
- Locks into place when raised
- Easy release



## BUTT HINGE NYLON 51MM

008019

### FEATURES

- Nylon
- Heavy duty
- Durable

### SPECIFICATIONS

- 51mm



## BUTTERFLY HINGE

008034 NICKEL

008036 BRASS



## CUPBOARD HINGE FLAT

008033

A semi concealed offset leaf cupboard hinge. Fits flush on the outside of the frame and flush on the inside of the door.

### SPECIFICATIONS


- Zinc finish
- Hole centres on long side: 52mm
- Hole centres on short side: 26mm



## CUPBOARD HINGE

008027 FLAT BRASS

Popular semi concealed flat leaf cupboard hinge in a choice of two finishes.



## MINI DOOR OFFSET HINGE NO 18

015651

Semi concealed lightweight, non-rusting, aluminium hinge for mini access doors.

### SPECIFICATIONS

- Chrome

# CUPBOARD CATCHES



## ROLLER CATCH-CUPBOARD

008059

Blister Pack of 2.  
A positive action roller catch.



## SCREW GRIPPER CATCH

008060



## CUPBOARD VERTICAL CATCH NYLON

008061

Gripper catch, vertical. Used to keep cupboard doors or draws closed. This version is usually placed on a vertical side.

### FEATURES

- Strong and positive nylon gripper catch for cupboard doors and drawers
- Vertical striker
- Base Width: 13mm x 32mm
- 2 Pieces



## CUPBOARD HORIZONTAL CATCH NYLON

008062

Gripper catch, horizontal. Two pieces that make up the horizontal gripper catch. Used to keep cupboard doors or draws closed.

### FEATURES

- Strong and positive nylon gripper catch for cupboard doors and drawers
- Horizontal striker
- Base Width: 13mm x 32mm
- 2 Pieces



## FEMALE SECTION-C/CATCH WHITE

008063

Nylon.



## CUPBOARD CATCH

008078

A strong plastic spring-loaded catch used in many early Franklin caravans (2 part).

### SPECIFICATIONS

- Ideal for doors that are 10mm thick
- Measures 73mm from rear single screw hole to each front screw hole
- Brown



## CUPBOARD CATCH

008081

A strong plastic spring-loaded catch used in many early model caravans (2 part).

- Brown



## CAMEC NICKEL CATCH SET

008089 13MM

008091 19MM

Camec nickel catch set includes catch, rosette, knob and striker plate. Knob sits near flush with drawer when locked and pops out when pressed to open.



## CUPBOARD CATCH LONG STEM

008080

The 1269B long stem cupboard catch is a pull catch that suits a cupboard door with a 20mm thickness. It accepts various knobs and includes striker plate.



## MINI CUPBOARD CATCH STRIKER

008095



## COMPRESSION LATCH

051723



## COROMAL BOOT LOCK

051648

## CAMEC CUPBOARD CATCHES

### ROSETTES



PART NO.	DESCRIPTION
008141	MINI NICKEL PLATED
008150	16MM NICKEL PLATED S/16MM THICK DOOR
008156	19MM NICKEL PLATED S/19MM THICK DOOR
008157	19MM WHITE S/19MM THICK DOOR



### BACK CATCH

PART NO.	DESCRIPTION
008097	LARGE WHITE
008143	MINI BROWN
008144	MINI NICKEL PLATED
008145	MINI WHITE



### PUSH BUTTON KNOB

PART NO.	DESCRIPTION
008133	16-19MM NICKEL PLATED
008134	16-19MM WHITE
008137	MINI NICKEL PLATED



### ANGLE STRIKERS - OPTIONAL

PART NO.	DESCRIPTION
008103	PUSH BUTTON CATCH STRIKER CATCH




### LOCKWOOD 200 STREAMLATCH

008235

Main door lock ideal for narrow door stiles.

- Chrome



### COMPRESS LATCH FLUSH FITTING

008238 SMALL

017166 LARGE

For use on Service Doors.

- Chrome



# HANDLES



## EMRO HANDLE - 150MM

036752

A strong chrome plated handle suitable as a pull handle on the corner of caravan.

### SPECIFICATIONS

- Length: 130mm
- Chrome
- 4 hole mounting



## CHROME GRAB HANDLE

007977 100MM

007979 152MM



## VECAM GRAB HANDLE

007980 GREY

007983 WHITE

A strong plastic grab handle suitable as a pull handle on the corner of caravans or camper trailers. Gasket not included. Please use silicone under the handle and also on the threads of your screws.

### SPECIFICATIONS

- Overall Length: 160mm
- 23mm between hole centres horizontally
- 136mm between hole centres vertically



## VECAM GRAB HANDLE GASKET

007981 GREY

007984 WHITE

Replacement gasket for grab handle (refer code 007980 and 007983).



## GRAB HANDLE PLASTIC

007988

A strong plastic grab handle suitable as a pull handle on the corner of caravans or camper trailers.

### SPECIFICATIONS

- White
- Overall Length: 175mm
- 16mm between hole centres horizontally
- 153mm between hole centres vertically

# CUPBOARD STAYS



## FIRMOTOP STAY CUPBOARD STAY UP

008009

### FEATURES

- Chrome finish cupboard stay up
- Spring pressure supports the flap when raised and holds it firmly against the cabinet when closed

### SPECIFICATIONS

- Opens to 130mm overall
- Chrome



## 802 WINDOW STAY

008014 SMALL

This folding stay is available in two sizes and was often used as a window stay in older caravans.

### SPECIFICATIONS

- Small measures 75mm from central pivot to outer pivot
- Large measures 100mm from central pivot to outer pivot

# GAS STRUTS



## GAS STRUTS

These are used to assist the lifting of the roof of many pop-tops. Please note: Ensure the extended length is suitable and that the ends are similar. Confirm Newton rating on your existing gas strut.

**040273 125N - 195.5MM - 12.25KG CAPACITY**

**015645 150N - 317MM - 15KG CAPACITY**

**035305 150N - 450MM - 15KG CAPACITY**

**008406 100N - 525MM - 10KG CAPACITY**

**008407 150N - 525MM - 15KG CAPACITY**

**008408 200N - 525MM - 20KG CAPACITY**

**008424 230N - 525MM - 23KG CAPACITY**

**008397 240N - 825MM - 24KG CAPACITY**

**035302 250N - 430MM - 25KG CAPACITY**

**008409 250N - 525MM - 25KG CAPACITY**

**008398 290N - 825MM - 29KG CAPACITY**

**008410 300N - 525MM - 30KG CAPACITY**

**008425 330N - 525MM - 33KG CAPACITY**

**008395 330N - 825MM - 33KG CAPACITY**

**008411 350N - 525MM - 35KG CAPACITY**

**008412 400N - 525MM - 40KG CAPACITY**

**008396 435N - 525MM - 43.5KG CAPACITY**

**008413 500N - 525MM - 50KG CAPACITY**

**035297 600N - 525MM - 60KG CAPACITY**

NB: M8 nuts are not supplied with gas struts

# STORAGE



## ROLLOUT PANTRY AND BASKETS

**000122 2 X 110MM BASKETS AND FRAME**

**000125 2 X 200MM BASKETS AND FRAME**


The pantry comes with 2 chrome plated wire baskets that clip onto the frame. Can be made to different widths to suit the door opening. The main frame is tube steel which slides into the cupboard on reversible runners. Additional baskets are also available.

### FEATURES

- Keeps goods secure while travelling
- Includes chrome plated baskets

### SPECIFICATIONS

- Frame Dimension: 470mm(d) x 570mm(h)
- Min space required 480(d) x 600 (h)



## ROLLOUT PANTRY BASKET

**000124 110MM**

Replacement or spare pantry basket to suit rollout pantry (refer code 000122 Rollout Pantry). This is a chrome plated wire basket that clips onto the rollout pantry frame.

### SPECIFICATIONS

- Dimensions: 460mm(l) x 110mm(w) x 110mm(h)



## ROLLOUT PANTRY BASKET

**000127 200MM**

Replacement or spare pantry basket to suit rollout pantry (refer code 000125 - Rollout Pantry and 200mm Baskets). This is a chrome plated wire basket that clips onto the roll out pantry frame.

### SPECIFICATIONS

- Dimension: 460mm(l) x 200mm(w) x 110mm(h)

# ONE KEY SYSTEM

One key fits all system. Used to replace a multitude of different keys, with one. Fits Camec locks only, or Thetford access doors (requires adaptor 043073 or 040185). Additional barrels with specific key numbers can be special ordered.



## ONE KEY BARREL KIT

- 042087 - BARREL 2\*
- 042088 - BARREL 4\*
- 042089 - BARREL 6\*
- 042090 - BARREL 8\*
- 043071 - BARREL 12\*
- 041815 - BARREL 20\*

\*NB: One barrel in each kit is a longer one to fit the deeper boot lock 042092, 044947, 044946



## ONE KEY DOOR LOCK

042093

Replacement outer housing for all Camec 3-point locking doors. This housing will enable it to accommodate the One Key Fits All barrel. Replacement housing only required for doors without a Camec logo on the handle.



## ONE KEY FITS ALL T HANDLE WINDSOR RAPID DOOR NO BARREL

- 042092 REPLACEMENT HANDLE - CHROME
- 042508 BARREL ONLY, GENERIC KEY
- 042509 BARREL ONLY, KEYED TO MATCH ALL OTHER KEYS (SPECIAL ORDER)
- 044947 BLACK
- 044946 SATIN



## ONE KEY LARGE T HANDLE

- 044947 BLACK
- 044946 SATIN

Fits all rapid glider boot doors



## PADLOCK KIT

041567 PADLOCK WITH 2 BARRELS

This chrome plated padlock is fitted with Camec's One Key Fits All barrel. Each padlock can be keyed alike to the same key as the other locks on the caravan/RV. See your Camec RV retailer if you require additional keyed alike barrels for your application. Padlock shackle diameter is 6.3mm.



## ONE KEY FITS ALL T HANDLE SMALL BOOT DOOR NO BARREL

- 042091 REPLACEMENT HANDLE
- 042506 BARREL ONLY GENERIC KEY
- 042507 BARREL ONLY KEYED TO MATCH ALL OTHER KEYS (SPECIAL ORDER)

The replacement handle features a housing capable of accommodating the One Key Fits All barrel.



## ONE KEY FITS ALL CAMEC 2RC MINI

040268

Supplied with additional shorter cam for a van water filler application.



## ONE KEY ZADI ADAPTOR

- 043073 BLACK
- 040185 ALL BARREL ADAPTOR - WHITE

One key fits all adaptor to suit the Thetford access/toilet door

### FEATURES

- Two adaptors per packet
- Some installation required.



## ONE KEY FITS ALL CAMEC TONGUE LOCK HOUSINGS


- 040186 CAMEC SQ ACCESS
  - 040187 ALL STORAGE
- Suits one key fits all system



## ONE KEY RED ASSEMBLY KEY

- 041577 SUITS LOCKS BEFORE 2015
- 051826 SUITS LOCKS AFTER 2015

# INTERNAL FIXINGS



## NON SKID GRIP TAPE

000167

### FEATURES

- Anti slip grit surface improves footing on step ladders and trailer frames
- Dimensions: 50mm(w) x 18m(l) roll



## TOWEL RAIL PILLAR END AND CENTRES

008196 PILLAR CENTRE 3/4" 19MM RAIL CHROME

008197 PILLAR END 3/4" - 19MM RAIL CHROME

008201 PILLAR END 5/8" - 16MM RAIL CHROME

008200 PILLAR CENTRE 5/8" - 16MM RAIL CHROME



## 3/4" RAIL OVAL SHAPE

008198

To suit 19mm towel rails. Chrome plated steel.

### SPECIFICATIONS

- 3/4" - 19MM Rail



## 5/8" FLANGE OVAL SHAPE

008202

### SPECIFICATIONS

- To suit 16MM Rail



## CHROMED BRASS THROUGH PILLAR

008219 PILLAR THROUGH

008223 PILLAR END NICKEL

008222 PILLAR CORNER

Chromed Brass Pillar 4mm. These are used as shelf surrounds, with 4mm rod. The corner pillar has 2 holes at 90 degrees to each other, the end pillar hole goes only half way thru and the through pillar has a hole going all the way through.

### FEATURES

- NO threaded bolts are included with these.



## TOWEL RAIL 3.6M

008203 CHROME PLATED 19MM X 3.6M

039112 STAINLESS STEEL 16MM X 3.6M

039113 STAINLESS STEEL 19MM X 3.6M

Commonly used as a drying rail at front or rear of RV.



## TRAY RAIL NICKLE PLATED

008215

### SPECIFICATIONS

- 1.8m
- 4mm diameter



## CAMLOCK - LONG TONGUE

008231

### SPECIFICATIONS

- 22mm Bolt Lock tongue
- Keyed alike

# EXTERNAL FIXINGS



## TAILGATE LATCH-SPRING LOADED

035326

A common fixture to hold tailgates up on trays.



## KNOBLOCK W-METAL PLATE WHITE

035438

Pushout window Knob Lock With Metal Plate, White knob. Suit older style, pushout windows. These pop-rivet onto window. Plastic is held to metal with a rivet.



## MILLARD POW PLASTIC/METAL LOCK

008553

Push out window swivel lock with plastic lever with metal base. Colour: Black.



## VISCOUNT POW GREY KNOB LOCK

008556

Nylon push out window lock.

### SPECIFICATIONS

- Grey



## CAMLOCK - SHORT THREAD LONG TONGUE

008239

### SPECIFICATIONS

- Keyed alike



## CAMLOCK-SHORT THREAD SHORT TONGUE

008240 SHORT THREAD KEYED ALIKE

035550 SHORT THREAD RANDOM KEY



## CAMLOCK - LONG THREAD

008243 LONG THREAD RANDOM KEY

008242 LONG THREAD KEY/ALIKE

Access door lock or Coin Machine Lock, long thread. Fits a 19mm hole with an overlap of 2mm.



## FIAMMA SECURITY DOOR HANDLE

000746 HAND 31CM

000747 HAND 46CM

Fiamma Helping Hand Door Handle is made of solid aluminium. It serves as a convenient handle to make entering and exiting the vehicle easier. When closed back onto the door, it works as an anti-theft device.



## FIAMMA SECURITY 46 PRO HANDLE

034093

Security handles take up little space when folded against wall. They serve as a useful handle to make entering and exiting the vehicle easier. They adapt to all doors, opening both to the right and left. Includes installation brackets, screws and internal counter brackets.



## SWINGING BOLT - 2 PIECE

007997

Used on old style protector shades

### SPECIFICATIONS

- 38mm and plate



### SWINGING BOLT 50MM & PLATE

007998

Anti rattle Catch, stainless steel, with plate, 50mm bolt. These are often used to hold shut a protector shade or old style hatch. They are stainless steel with an alloy nut.



### CORNER ANGLE

008158

#### SPECIFICATIONS

- White



### HOLDING CATCH ACCESS DOOR

008161

#### SPECIFICATIONS

- White
- Holds the access door lid open to leave your hands free



### CABIN HOOK

008182 75MM WITH EYE  
 008183 100MM WITH EYE  
 008185 150MM WITH EYE  
 008186 200MM WITH EYE  
 008187 EYE - CABIN HOOK



### ROUND DOOR STOP & SCREW 75MM

008228

#### SPECIFICATIONS

- White



### SCREEN DOOR LOCK

008244

Used on camper trailer doors and shower doors

#### SPECIFICATIONS

- Silver
- Also know as a 'Tulip' lock



### GARAGE LOCK CAST TONGUE

008248

#### SPECIFICATIONS

- Dimensions: 120mm(l) x 10mm(h) x 10mm(d)
- Commonly used on the back of the square thread of 'T' Handles to allow opening from the rear



### FLY SCREEN TURN BUTTON 5/16

008258

A simple locking device for hinged fly screens.

#### SPECIFICATIONS

- Black



### CAMEC OUTER HANDLE

014382

Suits CAMEC 3 point lock

# CURTAINS



## METRO CURTAIN TRACK

036495

### FEATURES

- White
- Runners and tape extra

### SPECIFICATIONS

- 5M long
- Accepts 035440 runners



## METRO CURTAIN RUNNER

035440

To suit aluminium track (refer code 036495).

### SPECIFICATIONS

- White
- Use approx 12 x per metre of track
- Flat base



## CURTAIN ROD 16MM POWDER CTD WHITE X 5M

007771

### FEATURES

- Steel conduit
- Dimensions: 5m(l) x 16mm(diam)
- White




## EXPANDING PLASTIC COATED WIRE

007775

### FEATURES

- White
- Use 007802 screw eye or 007803 screw hook each end to make hanging curtains easy
- Sold per metre



## TRACK ALI MINI GLIDE TOP 5M CA

007779

### FEATURES

- Clear anodised
- Suits curtain runners with curved base



## SNAP IN MUSLIN BRACKET - WHITE

007786

Use screws or double sided tape to attach to wall or ceiling.

### FEATURES

- The removable cap fits onto 16mm curtain rod, then connects into the bracket. Simple design allows for easy removal of curtain clips
- White



## SCREW

007802 SCREW EYE

007803 SCREW HOOK

- Suits 007775 Wire



## NYLON CURTAIN GATHERING HOOK

007800

### FEATURES

- White
- Lightweight gathering hook
- Use with 035440 curtain runner and 036495 metro curtain track and 007810 tape.



## END STOP PUSH IN - MINI TRACK

007798

To suit metro track.

### FEATURES

- Place one at each end of the curtain to stop them from sliding off the track



## STEEL CURTAIN GATHERING HOOK NO 7

007799

### FEATURES

- Strong hook to be used to hang curtains made with gathering tape attached
- Use with 035440 curtain runner, 036495 metro curtain track and 007810 tape.



## GATHERING TAPE NATURAL

007810

Per Metre

### FEATURES

- Sewn to top of curtain for easy attachment of gathering hooks for use in runners/track



### JAYCO CURTAIN TAB

007807

These plastic curtain tabs slide into the curtain track commonly found in Jayco caravans. The tabs are sewn into the top of your curtain allowing it to slide easily into the existing track.

#### FEATURES

- Sold each



### JAYCO CURTAIN RUNNER

007808

#### FEATURES

- Common runner used in Jayco vans that utilise 2 x white nylon runners

## ROOM DIVIDER



### REMI ROOM DIVIDER

007770

#### SPECIFICATIONS

- 1500w X 1900h
- High quality pleated material can be used to partition an open space to create a cosy, intimate atmosphere
- Compact design
- Low weight
- Quiet to operate
- Grey material



# ROOF



## POP TOP INTERIOR SUPPORT

035303

Internal support for pop top camper roof.  
Extendable support for pop tops when lift mechanisms or gas struts need a little extra help.



## CAMPER ROOF CLAMP SILVER

008265

This clamp is commonly used on pop top caravans and wind up campers to hold down the roof while the trailer is in storage or while travelling.

### FEATURES

- Includes clamp and J clip
- Australian made
- Zinc plated



## CAMPER ROOF CLAMP LOCKABLE

008267

This clamp is commonly used on pop top caravans and wind up campers to hold down the roof while the trailer is in storage or while travelling.

### FEATURES

- Includes toggle clamp, space for lock and extra locking bracket suitable for a small padlock (not included)
- Zinc plated



## TONGUE - STANDARD ROOF CLAMP SILVER

008269

Replacement zinc plated tongue for the standard and locking silver clamp.

### SPECIFICATIONS

- Silver



## J CLIP - ROOF CLAMP SILVER

008270

Replacement J Clip for both standard and locking silver clamps.

### SPECIFICATIONS

- Silver



## 703 TOGGLE CLAMP WITH PLATE

008276

Special locking catch mechanism prohibits the latch opening accidentally.

### SPECIFICATIONS

- Plate included
- Dimensions: 160mm(l) x 20mm(h) x 40mm(d)



## DROP NOSE PIN

008289

This simple locking device has many applications such as securing the raiser arm roof clamp.

### SPECIFICATIONS

- Dimensions:
  - 8mm thick
  - 70mm O/A length
- Suits max 45mm section



## CAMPER TRAILER 3-STAGE LIFTER

008302

3-stage lifter.

### SPECIFICATIONS

- Outer Tube Dimensions: 710mm(l) x 32mm(w) x 32mm(d)
- Largest section measures (with wings) 750mm x 30x30mm
- Middle section extends 600mm.
- Top section extends 640mm



**CAMPER FLEX PUSH ROD**

**008305**

**SPECIFICATIONS**

- Length: 1677mm
- Flexible rod used for pushing camper trailer lifters up



**SLUGS FOR CAMPER TRAILER (4)**

**008307**

Set of 4. these folded metal slugs fit inside the floor tracks.

The cable lays inside the floor track adjacent to the push rod, with a swage attached to end. The swage prevents the cable pulling thru the slug. Tension on the cable, pulls the slug which pushes the push rod through the floor track, round the corner bend and up inside the telescopic arm, thus raising the roof. The cable goes through the largest corner slit.



**CAMPER WIND-UP MECH HANDLE**

**008328**

Suits winches with square tube drive.



**STAINLESS STEEL CABLE 3/32"**

**008332**

To suit wind up mechanisms. Per metre.



**REPLACEMENT SPRING FOR LIFTERS**

- 008350 FLAT 700MM LIFTER**
- 008351 FLAT 900MM LIFTER**
- 008352 FLAT 1200MM LIFTER**
- 008359 SPRING - TUBULAR CANOPY LIFTER**



**CANOPY LIFTER FLAT**

- 008341 700MM**
- 008342 BREHA 900MM**
- 008344 SUNLINER 900MM**
- 008345 1200MM**

Canopy lift mechanisms are used to raise and lower the roof of pop-top caravans and campers. Note: When replacing the lifter it is recommended that the opposite lifter be replaced at the same time to prevent undue stress.

- |                                 |                                 |
|---------------------------------|---------------------------------|
| <b>008341 - FLAT CROSS BARS</b> | <b>008344 - FLAT CROSS BARS</b> |
| • 35kg capacity                 | • 30kg capacity                 |
| • Max lift height 560mm         | • Max lift height 685mm         |
| <b>008342 - FLAT CROSS BARS</b> | <b>008345 - FLAT CROSS BARS</b> |
| • 40kg capacity                 | • 35kg capacity                 |
| • Max lift height 685mm         | • Max lift height 990mm         |



**CANOPY LIFTER TUBULAR 900MM**

**008353**

**SPECIFICATIONS**

- Spring Tension: Standard
- Maximum Lift: 685mm
- Width: 900mm
- Max Weight: 40kg per piece
- Note: When replacing the lifter it is recommended that the opposite lifter be replaced at the same time to prevent undue stress
- Tubular cross bars



**POPTOP TENSIONER**

- 034083 168MM ELASTIC ONLY S/008429**
- 034084 210MM ELASTIC ONLY S/008433**
- 008429 320MM PLASTIC ONLY**
- 008433 390MM PLASTIC ONLY**

Elasticised tensioner to keep pop-top sleeve taut whilst elevated and tucked inside the body when lowered.



**CANOPY LIFT NYLON ROLLER + PIN**

- 008347 FLAT LIFTER ROLLER BLACK**
- 008348 FLAT LIFTER ROLL RIVET**
- 008349 BREHA CANOPY LIFT NYLON ROLLER + PIN**
- 008355 WHITE ROLLER TUBULAR LIFTER WHITE**
- 008356 RIVET FOR TUBULAR LIFTER**
- 035379 TUBULAR CANOPY LIFT NYLON ROLL AND RIVET**