



# HATCHES & VENTS

- Camec Roof Hatches ..... 160
- Camec Roof Hatches Spare Parts ..... 161
- Fiamma Roof Hatches ..... 162
- Fiamma Roof Hatches Spare Parts ..... 164
- Roof Hatches ..... 165
- Roof Hatches Spare Parts ..... 166
- Vents & Cowls..... 168
- Vents & Cowls Spare Parts..... 170

## CAMEC ROOF HATCHES



### CAMEC 4 SEASONS HATCH 500 X 700

051335

The Camec 4 Season Evolution Roof Hatch is not only the most versatile and easy to use hatch but now has improved design, LED lights and roller blind. These features take the practical hatch into a modern and stylish caravan feature.

#### FEATURES

- Fully designed in Australia for Australasian Conditions
- Retains Camec's famous 4 season functionality
- Passive ventilation – 182cm<sup>2</sup>
- Each flap has three opening positions (Closed, Rain Mode, Fully Open)
- New elegant design
- Tough ASA construction resulting in improved sealant adhesion
- Fully tested in Australia
- Easy installation from inside the RV
- Includes skylight – tinted high impact resistant acrylic
- Includes custom roller blind with multiple detent positions
- Integrated LEDs
- White colour temperature selectable, blue night light function and dimmable
- Ergonomic vent controls
- 2 Year Warranty

#### SPECIFICATIONS

- Cut out size: 700 x 500

### CAMEC 4 SEASONS EVOLUTION ROOF HATCH 660 X 660

044479

The Camec 4 Season Evolution Roof Hatch in the classic 660x660 square size. Capturing the essence of what caravanners love about the 4 season hatch, and improving on its ease of installation and use.

#### FEATURES

- Fully designed and tested in Australia for Australasian conditions
- Retains Camec's famous 4 season functionality
- Classic 660x660 square cutout means no change, and also makes it retrofittable to upgrade your old 4 seasons hatch
- Exceeds 220cm<sup>2</sup> passive ventilation as per previous model, to meet all or part of gas regulation requirements
- Ergonomic vent controls
- Each flap has three opening positions (closed, rain mode, fully open)
- New elegant design, matching the 500x700 4 Seasons Evolution Roof Hatch
- Tough ASA construction resulting in improved sealant adhesion
- Easy installation from inside the RV
- Air Deflector integrated into housing. No additional components required.

#### SPECIFICATIONS

- Cut out size: 660 x 660
- Extended Dimensions: 715mm x 715mm
- Suit roof thickness up to 70mm
- Internal trim supplied as standard





### CAMEC 4 SEASONS HATCH INTERNAL TRIM

To suit Camec 4 Seasons Hatch.

CODE	NAME	ROOF THICKNESS	COLOUR
039977	CAMEC 4SH INTERNAL TRIM (FROM 2011 - 2018)	40MM	WHITE
039927	CAMEC 4SH INTERNAL TRIM (FROM 2011 - 2018)	50MM	WHITE
039978	CAMEC 4SH INTERNAL TRIM (FROM 2011 - 2018)	60MM	WHITE
039979	CAMEC 4SH INTERNAL TRIM (FROM 2011 - 2018)	70MM	WHITE

## CAMEC ROOF HATCH SPARE PARTS



### CAMEC 4 SEASONS HATCH MIDGE INSECT SCREEN

016431

(Old Style - Prior 2011) Replacement midge insect screen for Camec 4 Seasons Hatch.



### CAMEC 4 SEASON HATCH INSECT SCREEN

016430

(Old Style - Prior 2011) Replacement insect screen for Camec 4 Seasons Hatch.



### CAMEC 4 SEASONS HATCH FLY SCREEN

040158

Replacement fly screen for Camec 4 Seasons Hatch



### CAMEC 4 SEASONS HATCH LIFT MECH/FASTENER/CENTRE BAR

016432

(Old Style - Prior 2011) Replacement lift mechanism, fastener and centre bar for Camec 4 Seasons Hatch.

#### SPECIFICATIONS

- Set of 3 parts



### CAMEC 4 SEASONS HATCH PLASTIC FRAME WHITE 75MM - PRE 2011

016438

Replacement plastic frame for Camec 4 Seasons Hatch.

#### SPECIFICATIONS

- 3mm ABS
- Colour: White
- Roof thickness: 75mm

### CAMEC 4 SEASONS HATCH SHADE END (L&R) & CNR POST

019467

This plastic corner post suits the CAMEC Aluminium Four Seasons hatch that was fitted to Caravans from the late 1970's until the hatches were replaced by the all Plastic Four Season hatch in 2010.

### CAMEC 4 SEASONS EVOLUTION ROOF HATCH SPARE PARTS

044728 FLYSCREEN

044730 OPENING FLAP

044731 OPENING FLAP - SHORT 500 SIDE

044732 WINDER


044481 LED STRIP

051295 SPRING & SPACER

050218 BOLT COVER TRIM - GREY

043579 SCREWS

# FIAMMA ROOF HATCHES



## FIAMMA VENT 500MM X 500MM COMBI WITH ROLLER BLIND

008636 CRYSTAL LID HATCH

008637 WHITE LID HATCH

Opens on all four sides with practical handles. Maintains constant ventilation in the vehicle. Supplied with a standard roller blind with two rollers, one blackout and one with fly screen.

### FEATURES

- Locking anti-theft device on handle
- ABE approved
- High quality UV ray resistant materials
- Permanent ventilation
- Rainproof and windproof

### SPECIFICATIONS

- Dimensions Outside: 570mm x 570mm
- Dimensions Inside: 550mm x 550mm
- Cutout: 500mm x 500mm
- Hatch Closed: 85mm
- Suits roof thickness 30mm to 70mm



## FIAMMA TURBO VENT PRO HATCH

008645

### FEATURES

- 12V DC variable speed motor with 10 blades exchanges inside air within seconds
- Finger touch control
- Transparent grating permits maximum air circulation and light filtration
- Polar control thermostat: regulates incoming and outgoing air according to the vehicle's inside temperature
- Water tight

### SPECIFICATIONS

- 12V
- Absorbed Power: 36W
- Maximum Air Flow: 35m<sup>3</sup>/min
- Fan Diameter: 300mm
- Minimum Electric Input: 0.3A
- White



## FIAMMA TURBO PREMIUM VENT

044583

High quality and durability thanks to the elegant external aerodynamic profile top, this vent does not require the use of a spoiler. During high-speed testing, noise and vibrations were greatly reduced. The outer cover and exclusive patented rubber seal, guarantee a watertight system and ensures that rain is displaced. ABE approved. Made with high quality UV-ray resistant materials.

Interchangeable with the old 40x40cm Fiamma vents and with vents from 36x36cm to 42x42cm thanks to the reinforced frame. Supplied with permanent air flow ventilation and mosquito screen.

Features a large 10 blade fan with 12V DC variable speed motor. It changes and refreshes the air inside your vehicle within seconds. The electronic circuit ensures a rapid, problem-free, change of rotation. The transparent grating permits maximum air circulation and filters light. The Premium version of Fiamma Turbo-Vent has been given a modern design with advanced finger-touch controls; the state of the art interface is completed by brand new multicolor LED lights. Speed setting and switching now have acceleration ease which helps saving the Turbo-Vent motor and the vehicle control unit.

### SPECIFICATIONS

- Power Supply: 12 Vcc
- Power Consumption: 36 W
- Min electric input: 0.2 Amp
- Max electric input: 3 Amp
- Max air flow: 35 m<sup>3</sup>/min
- Fan diameter: 300 mm
- Permanent air flow: 80 cm<sup>2</sup>

## FIAMMA VENT 280F

050969 CRYSTAL LID

008640 WHITE LID

The Fiamma Vent 28 F is a compact roof vent ideal for small room installation. Available with White or Crystal (transparent) hatch's they are fitted with an aluminium mosquito net and provide permanent ventilation. The new design incorporates the provision for an easy upgrade using the 12v Turbo Fan Kit, while the improved aerodynamic shape eliminates the need for additional spoilers.

### FEATURES

- Aerodynamic: Due to the aerodynamic shape no spoiler is needed
- Sandwich assembly: Quick installation without needing to cut more holes in the roof of your vehicle
- Slim frame: Minimum vertical dimensions on the vehicle ceiling
- Bright interiors: The opening mechanism is arranged to guarantee plenty of light inside
- Aluminium mosquito net: Equipped with sturdy, rigid aluminium mosquito net, removable for easy cleaning
- Opening system: Handy opening system with handwheel
- Permanent ventilation: The double layer cover ensures constant exchange of air
- Optional Accessories: The roof light can be motorised using the Kit Turbo-Vent 28 F - 050968

- 1 year warranty.

### SPECIFICATIONS

- Hatch Colour: 050969 Crystal or 008640 White
- Cutout Dimensions: 28cm x 28cm
- Weight: 1.8kg
- External Dimensions: 32cm x 34cm x 9cm
- Internal Dimensions: 31cm x 34cm
- Permanent Air Flow: 80cm<sup>2</sup>
- Inside light: 25 x 25cm
- Suits Roof Thickness: 2.8cm - 6.0cm





### FIAMMA KIT TURBO VENT SUIT 28F

**050968**

Optional kit to upgrade the standard Fiamma Vent 28F to include a 12v circulation fan.

The kit includes a new internal garnish and 12v fan with transparent blades.

#### FEATURES

- This is the fan kit only

#### SPECIFICATIONS

- Voltage: 12V
- Absorbed power: 25W
- Max electric input: 1.9amp
- Max air flow: 9 m<sup>3</sup>/min
- Fan diameter: 180 mm
- Permanent air flow 50 cm<sup>2</sup>
- Some minor modification to existing hatch lid required



### FIAMMA WHITE LID HATCH

**040694**

#### FEATURES

- Made with high-quality UV-ray resistant materials and TV and ABE approved.
- Roof light opens and closes using the winding handle.
- The maximum stability is provided by the center support adjusting arm.
- Integrated mosquito netting prevents debris from entering the motorhome.
- Can be installed on roofs with depths of between 3cm to 5cm out of the box

#### SPECIFICATIONS

- Install to roof aperture: 39cm.
- Materials: Shock & UV ray-resistant.
- Colours: Outside frame White, inside frame Ivory.



### FIAMMA CRYSTAL LID HATCH

**008617**

Simple and functional ventilation system. Can be left open while travelling and provides ventilation even when closed.

#### FEATURES

- Easily installed in 360mm x 360mm or 400mm x 400mm opening
- Includes fly screen
- Crystal lid



### FIAMMA TOTAL WHITE HATCH

**051246**

Ideal for motorhomes, caravans and van conversions, allows constant air circulation.

#### FEATURES

- Internal and external frame now in new neutral white colour
- 40x40 cm cut out
- Standard mosquito net, optional blind
- Made with high quality UV ray resistant materials.
- Easily installed in 360mm x 360mm or 400mm x 400mm opening

# FIAMMA ROOF HATCH SPARE PARTS



## FIAMMA HATCH BLIND KIT 400MM X 400MM ROLLO VENT

008638

Roller blind system, perfect for installing on Fiamma Vent 40 x 40 roof lights. Permanent air flow and ventilation thanks to side grills. Low profile frame. 2 rollers, one is a block-out, the other is a fly screen. Easy installation without drilling: use the same fixing points of Fiamma Vent 40 and Turbo Vent frames.

- Colour: Ivory



## FIAMMA HATCH LID 400MM X 400MM - OLD STYLE (14" X 14")

008613

Replacement lid to suit Fiamma 14" x 14" vent.



## FIAMMA HATCH LID 400MM X 400MM (14" X 14")

008615

Replacement lid for Fiamma standard and turbo 40 x 40 vents. Note: Please be aware of aerodynamics of vent. Will not fit earlier model.

- Colour: White



## FIAMMA LID 500MM X 500MM OUTER AND INNER (20" X 20")

008644

Suits Fiamma 50 x 50 roof vent.

### FEATURES

- Comes in two sections - outer cover and inner lid cover
- No additional fittings included
- White



## FIAMMA HANDLE EXT TURBO VENT

008620

Extension for the winder handle on the Fiamma vents and Turbo vents. Using different combinations of the handle, plus the extension.

### SPECIFICATIONS

- The roof thickness can be up to 85mm
- White in colour



## FIAMMA HATCH WINDER HANDLE

008614



## FIAMMA HATCH OPENING HANDWHEEL

044134



## FIAMMA TURBO VENT HATCH OPENING MECHANISM

008624

Opening mechanism suitable for Turbo Vent.



## FIAMMA HATCH HANDLE/EXT. & SCREW

008625

FIAMMA ROOF HATCH SPARE PARTS



**FIAMMA FLYSCREEN T/S 280 X 280**

**035539**

For vent 28.



**FIAMMA WHITE COVER**

**050397 SUITS OLD STYLE TURBO VENT**

**051663 WHITE COVER FOR 28F**

**051664 CRYSTAL COVER FOR 28F**

For vent 28.



**ROLLO VENT**

**042095**

For vent 50.

**SPECIFICATIONS**

- Replacement flyscreen/blind for Fiamma 50 x 50 vent 008636 / 008637
- Ivory



**VENT OPENING & CLOSING MECHANISM**

**044270**

Suits 008640 or 050969

280mm x 280mm Fiamma vents.

**ROOF HATCHES**



**ROOF HATCH - ELIXIR WHITE 9 X 9"**

**003578**

Compact and lightweight, ideal for providing air flow in small areas such as kitchens or bathrooms. Suitable for caravans and motorhomes.

**FEATURES**

- Opens with the included handle to 45° and when closed sits only 30mm above the roof top
- Waterproof
- Weatherproof
- Rustproof

**SPECIFICATIONS**

- Adjustable inner trim allowing for most roof thicknesses
- 228mm x 228mm (9"x9") cut out size



**JENSEN ROOF HATCH WHT 14 X 14"**

**008581**

Ideal to allow air to flow in/out of RV vehicle.

**FEATURES**

- Self-centering device eliminates installation guess work and assures perfect alignment in roof opening
- Radius corners are standard
- Screen allows air through while keeping insects out
- Acrylic UV resistant translucent lid
- One piece seamless frame with a deep drawn painted metal base

**SPECIFICATIONS**

- Injection moulded garnish - accommodates a variety of roof thicknesses
- White



**JENSEN ROOF VENT 12V 14 X 14"**

**008589**

Ideal to extract air out of the RV.

**FEATURES**

- Self-centering device eliminates installation guess work and assures perfect alignment in roof opening
- Radius corners are standard
- Screen allows air through while keeping insects out
- Acrylic UV resistant translucent lid
- 12V exhaust fan with switch
- White





### ELIXIR 12V ROOF VENT 14 X 14"

008603

This roof vent is fitted with a 12V fan to extract unwanted steam and exhaust fumes. Ideal for caravans or motorhomes.

#### FEATURES

- Self-centering metal base with radius corners
- Interior garnish with wider 1 1/4" flange
- Galvanised metal base
- 12V Fan
- Positive-seal weather stripping

#### SPECIFICATIONS

- Universal
- One piece metal frame, deep drawn metal base




### ELIXIR GALVANISED HATCH 14 X 14

036651

New and Improved design. One-piece seam-less self-centering metal base with interior garnish and wider 1-1/4" flange & radius corners fits all existing roof openings covering existing screw holes. Covers interior stains left by former garnish rings.

- Galvanised lid
- 14x14

## ROOF HATCH SPARE PARTS



### MINI HEKI SCREEN AND BLIND

035467

Dometic Mini Heki Hatch - Internal blind and screen in frame.

#### SPECIFICATIONS

- To fit standard MINI heki 400 x 400 roof vent.
- Outside measurement is approx 520 x 520
- Colour: Off-white / Cream



### MILLARD HANDLE T/S HATCH & WOW

008567

Millard Hatch Handle Black PVC ,LARGE HOLE. These are made for the OLD style windup millard hatches, however they can be used to replace window winders from the three louvre Millard or York windows.

#### FEATURES

- The is a 10mm dia hole with one flat side and an allen key grub screw



### JENSEN LID 14" - "OLD STYLE"

008582

Replacement lid for Jensen Roof Vent 355mm.

#### SPECIFICATIONS

- 4 attachment spigots - pin hinged (pin not included)



### JENSEN LID 14" - "NEW STYLE" 008583

Replacement lid for current Jensen Roof Vent 355mm.

#### FEATURES

- Grooved/slotted hinge spigots
- Central metal brace is removed during installation
- Plastic is 335mm square and low profile
- Easy to replace by removing the central metal slide by screws from above. This releases hatch which can then pivot over hinge. The metal slide is moved up or down until it can slip over the end of winder mechanism

#### SPECIFICATIONS

- Dimensions: 355mm(w) x 355mm(d)



### JENSEN FLY SCREEN 14" STANDARD NEW STYLE

008585

Replacement fly screen to suit 12V or standard Jensen hatch.

#### SPECIFICATIONS

- Distance from inside edge of frame to winder hole is 50mm.



### JENSEN ELIX-HANDLE 14IN HATCH

008586

Elixir / Jensen Winder Handle Suit Mechanical lift, WHITE Aluminium handle approx 50mm from screw centre to handle centre.



### JENSEN ELIXIR HATCH MECH 008587

Elixir/Jensen Winder Mech to suit various size Elixir roof vents.



### ELIXIR LID 14" - OLD STYLE

008591

Replacement lid to suit 12V or standard Elixir hatch. Centre bar is riveted to lid and metal slide bar (difference between the Elixir old style lid and the new style lid).

#### SPECIFICATIONS

- Suits Elixir PVC roof vent 355mm x 355mm
- White
- Rolled metal hinge



### ELIXIR LID 14" - NEW STYLE

008592

Replacement lid to suit 12V or standard Elixir hatch.

#### SPECIFICATIONS

- Suits Elixir PVC roof vent 355mm x 355mm
- White
- 'C' shaped aluminium hinge



### ELIXIR HATCH WINDING HANDLE

008593

- Butterfly style
- Old style



### JENSEN ELIXIR - FAN BLADE 12V HATCH

008588

Elixir Roof Vent Fan Blade Only. Fits the Elixir fan motor with shaft dia of 3mm with one flat side. Also fits the Jensen Hatch.

#### SPECIFICATIONS

- Fan is six inches in diameter (150mm)
- Shaft hole is 1/8 inch diameter (3.2mm)



### ELIXIR 14IN FLYSCREEN

008595

Elixir Flyscreen Only. The flyscreens that suit the ELIXIR and JENSEN are NOT the same. Check the dimensions of the location of the winder hole to ensure you select the correct screen.

#### SPECIFICATIONS

- Distance from inside edge of frame to winder hole is 70mm
- Hole diameter is 13mm
- These actually measure 345mm x 345mm





**ELIXIR 14IN INTERNAL TRIM**

**008596**

**SPECIFICATIONS**

- Replaces your old tired, faded trim to look brand new
- Suits elixir hatch only



**ELIXIR 12V MOTOR ONLY**

**008604**

**SPECIFICATIONS**

- Replacement RV model
- For Jensen or Elixir 12v exhaust hatches



**JENSEN DOME SEAL**

**043642**

Jensen Dome Seal 48 Inch Fits Metal Vent.

**SPECIFICATIONS**

- Replaces old brittle seal to create a better contact with the lid



**JENSEN PUSH BUTTON SWITCH**

**043643**

Jensen Push Button Switch Black On Off Switch. Suits 12V exhaust hatch.



**REMIS ROOF HATCH FLYSCREEN**

**033665**

This is the flyscreen only that fits the REMIS 400mm x 400mm hatch.



**JENSEN HATCH LID**

**051673**

Replacement Vent Lid for Jensen Plastic Base Vent is made of a durable plastic and comes pre-assembled for a quick install.

**FEATURES**

- Works with 14" x 14" Jensen roof vents
- Colour: Smoke
- Includes: 1-Vent lid and pin hinge

**VENTS & COWLS**



**PLASTIC VENT**

**007965 145 X 230MM**

**007966 175 X 207MM**

**007968 150 X 230MM**

**007969 150 X 230MM**

**007971 145 X 230MM**

Suitable for cupboards and pantries or any enclosed space that requires ventilation.

**SPECIFICATIONS**

- Removable with mesh
- White



**SOLAR EXHAUST VENT PVC**

**008563**

**FEATURES**

- Weatherproof
- Solar powered exhaust vent
- Extracts up to 680 cu ft of air per hour in bright sunlight
- Will also work successfully in natural daylight
- No wiring or running costs



### ALUMINIUM VENT

Painted aluminium vents are available in smooth white or stucco white. Each louvre provides approximately 600 square mm of venting. The number of louvres per vertical row varies with height. When ordering vents please nominate required size by stating height and width.

#### SPECIFICATIONS

- 190mm wide vent feature 1 vertical row of venting
- 381mm wide vent feature 2 vertical rows of venting
- 572mm wide vent feature 3 vertical rows of venting
- 762mm vent feature 4 vertical rows of venting
- 953mm wide vent feature 4 vertical rows of venting
- White

#### SMOOTH WHITE

CODE	SIZE
016452	95MM X 190MM
016456	133MM X 190MM
016460	210MM X 190MM
016464	210MM X 381MM
016468	286MM X 572MM
016472	324MM X 381MM
016476	629MM X 381MM
016483	629MM X 572MM
016487	705MM X 572MM
016494	705MM X 762MM
016500	705MM X 953MM
016506	705MM X 1143MM

#### STUCCO WHITE

CODE	SIZE
016454	95MM X 190MM
016462	210MM X 190MM
016466	210MM X 381MM
016470	286MM X 572MM
016485	629MM X 572MM



### MULLER VENT - PLASTIC

016519

#### FEATURES

- Teardrop shaped plastic exhaust ventilator
- Venturi technique extracts air even while vehicle is stationary
- Dimensions: 285mm(l) x 185mm(w)



### VENT SEA BIRD PLASTIC

016520

#### FEATURES

- Generates large airflow
- Either intake or exhaust
- Waterproof

#### SPECIFICATIONS

- Dimensions: 190mm(l) x 110mm(h) x 145mm(w)



### PLASTIC LOUVRE VENT

016525 70 X 445 BLACK  
016527 125 X 260 BLACK  
016528 125 X 260 WHITE

Suitable for cupboards and pantries or any enclosed space that requires ventilation.



### FLUSH PLASTIC VENT

016530 90 X 90 WHITE  
044944 90 X 90 BLACK

Suitable for lockers, doors, cupboards.

#### SPECIFICATIONS

- Dimension: 90mm(l) x 90mm(h)
- White or black



### BLOWER VENT 90MM X 90MM

016533

#### SPECIFICATIONS

- 75mm tail plastic
- Dimensions: 90mm x 90mm
- White



### STAINLESS STEEL VENT

016539 SINGLE 127MM X 65MM  
016540 SINGLE 127MM X 115MM  
016541 SINGLE 127MM X 227MM  
016542 DOUBLE 227MM X 115MM



### ROTARY VENT HODGES

016543 PLASTIC  
016544 METAL

Cutaway: 100mm hole. Wind powered. Exhausts air when spinning.



### ROSE VENT

016548 PLASTIC  
016549 ALUMINIUM

#### SPECIFICATIONS

- Used for cross flow ventilation
- Adjustable opening vent
- Often used with rotary vent to close off exhaust



**SCUPPER VENT SMALL**

**016550**

Used to scoop in air under pressure from forward travel. Suitable for RV vehicles.

**SPECIFICATIONS**

- Dimensions: 170mm(w) x 113mm(d)
- White
- Sits 22mm above roof line



**SCUPPER VENT LARGE - WHITE**

**016554**

Used to scoop in air under pressure from forward travel. Suitable for RV vehicles.

**SPECIFICATIONS**

- Dimensions: 240mm(w) x 146mm(d)
- Sits 20mm above roof line



**VENT CENTAUR**

**035299 SMALL 190MM X 100MM**

**016510 MEDIUM 215MM X 165MM**

Black Centaur 623 vents are ideal for caravans and RV vehicles as a pressure hatch.

**FEATURES**

- The frame and springs require just 10mm clearance below the outside mounting and the supplied internal finger grip extends just 18mm below the outside front face
- Opens to 30 degrees and extends 80mm above the outside mounting
- Positive dust and waterproof seal when closed
- Black lid



**ALI ROOF COWL**

**016581 SMALL 140MM WIDE. COVERS 70MM HOLE**

**016583 MEDIUM 190MM WIDE. COVERS 125MM HOLE**

**016585 LARGE 240MM WIDE. COVERS 160MM HOLE**

The roof cowl (outer section) sits on the roof, providing a waterproof vent.



**INSERT ROOF COWL**

**016582 SMALL 75MM**

**016584 MEDIUM - LARGE 150MM**



**WHITE BLOWER VENT 127 X 127**

**051237**

**SPECIFICATIONS**

- White
- Suits hose: 100mm
- Protrusion: 19mm
- Intrusion: 31mm

**VENTS & COWLS SPARE PARTS**



**SCUPPER VENT SPRING**

**016557 SPARE SPRING SUIT SMALL SCUPPER VENT**

**016558 SPARE SPRING SUIT LARGE SCUPPER VENT**



**SCUPPER VENT INTERNAL TRIM**

**016561 S/SMALL VENT TRIM 40MM ROOF THICKNESS**

**016563 S/LARGE VENT TRIM 40MM ROOF THICKNESS**

**016562 S/LARGE VENT TRIM 50MM ROOF THICKNESS**

Colour: White