



# TOWING

Tow Balls, Covers Locks ..... 130

Towing Mirrors ..... 133

Towing Aids, Weight Distribution Hitch ... 135

Brake Controllers & System ..... 139

## TOW BALLS, COVERS AND LOCKS



### ARK TRAILER LOCK

051365 WITH LOCKABLE HITCH PIN

#### SPECIFICATIONS

- Separate trailer and hitch pin locks
- Heavy duty trailer lock has double locking system

Secures trailer when attached to vehicle and when unattached

- Hitch Pin Lock prevents tow bar hitch from theft
- One key fits both locks
- Chrome plated finish (Hitch Pin Lock: Towing rating 3500kg)
- Not to be used when towing



### COUPLING LOCK TRAILER COP

000385

Fits quick release couplings that take a 50mm ball. Expands into coupling.

#### FEATURES

- Easy to operate
- Non-corrosive



### COUPLING LOCK AND PADLOCK

000395

Secures trailer when attached or not attached to a vehicle.

#### FEATURES

- Heavy duty 2 position locking system
- Includes padlock
- With built in cover plate to protect padlock access from bolt cutters



### COUPLEMATE STAINLESS STEEL HITCH LOCK 85MM

000934

For use as a trailer lock to replace existing pin.

#### FEATURES

- Suits all receiver types

#### SPECIFICATIONS

- 85mm
- Longer shaft for use in difficult installations
- Hardened chrome shaft
- Includes key barrel dust cover



### COUPLEMATE HITCH PIN LOCK 65MM

000933

For use as a trailer lock to replace existing pin.

#### FEATURES

- Suits all receiver types

#### SPECIFICATIONS

- 65mm
- Hardened chrome shaft
- Includes key barrel dust cover



### ARK LOCKABLE PULL PIN

000913

Pull pin is straight for easier access in some towbars. Enables you to lock your towball mount onto the towbar preventing theft.

#### FEATURES

- Includes spring clip for extra protection
- Towing capacity: 3500kg

#### SPECIFICATIONS

- Chrome



### SPRING PIN WITH LOCK TREG KIT

006299

Contains coupling pin and lock for treg polyblock.



### D035 BI-LOCK PIN ASSY

044636



### ALKO WINCH PREMIUM WPM700W 5:1 1:1 WEBBED

050186

The 1:1 ratio enables the initial retrieval of the boat onto the rollers and the second ratio allow for the full weight of your boat to be pulled onto the trailer, with ease.

#### FEATURES

- May line pull capacity 700kg
- Webbing length 50mm x 6m
- 6.8kg
- Snap hook



### AL-KO UNIVERSAL COUPLING LOCK

050152



### ALKO WINCH HANDLE PREMIUM 190MM

050145

This 190mm winch handle suits AL-KO premium marine and trailer winches. The clever handle design allows quick release and re-attachment to the desired gear shaft.



### WITi 050965 ANTI-THEFT SYSTEM

WiTi offers a revolutionary anti-theft system and is the only anti-theft system designed specifically for caravans and trailers fitted with electric brakes. The WiTi Anti-Theft device detects movement via a highly sensitive gyroscope. If a caravan / trailer is hitched or moved slightly whilst the Anti-Theft is active then WiTi immediately locks the brakes, flashes all the lights and sounds an alarm. The caravan or camper trailer is completely immobilised and will be impossible to tow.

#### FEATURES

- Sensitive to movement and sharp knocks / bumps.
- WiTi Anti-Theft contains a highly sensitive gyroscope (the same technology found in drones) and is sensitive to acceleration and sharp knocks and bumps.
- Simple to operate and permanently installed in the caravan – no heavy locks, wheel clamps or chains to carry around
- When activated sounds an alarm, flashes all the lights (side markers, tail lights and indicators) and LOCKS the brakes initially for 5 seconds
- Remains active whilst there is movement
- Automatically resets after 30 seconds if no movement is detected
- Built-in safety features

#### SPECIFICATIONS

- Operating voltage 9V-12V
- Standby current draw ≤100mA
- Maximum trailer axles – 3 axles
- Maximum rated current – 30 amp
- Weight – 300g
- Operating temperature range – [-20C to 60C]



### TOWBALL - MACHINED 006255

1 7/8" chrome plated towball.

#### SPECIFICATIONS

- Towing Capacity: 2270kg
- Shaft length 51mm
- Shank Size: 7/8" (diam x 51mm(l))
- Chrome
- Not for use in 50mm ball coupling



### KOVIX ALARMED U LOCK 051235 KVH-96

Constructed from stainless steel and fitted with an anti-tamper alarm this heavy duty trailer lock will suit most styles of trailers. The Smart Lock alarm system is triggered by movement and activates a 120dB siren which sounds for 10 seconds before resetting. Designed to be used on a variety of trailer types it will suit 50-70mm ball hitches as well as ALKO Offroad 2/3.5T couplings.

#### FEATURES

- Lock can be used with or without alarm turned on
- 120dB built in anti-tamper alarm with automatic reset
- Weatherproof electronics with long life lithium battery
- On most ball couplings, the KVH can also be locked on while the trailer is attached to your vehicle.

#### SPECIFICATIONS

- Suits 50mm ball coupling
- Suits 70mm ball coupling
- Suits ALKO Offroad 3.5T
- Suits ALKO Offroad 2T
- 120dB alarm
- Water Resistant Electronics
- Internal Dimensions (mm): 96(w) x 150(h) (Extended)
- Not to be used when towing



### TOWBALL - MACHINED LONG THREAD 006250

Standard ball size, extra long shank for fitting stabiliser blocks and bike racks, etc.

#### SPECIFICATIONS

- Towing Capacity: 2500kg
- Ball size: 50mm
- Shank Size 7/8" (diam) x 80mm(l)
- Chrome



### KOVIX TRAILER LOCK ALARMED 050283 KTR-18

Constructed from stainless steel and fitted with an anti-tamper alarm this heavy duty trailer lock will suit most styles of trailers. The Smart Lock alarm system is triggered by movement and activates a 120dB siren which sounds for 10 seconds before resetting. Designed to be used on a variety of trailer types it will suit 50mm ball hitches, Off Road DO35 and Treg-style block hitches.

#### FEATURES

- Lock can be used with or without alarm turned on 18mm stainless steel locking pin with anti-cutting sleeve
- Anti-impact & drill resistant
- 120dB built in anti-tamper alarm with automatic reset
- Weatherproof electronics with long life lithium battery

#### SPECIFICATIONS

- Suits 50mm ball coupling
- Suits HITCHMASTER DO35 Hitch (including V3)
- Suits Treg-style block hitch
- 120dB alarm
- 18mm locking pin
- Weatherproof rating IP67
- Overall Dimensions (mm): 175(w) x 100(h) x 37(d)
- Internal Dimensions (mm): 80(w) x 60(h)
- Not to be used when towing



### ALKO 50MM TOWBALL 036775

Designed for use with Alko stabiliser coupling.

AKS200 only.



### KLAMP IT WHEEL LOCKS

**000402 B KLAMP IT 13"-15" TYRE WIDTH  
165MM-185MM**

**000403 C KLAMP IT 13"-17" TYRE WIDTH  
195MM-205MM**

**000404 D KLAMP IT 15"-17" TYRE WIDTH  
215MM-245MM**



### WHEEL LOCK STRETCHMASTER

**000406**

#### SPECIFICATIONS

- Multi-fit wheel lock to suit many trailer wheels up to 29cm wide
- 160mm maximum wheel depth



### AL-KO EASY CLAMP WHEEL CLAMP

**050153**

#### SPECIFICATIONS

- Anti-theft wheel clamp adjustable to suit 13-15" wheels
- Key operated lock with weather cover
- Anti-scratch coating on contact ends
- May not suit some hi-walled tyres



### WINCH HANDLE SUIT JARRETT(HEX)

**006720**



**TOWBALL 3T - MACHINED**

**036443**

**SPECIFICATIONS**

- 50mm x 25mm Diameter Shaft
- Towing capacity: 3,500kg



**TOWBALL - MACHINED**

**006252**

Standard towball size.

**SPECIFICATIONS**

- 50mm x 62mm x 7/8"
- 62mm shank
- Towing Capacity: 3500kg
- Chrome plated



**TOWBALL HIGH RISE - MACHINED**

**006254**

High rise towball size with 25mm rise.

**SPECIFICATIONS**

- 50mm x 51mm x 7/8"
- 51mm shank
- Towing Capacity: 2000kg
- Chrome plated



**TOWBALL REDUCING BUSH**

**050236**

**SPECIFICATIONS**

- 33mm to 22.5mm



**BLACK PVC TOWBALL SOFT COVER**

**000849**

Push on towball covers provide protection from grease.

**SPECIFICATIONS**

- Suits 50mm and 1 7/8" towballs
- Sold individually
- Black



**PLASTIC TOWBALL COVER BLACK HARD**

**000848**

Push on towball covers provide protection from grease. With spring clip.

**SPECIFICATIONS**

- Suits 50mm and 1 7/8" towballs
- Sold individually
- Black



**CHROMED PLASTIC TOWBALL COVER**

**000850**

Push on towball covers provide protection from grease. Suits 50mm and 1 and 7/8" towballs.

**SPECIFICATIONS**

- Chrome Plastic



**SHIN PROTECTOR ARK TP11**

**039991**

Made from soft rubber, fits securely over towbar goose neck.

**SPECIFICATIONS**

- Black



**HAYMAN REESE TOWBALLS**

CODE	DESCRIPTION
042925	Towball only 50mm capacity 3500kg Interlock
042926	Flat sided towball only 50mm capacity 3500kg



**TOWBALL SPANNER**

**006256**

Used for towball nuts, snap-up bracket bolts, D shackles, towbar tongue bolts and adjustable ball mount bolts and nuts.



**DO NOT OVERTAKE TURNING VEHICLE STICKER**

**042870**

If your tow rig is near 7m long, a sign like this should be displayed on the back of your vehicle.

**SPECIFICATIONS**

- Dimensions: 300mm(l) x 125mm(h)
- Regulations vary by state
- Reflective yellow



**TOWBALL AND HITCH LUBE**

**050170**

**FEATURES**

- White grease
- Odourless
- Will not break down
- Reduces friction
- Superior lubricant

# TOWING MIRRORS



## CAMEC CLIP ON TOWING MIRROR (FLAT GLASS)

040657

Quick and easy to fit and suitable for most vehicles.

### FEATURES

- Universal fitting
- Quick and easy to fit
- Aerodynamic and durable
- Supplied with straps for added security
- Sold individually



## CAMEC SUCTION CUP TOWING MIRROR

040656

Quick and easy to fit and suitable for most vehicles.

### FEATURES

- Universal fitting
- Adjusts with vehicle's power mirror
- Sold individually
- Strong suction cup holds the mirror in place
- No clamping required



## CAMEC HEAVY-DUTY MIRROR BRACKET AND STRAP WIDE

034827

Camec Heavy Duty Mirror bracket and strap to suit wide door on some Pajeros, Prados, Klugers, Landcruisers.



## CAMEC HEAVY-DUTY MIRROR HEAD ONLY

000995

Replacement heavy duty mirror head to suit Camec Heavy Duty Mirror (refer code 034194).



## CAMEC HEAVY DUTY DOOR MIRRORS

034194

Fits most vehicles. This heavy-duty door mounted mirror fits firmly and offers excellent vision. The large mirror head is 229mm(w) x 155mm(h) and is attached to an adjustable extension arm.

### FEATURES

- Extends from 330mm to 470mm
- Bottom door bracket is 20mm at widest point
- Sold as a pair - 2/pk

### SPECIFICATIONS

- Ratchet T Bar ensures firm fitting
- Quality rubber mounting pads
- Suitable for towing caravans, campers, horse floats, boats, etc



## CAMEC HEAVY-DUTY MIRROR STANDARD STRAP/HOOK

036575

Replacement heavy duty mirror strap and hook to suit Camec Heavy Duty Mirror (refer code 034194).



## CAMEC HEAVY-DUTY MIRROR RATCHET/SPRING

036576

Replacement ratchet and spring to suit Camec Heavy Duty Mirror (refer code 034194).



## ORA TOWING MIRROR - CLIP ON

000962

Suits 2WD and 4WD vehicles.

### FEATURES

- This mirror can be extended and swivelled horizontally and vertically
- Easily installed and removed
- Clear visibility when towing vans up to 2.4m wide
- Easily adjusted from inside car
- Pack of 2



## COPPA ROSSA/ORA TOWING MIRROR SPARE PARTS

PART NO.	DESCRIPTION
001007	ORA TOWING MIRROR-MAG SUPPORT
001011	ORA TOW/MIRROR EXTENSION STRAP
001016	ORA T/MIRROR TRIANGULAR MOUNT
002452	ORA SPARE GLASS
016917	ORA PLAIN NUT S-BRACKET
038127	ORA NARROW HOOK
038125	ORA HOOK STRAP

## CAMEC HEAVY-DUTY MIRROR ADJ SCREW/NUT SET

036577

Replacement adjustable screw and nut to suit Camec Heavy Duty Mirror (refer code 034194).



**70<sup>th</sup> ANNIVERSARY**  
**1951-2021**



# WE KNOW TOWING

Since its inception in 1951, Hayman Reese has been the leader in towing and are true pioneers in the industry. Hayman Reese designs, manufactures, tests, and distributes a wide range of towbars, weight distribution hitches, brake controllers and associated accessories.

With over 70 years experience, we know towing.

**PHONE: 1800 812 017**

**HAYMANREESE.COM.AU**

# TOWING AIDS, WEIGHT DIST HITCH



## HAYMAN REESE LED HITCH STEP

050169

### FEATURES

- Weight rated to 150kg
- High powered, ultra-bright LED light
- Plug-in ready, coming pre-wired with a 7-pin flat plug
- Multi-function switch configured to illuminate with vehicle reverse and parking lights (where vehicle has been pre-wired for reverse)
- Ideal for additional light when reversing or attaching a trailer in the dark
- Includes tow-ball adaptor to suit, standard flat sided & interlock tow-balls
- Suits most towbar tongues and towball mounts



## CAMEC BALL WEIGHT SCALE

051439

A must have to ensure safe and balanced towing by confirming ball weight. 400kg.



042783 D-SHACKLE AND BRIM GAL 8MM RATED 750KG  
042784 D-SHACKLE AND BRIM GAL 10MM RATED 1000KG

042785 D-SHACKLE AND BRIM GAL 11MM RATED 150KG

042786 D-SHACKLE AND BRIM GAL 13MM RATED 2000KG



## D SHACKLE BLISTER PACKED

050164 8MM

050165 10MM

050166 11MM

### FEATURES

- Genuine Hayman Reese rated D-shackles
- Blister Packed

050164\* - Recommended for vehicles with a towing capacity of 2,000kg.

050165\* - Recommended for vehicles with a towing capacity of 3,500kg.

050166\* - Recommended for vehicles with a towing capacity of 6,000kg.

\*Where trailer capacity exceeds 2.5 tonnes, two safety chains must be used.

Each with their own D-Shackle



## HAYMAN REESE HITCH STEP

050168

This handy Hitch Step from Hayman Reese allows you to easily reach the roof and into the rear of your vehicle. It is quick and simple to install onto almost all Australian tow bars including round, flat-sided and interlock tow balls.

The high grade aluminium construction means it is lightweight, corrosion resistant and looks great. It also features a non-slip tread making it safe to use even when wet. It is designed to remain in place when towing but may need to be removed for tight turns. Please note: This step cannot be used with weight distribution hitches.

### FEATURES

- Easy to install
- High grade aluminium construction
- Non-slip tread
- Fits most tow bars

### SPECIFICATIONS

- Weight Rating: 120kg
- Dimensions (mm): 350 x 80 x 50



## HAMMERLOCK SHACKLE

051481

Suits 10mm chain 3.15 rating.



## HAMMERLOCK SHACKLE

051480

Suits 13mm chain 5.35 rating.



## HAYMAN REESE STANDARD MEDIUM DUTY WEIGHT DISTRIBUTION

CODE	SERIES	SPRING BAR	MAX TOWING WEIGHT
040572	CLASSIC 600LB	30"	135-275KG
040468	CLASSIC 800LB	30"	275-365KG

Distributes the ball weight across both axles of the tow vehicle to restore the correct steering and suspension geometry, braking efficiency and headlight alignment.

### FEATURES

- Round/under slung 30" spring bar
- Head includes integrated friction sway tab
- Compatible with dual cam sway control (not included)
- Drop shank allows for 6 incremental height adjustments
- Hex cam adjustment washer allows for up to 6 head angle adjustments
- Suitable for A-frames up to 6"



## HAYMAN REESE CLASSIC MEDIUM DUTY WEIGHT DISTRIBUTION

CODE	CLASSIC SERIES	SPRING BAR	MAX TOWING WEIGHT
040081	600LB	30"	135 - 275KG
040084	800LB	28"	275 - 365KG
040083	800LB	30"	275 - 365KG

Suitable for ball weights between 135kg and 275kg, the Hayman Reese 600lb classic Weight Distribution kit comes with trunnion style spring bars that are ideal for trailers and caravans that have a 4" A-frame, with the coupling mounted on the top, or with a 5" and 6" A-frame, with the coupling mounted on the bottom.

### FEATURES

- Trunnion style 30" spring bar
- Head includes integrated friction sway tab
- Compatible with dual cam sway control (not included)
- Drop shank allows for 6 incremental height adjustments
- Hex cam adjustment washer allows for up to 6 head angle adjustments



## PRO SERIES WEIGHT DISTRIBUTION

CODE	SERIES	SPRING BAR	MAX TOWING WEIGHT
041822	PRO SERIES 600LB	30" ROUND	135-275KG
041823	PRO SERIES 800LB	30" ROUND	275 - 365KG

Distributes the ball weight across both axles of the tow vehicle to restore the correct steering and suspension geometry, braking efficiency and headlight alignment.

### FEATURES

- Round/under slung 30" spring bar
- Head includes integrated friction sway tab
- Drop shank allows for 6 incremental height adjustments
- Hex cam adjustment washer allows for up to 6 head angle adjustments
- Suitable for A-frames up to 6"



**REESE 1200LB SUPER H/D WDH**

**040085**

**FEATURES**

- Head includes integrated friction sway tab
- Compatible with dual cam sway control (not included)
- Drop shank allows for 6 incremental height adjustments
- Manufactured for serious heavy duty towing, it has a fine tooth adjustment washer which allows for up to nine head angle adjustments



**HAYMAN REESE SNAP-UP BRACKET ONLY (21120)**

**035311**

For use with Hayman Reese hitch.

- Please note: These do not come with a bolt. The bolt is 1/2" x 2 1/2" UNC and are not grade specific.

**FEATURES**

- To suit weight distribution hitch
- Bolt (not included) screws into clamp bracket to A-frame of caravan
- Not supplied with snap up pin



**PROSERIES FRICTION SWAY CONTROL (PRO4000)**

**043016**

Friction Sway Control uses friction to resist pivotal movement and thereby works against the effects of induced sway. It operates on the principle of "stiffening" the coupling between the tow vehicle and trailer. The degree of "stiffening" or friction is adjusted to suit various trailer weights and towing conditions. Its operation is simple and uncomplicated. It doesn't prevent the generation of sway; it simply works to resist the forces once they have started.

**FEATURES**

- Installs and removes easily
- Removes with two spring locking pins
- Heavy construction for added reliability
- Friction brake keeps trailer and tow vehicle stable
- Quick attachment to trailer frame and ball mount
- Can only be used on one side



**HAYMAN REESE 3/8IN U-BOLT KIT-CHAIN**

**000908**

Joins spring bar to spring bar chains.

**SPECIFICATIONS**

- 3/8"
- Includes washer and nut



**REESE A.B.M. BOLT KIT**

**000925**

Replacement bolt kit to suit Hayman Reese adjustable ball mount head on weight distribution hitch.

**FEATURES**

- Includes bolts, nuts and washers



**REESE FRICTION SWAY TOWBALL ADAPTOR**

**043273**

Attaches to existing 75mm wide Hayman Reese trailer ballmount to allow fitting of friction sway control (043016)



**TRAILER-BLISTER PULL PIN-CLIP**

**050160**

Pull pin and cup in one handy blister pack.



**PINTLE HOOK ADAPTOR**

**000889**

To suit heavy duty 50x50mm hitch receiver towbars. Maximum load: 3500kg.

**SPECIFICATIONS**

- Size: 240mm tube length 83mm from full pin hole to end of tube



**PINTLE HOOK ADAPTOR 210MM LONG**

**035295**

Pintle Hooks are the alternative to the standard 50mm towball. Pintle Hooks are particularly used in commercial applications.

**SPECIFICATIONS**

- Pintle hook adaptor to suit heavy duty 50mm x 50mm hitch receiver towbars
- Trailer ball mount with 195mm lug to suit pintle hook
- Size: 210mm O/A length, 83mm from pull pin hole to end of tube
- Maximum Load Weight: 3500kg



**HAYMAN REESE SCREW SET SNAP-UP BKT**

**000910**

**SPECIFICATIONS**

- 1/2" x 2"
- Sold singly



### HAYMAN REESE TOWBALL MOUNT 12"

035292

#### SPECIFICATIONS

- 2250kg capacity
- Commonly used for utes with overhanging trays



### HAYMAN REESE SNAP UP BRACKET HANDLE

000912

For use with 035311 snap up bracket.



### SNAP UP SAFETY PIN

050154

Stops snap on bracket from disengaging.

#### SPECIFICATIONS

- 2 per packet



### HAYMAN REESE HITCH PULL PIN

000915 PULL UP PIN

000916 CLIP SUIT PULL PIN

Standard hitch pin.



### SILENT HITCH PIN

050159

#### FEATURES

- Intelligent Solution For Deterring Thieves
- Includes 2 Keys
- Helps silence rattling
- Hollow ballmounts



### R CLIPS

000811 3MM FOR RV TOWAID

000812 4MM



### HAYMAN REESE INTERLOCK TOWBALL

042924

5 hole adjustable. maximum towing capacity 2250kg includes towball



### HAYMAN REESE ADJUSTABLE TOWBALL MOUNT (70207)

042921

Includes towball.

#### SPECIFICATIONS

- Maximum Towing Capacity: 3500kg
- Suitable for use with DO35 when not using weight distribution
- Supplied with standard drop shank 040469



### ADJUSTABLE BALL MOUNT HEAD ONLY

042948

Adjustable 3500kg Tbm Head - Hayman Reese.

Use with choice of drop shanks 040469 / 040470 / 040471 / 040472



### HAYMAN REESE DROP SHANK

040469 STANDARD

040470 30MM

040471 95MM

040472 160MM

Hayman Reese have a range of drop shanks available. Suitable for 4WDs and other vehicles where the lowest/highest setting is not low or high enough. Using the standard shank.

## HAYMAN REESE SECURE TOWING KIT 2500KG

050171

The Secure Towing Kit comprises of a Trailer Ball Mount (TBM), Flat-Sided Towball and Locking Hitch Pin. This Kit provides the perfect replacement for worn or lost TBM's with the added bonus of a locking Hitch Pin for added security.

#### FEATURES

- There are two Secure Towing Kits in the range - one rated to 2,500kg and the other rated to 3,500kg.
- Each one has been tested and certified to exceed Australian design standards.

#### SPECIFICATIONS

- Trailer Ball Mount: Fits 50mm Hitch Receivers, Rated up to 2500kg, Superior Finish Towball: Genuine Hayman Reese 50mm, 3500kg rated flat sided tow ball, Nut and spring washer
- Hitch Pin: Anti-theft Lockable Hitch Pin with spare key
- Overall length 316mm
- The dimension from the end of the receiver to the centre of the lock pin is 83mm
- The dimension from the centre of the lock pin hole to centre of the ball mount hole is 192mm





### HAYMAN REESE SECURE TOWING KIT 3500KG

050172



The Secure Towing Kit comprises of a Trailer Ball Mount (TBM), Flat-Sided Towball and Locking Hitch Pin. This Kit provides the perfect replacement for worn or lost TBM's with the added bonus of a locking Hitch Pin for added security.

**FEATURES**

- There are two Secure Towing Kits in the range - one rated to 2,500kg and the other rated to 3,500kg.
- Each one has been tested and certified to exceed Australian design standards.

**SPECIFICATIONS**

- Trailer Ball Mount: Fits 50mm Hitch Receivers, rated up to 3500kg, Superior Finish
- Towball: Genuine Hayman Reese 50mm, 3500kg rated flat sided tow ball, Nut and spring washer
- Hitch Pin: Anti-theft Lockable Hitch Pin with spare key
- The dimension from the centre of the lock pin hole to centre of the ball mount hole is 209mm

### HAYMAN REESE SPRING LOADED HITCH COVER

050163



**FEATURES**

- Fits most 50mm x 50mm hitch receivers
- Durable plastic
- Quick and easy installation mounting hex key included

### REESE HITCH BOX COVER - RUBBER

035959



**FEATURES**

- Hayman Reese Hitchbox Cover, Black rubber. Fits into Reese hitch after towball mount is removed.



### EQUALIZER A FRAME BRACKET KIT

000820

**FEATURES**

- Replacement equaliser brackets and B-plates (with bolts) Pack of 2.
- Suits standard 100mm 4" A-frame
- Used on the older 'Shepherds Hook' style of hitch



### EQUALIZER 6" A FRAME BRACKET KIT

000822

Galvanised equalizer bracket set for use if your A-frame is more than 100mm deep. Suits 6" (150mm) A-frames.

**SPECIFICATIONS**

- Length: 150mm
- Weight: 2.33kg
- Pack of 2



### BACKSAVER CLASSIC RV TOWAID

000407

Adjustable mechanical aid to assist placing equalizer rods into chassis brackets - saves back muscles.



### COUPLEMATE BALL ATTACHMENT AID

001024 BALL ATTACHMENT AID  
001026 SPARE BASE PLATE

The Couplemate is an innovative self-aligning accessory designed to locate the trailer coupling directly over the ball without assistance, physical effort or guiding. It can also be used as a theft deterrent by securing the trailer to the vehicle.

**FEATURES**

- Suits standard towball and torsion bar fittings
- Long shank towballs are recommended when used in conjunction with torsion bar fittings
- Wings can be locked in the security position as a theft deterrent whilst towing or when the vehicle and/or trailer are left unattended



### TRAILER-HITCH BOX COVER

050162

Aesthetic aluminium surround for the Hayman Reese hitch receiver box

# BRAKE CONTROLLERS & SYSTEM



## BRAKE CONTROLLER VOYAGER (9030)

000947

This easy to install electronic brake controller features advanced electronics that minimises false braking to give a smoother ride, even on the roughest roads.

### FEATURES

- Compact and easy to install
- Minimises false braking
- Suits 2-4 magnets
- Includes mounting kit



## BRAKE CONTROLLER SENTINEL (05650)

040752

Simple operation, slim design and a wide range of mounting options make it the perfect choice for today's towing vehicles. No moving parts or pendulums to adjust, it can be mounted in virtually any position.

### FEATURES

- Digital display, solid state, no moving parts
- Compact size, mounts anywhere
- Advanced internal circuit protection to prevent damage if incorrectly wired
- No hydraulic connections
- No levelling required

### SPECIFICATIONS

- Includes mounting bracket, hardware and instructions
- For use on 12V negative ground systems only
- Smartclick compatibility offers plug and play functionality allowing a quick and easy connect to any Smartclick brake control body harness



## HAYMAN REESE BRAKE COMPACT CONTROLLER

042927

The Hayman Reese Compact joins the already reliable range of Hayman Reese Brake Controls and, like the name suggests, is compact enough to be installed when space is a big factor. The controls are mounted in the dash, with the main control unit mounted out of sight. Very few tools are needed to carry out the installation with a drill, crimp tool, wire cutter and circuit tester all you need to complete your job.

### FEATURES

- Compact size
- Electric trailer brake control for 1-3 axles
- Plug and play feature allows for quick and easy connection with the Hayman Reese Smartclick brake control harness
- Unique sync adjustment for towing different trailers
- Flexible and neat mounting options
- Green LED indicator monitors a secure connection with your trailer
- Remote mount ensures no issues with hitting the brake control unit or damaging it whilst moving in your vehicle
- Remote mount is less likely to interfere with any airbag deployment zones e.g. knee or lower leg

### SPECIFICATIONS

- 3 year limited warranty
- Quick connect plug
- Power output control/manual override button
- Sync control
- LED indicator



## BRAKE CONTROLLER TEKONSHA P3 (90195)

038367


One of the more advanced approaches to trailer brake controls. Requires no manual leveling. Self adjusting sensing device to allow for easy, flexible installation from nearly horizontal to nearly vertical. Will constantly adjust itself to the position of tow vehicle.

### FEATURES

- Allows the user to switch between electric over hydraulic or electric trailer brake mode
- Highly advanced - easy to understand roadside diagnostics
- Easy access - controls upfront
- Compact dash hugging design
- Easy to use - clip mounting system

### SPECIFICATIONS:

- Dimensions: 115mm(l) x 27mm(h) x 80mm(d)
- Weight: 650gms
- Made for up to 4 axle trailer brake systems



**BREAKAWAY SYSTEM CAMEC**

**040119**

**041767 - REPLACEMENT BATTERY**

Install on your caravan or trailer A-frame or in any protected position. It includes a battery that can apply your caravan or trailer electric brakes for at least 15mins in the event the caravan or trailers is disconnected from the tow vehicle. This is a mandatory addition to any caravan or trailer that exceeds 2.0 tonnes.

**FEATURES**

- Charging of the battery can be done via the tow vehicle auxiliary line
- Rechargeable battery included, manual test circuit and battery charge indicator
- Single and dual axle, compact and easy to install
- Includes breakaway switch
- Test circuit included and battery charge level indicator



**TRICKLE CHARGER SLA 12V 1A**

**044433**

A mains powered Lead Acid battery charger designed for 12V batteries. Features intelligent automatic charge controller to stop charging when the battery is full and maintain the battery with a 'floating' charge mode. This feature allows you to leave the charger connected to the battery without risk of overcharging and know your battery is always ready to go. Includes a 2m long cable with interchangeable DC plug and Alligator clips.

**SPECIFICATIONS**

- Charging voltage: 12V
- Charging current: 1 amp
- Dimensions: 70mm(l) x 40mm(d) x 40mm(w)
- Recommended for charging breakaway system batteries



**ARK ELECTRIC BREAK AWAY SYSTEM**

**051349**

**FEATURES**

- Suitable for 2 and 4 wheel brake systems
- Built-in battery charger, charges battery while plugged into vehicle
- LED test lights indicate state of a battery charge
- 5Ah battery - Includes Break-away switch.



**ELECTRIC BREAK AWAY SWITCH**

**050112**

Genuine Alko replacement part



**BREAKAWAY KIT TEKONSHA 2028**

**000939 BREAKAWAY KIT COMPLETE**  
**000938 REPLACEMENT SWITCH**

Lockable breakaway kit for all single, tandem and tri-axle breakaway applications.

**FEATURES**

- Kit contains a polymer battery case with A-frame or post mounting bracket and a 12V sealed rechargeable 5A battery.



**BREAKAWAY KIT HOPKINS**

**042758**

The Engager Breakaway Kit features simple wiring for easy installation. Does not include any remote monitoring function.

**FEATURES**

- Easy to read LED meter
- Activates trailer brakes upon separation from the tow vehicle.
- 1-2 axle capacity



**BREAKAWAY KIT 6000 BREAKSAFE**

**000940 6000 KIT - SUIT UP TO 4 WHEEL TRAILER**

Designed to automatically apply the electric brakes and brake lights on the trailer in the event of an accidental separation from the tow vehicle.

**FEATURES**

- Automatically recharges when connected to tow vehicle
- Compact and easy to install

**SPECIFICATIONS**

Please note: A unit of this type must be installed on trailers in excess of 2000kg if built after July 1989.

- Monitor Dimensions: 64mm(w) x 25mm(h) x 50mm(d)
- Monitor Weight: 80g (039363)



**BREAKSAFE REMOTE MONITOR RM6000**

**039363**

**BREAKAWAY KIT 6000XP BREAKSAFE**

**000942 SUIT 6 WHEEL TRAILERS**

The Breaksafe 6000XP has the addition of many innovative new features including easy access to the battery compartment for servicing and fully enclosed internal circuit board case for better water resistance.

The Breaksafe 6000 Breakaway System activates the electric brake system and brake lights of your Caravan or Trailer if it is accidentally separated from the tow vehicle (e.g. Breakaway).

The battery compartment is easily accessible and features a fully enclosed circuit board case for better water resistance.

The kit includes a 7ah battery, coil cable breakaway switch, mounting hardware and installation instructions.

The breaksafe battery recharges while driving through an auxiliary line or you can use an external battery charger. You can also test the condition of the battery with a simple push of the button on the front of the unit.

**SPECIFICATIONS**

- Applies electric brakes on up to 6 wheels, if a trailer/caravan gets separated from tow vehicle
- Keeps brakes applied for up to 20 minutes
- Includes a 7ah battery that re-charges while you drive
- Suitable for: Caravans, trailers, horse floats and campers



## BRAKE CONTROLLERS &amp; SYSTEM

**BREKSAFE BATTERY 4024****000941**

Replacement batteries for the Breaksafe unit.

**SPECIFICATIONS**

- 12V
- 7aH
- 93mm(h) x 65mm(w) x 152mm(l)
- Weight: 2kg

**BREKSAFE REPLACEMENT COIL & PIN****042482**

Breakaway Coil Cable and stainless steel quick release clip for easy connection to the tow vehicle. This also makes the connection to the tow vehicle much tidier. No more wrapping the wire up to stop it dragging on the ground. The new Coil Cable stretches to 1.2 metres for connection to the tow vehicle and then compresses back to only 100mm long when disconnected.

The new coil cable comes with the cable, stainless steel quick release clip and pin to suit Breaksafe breakaway switch.

**BREKSAFE BREAKAWAY SWITCH****042483**

The Breaksafe breakaway switch now comes with the new Coil Cable and stainless steel quick release clip for easy connection to the tow vehicle. This also makes the connection to the tow vehicle much tidier. No more wrapping the wire up to stop it dragging on the ground. The new Coil Cable stretches to 1.2 metres for connection to the tow vehicle and then compresses back to only 100mm long when disconnected.

**FEATURES**

- New Coil Cable
- Stainless steel quick release clip.
- Stainless steel mounting bracket.

**WITI OPTIONAL GPS TRACKING AND MOBILE PHONE ALERTS****051535****FEATURES**

- Requires WiTi anti-theft system 050965
- Ongoing fees apply
- Free downloadable app provides information the location of the RV as well as key information such as battery voltage and alarm status

**WITI WIRELESS TOWING INTERFACE****051536****FEATURES**

- Requires WiTi anti-theft system
- No more cables - transmits lighting and braking signals wirelessly
- NB - If ESC fitted, brand must be specified when ordering, this will determine the version of software used to ensure compatibility

**WITI WIRELESS ELECT BRAKE CONTROL WITH HILL ASSIST****051537****FEATURES**

- Requires WiTi anti-theft system
- Simply plug the wireless brake controller into a standard 12V cigarette lighter socket in your vehicle. The WiTi brake controller will automatically pair with your WiTi anti-theft system when in range
- NB - If ESC fitted, brand must be specified when ordering, this will determine the version of software used to ensure compatibility. Eg. Alko / Dexter etc