



# TV & ANTENNAS

- Televisions ..... 22
- Television Mounting Brackets..... 26
- Antennas ..... 27
- Antenna Accessories & Spares ..... 28
- Speakers ..... 31
- Audio Accessories ..... 31

## TELEVISIONS



### RV MEDIA 19" LED HD TV/DVD/PVR

044477

Features included standard on RV Media Evolution series 19" TV's are Low RV Battery Voltage Warning, 2 x HDMI inputs, our Exclusive Backlit Remote control, RCA & headphone Audio outputs and more!

#### SPECIFICATIONS

- Screen Size: 19" (47cm)
- Panel Resolution: 1366 x 768 Pixels
- Contrast Ratio: 1000:1
- Response Time: 14ms
- Viewing Angle: 178(h) x 178(v)
- Display Type: LED
- Aspect Ratio: 16:9
- Speakers: 2 x 3W
- No stand included
- HD Modes: 480i, 480P, 576i, 576P, 720P, 1080i, 1080P
- Dimensions (excluding base): 440 x 263 x 50mm
- Dimensions (including base): 440 x 299 x 139mm
- Net Weight: 2.3kg
- Wall Mount: 100 x 100
- Operating Voltage: 10-30V

#### ON SCREEN LOW BATTERY VOLTAGE WARNING

Low RV Battery voltage can not only potentially damage your 12V equipment, it may also reduce battery life.

To ensure this does not happen while watching TV, RV Media Evolution Series TV's will display an on screen low battery voltage warning message when the system voltage drops below 11V. In addition to this, RV Media Evolution TV's are designed to operate on a wide 10-30 Volt Range to ensure reliable operation in the most adverse conditions.

#### BACKLIT REMOTE WITH QUICK TUNE

Our exclusive backlit remote control ensures easy TV operation without the need to turn on the RV's lighting and disturb other people. The remote is even compatible with Series 3 RV Media TV's!

While travelling, it is advisable to re-tune your Digital TV Channels (DTV) when visiting a new town or area. The process is now easier with RV Media's QT button. Simply press the dedicated QT button on the remote to start the DTV tuning function.



#### OPTIONAL STAND AND PLUGPACK FOR 19"

051702

As most RV TV's are mounted on the wall and operate from the RV's 12V system, RV Media Evolution Series TV's are not supplied standard with a stand and 240V plugpack that in most cases are not used.

This ensures that this Premium TV is produced using only A-Grade LCD panels and premium components that have been specifically sourced and developed for the Australasian RV environment.

Should you require a desk-top stand or 240V plugpack, please order one of the appropriate TV Accessory Kits.



### RV MEDIA 24" LED HD 8G SMART TV

051263

The RV Media 24" TV has taken the next steps in defining how you watch TV while out caravanning or camping. This Full High Definition TV gives you the highest quality pictures so you can enjoy all your favourite releases while having all the technology and functionality like your TV at home.



**INPUT**

- HDMI x 2
- USB 2.0 x 2
- RJ45 x 1
- A/V x 1

**OUTPUT**

- Line Out x 1
- Co-axial Digital x 1
- Headphones x 1

**DIGITAL SPECIFICATIONS**

- Screen Size 24" (61CM) USB PVR Function with time shift
- Panel Resolution (Pixels) 1920 X 1080 USB multimedia playback
- Bluetooth Wireless Audio
- Inbuilt DVD player
- Closed Captions
- Full HD DVB-T Digital TV Tuner
- Sleep Function
- Auto TV Tuning Quick Tune TV
- Autotune button
- Low battery Voltage Warning

**SMART TV SPECIFICATIONS**

- Android 9.0 Operating System
- 8GB Flash Memory
- 1GB DDR3 RAM
- Quad-Core Cortex A-53 CPU
- Terrestrial Antenna x 1

**SPECIFICATIONS**

- Dimensions (Excluding feet): 552mm x 325mm x 54mm
- Dimensions (Including feet): 552mm x 361mm x 176mm
- Net Weight: 3.7kg
- Aspect Ratio: 16:9
- Contrast Ratio: 3000:1
- Viewing Angle 176(h) x 176 (v)
- Response Time 8.5ms
- Speakers 2 x 3W
- Display Type LED
- Operating Voltage: 10 - 30V
- Wall Mount: 100 x 100 (Screw suggested 6 x 10mm)

**FEATURES**

- Smart remote control
- DVD Player
- Low RV battery voltage warning
- 2 x HDMI inputs
- New and improved Smart TV platform
- RCA & headphone audio outputs
- Bluetooth wireless audio
- Smart TV
- New TV remote with "virtual mouse button" to make it easier while surfing the Net

\*No 240v lead included. No stand. Available in Accessories Pack 051808



### RV MEDIA 32" LED HD 8G SMART TV

051220

The RV Media 32" TV has taken the next steps in defining how you watch TV while out caravanning or camping. This Full High Definition TV gives you the highest quality pictures so you can enjoy all your favourite releases while having all the technology and functionality like your TV at home.



- CVBS OUT x 1
- USB 2.0 Output x 2
- RJ45 Input x 1
- 12V & 240V leads included
- Android 9.0
- Flash Memory 8GB
- ADR3 RAM 1GB
- Processor-Quad-Core Cortex A-53

**FEATURES**

- Backlit remote control
- Low RV battery voltage warning
- New and improved Smart TV platform
- RCA & headphone audio outputs
- Bluetooth wireless audio
- Smart TV
- New TV remote with "virtual mouse button" to make it easier while surfing the Net

**SPECIFICATIONS**

- Screen Size 32" (80cm)
- Panel Resolution (Pixels) 1920 x 1080
- Bluetooth Yes
- Contrast Ratio
- Response Time 8ms
- Viewing Angle 178(h) x 178(v)
- Display Type LED
- Aspect Ratio 16:9
- Speakers 2 x 8W
- HD Modes 480i, 480P, 576i, 576P, 720P, 1080i, 1080P
- Dimensions (Excluding feet): 732mm x 434mm x 80mm
- Dimensions (Including feet): 732mm x 477mm x 211mm
- Net Weight: 4.5kg
- Conversion kit available to suit standard 100 x 100mm mounts 043042
- Wall Mount: 200 x 100 (Screw suggested 6 x 10mm)
- Operating Voltage: 10-30V



### RV MEDIA REMOTE SUIT SERIES 2 043743

Suits RV Media 042701 Series 2, 24" TV only.



### RV MEDIA REMOTE SUIT SERIES 1 044574

Updated Version – Suits 041433, 041436, 041969 & 041437 TV's.



### REMOTE BACKLIT SERIES 3 & EVOLUTION 044573

Suits RV Media TV's Series 3 – 19", 22", 24" plus 28" & 32" (non-Smart TV's), and Evolution 19", 22" & 24" TV's.



### REMOTE WEATHER RESISTANT 044064

For RV Media TVs Series 3 - 19", 22", 24" and the 28" and 32"



### RV MEDIA SMART REMOTE CONTROL 051534

Suits RV Media 24" TV - 051263



### RV MEDIA VESA 200 X 100 CONVERSION KIT 043042

To suit RV Media TV Brackets.



### RV MEDIA 240V POWER ADAPTOR 042388

To suit RV Media Series 1 and 2 19"/22"/24 TV's.  
• Does not include 240V lead



### 12V TV LEAD ALL MODELS 19-24 044575

Suits all RV Media 19"-24" + 32" TV's.



### RV MEDIA STAND & PLUG PACK 19IN 044571

Includes a 240V plug pack power supply and desktop stand to suit Evolution 19" TV's only  
\*Suits o/s TV\*.



### RV MEDIA STAND & POWER PACK 22/24 044572

Includes a 240V plugpack and desktop stand to suit 22" & 24" Evolution TV's only. Not smart TVs.  
\*Suits o/s TV\*.



### RV MEDIA STAND & PLUGPACK 19IN 051702

Includes a 240V plugpack power supply and desktop stand to suit Evolution 19" TV's only. Refer to manual on accessory part order.



### RV MEDIA BACKLIT REMOTE CTRL 051702

Suits RV Media 24" & 32" TV - 051263, 051220 & 044694.

# TELEVISION MOUNTING BRACKETS



## LCD TV MOUNT SINGLE ARM

040154

### SPECIFICATIONS

- Single arm with tilt for better viewing angles
- Folds back, extends out, good for corners
- Easy slide on installation
- Compatible with all major TV brands
- Fits TV's from 33-58cm (13-23")
- 15kg maximum weight



## RV MEDIA LCD TV MOUNTS

042162 1 ARM

042163 2 ARM

042164 3 ARM

Designed specifically for the RV Industry, RV Media by Camec TV Brackets features the ultimate combination of functions ideal for all RV requirements.

### FEATURES

- Bracket is removable from the mounting base (to allow the bracket to be used on another mounting base in or outside the RV)
- Bracket head is removable to allow easy stowage of the TV when the vehicle is in transit
- Easy locking system to lock the bracket against the wall when the vehicle is in transit
- Mounting base includes a spirit level for quick and easy installation
- Easy cable management system using removable plastic clips on the arms



### SPECIFICATIONS

- Thumb screws are supplied to allow easy removal of the mounting bracket or head without the need for special tools
- VESA 100 x 100 mounting points
- Adjustable head by up to 14° in all directions
- All brackets rated at 15kg load strength
- A BONUS second mounting base is supplied in the kit to allow an easy and cost effective addition of a second bracket mounting point

# ANTENNAS



## JACK OUTDOOR DTV ANTENNA

**044396**

Your way to receive free crystal clear digital high definition television. Can also be used as a replacement for the Wineguard Sensor "Batwing" Antenna.

### FEATURES

- Built in amplifier for maximum VHF and UHF reception
- Universal bracket for pole mounting
- Perfect antenna for caravans, RV's and residential use

### SPECIFICATIONS

- Antenna head: 415mm(w) x 318mm(d) x 55mm(h)
- Frequency bands: VHF (47-230Mhz) - 20dB gain UHF (470- 860Mhz) -25dB gain
- Power Supply: Input 240v ~50Hz

### KIT CONTAINS

- Jack antenna head
- Pole mount bracket
- Power supply
- Power injector
- RV antenna bracket



## JACK ROOF MT ANTENNA

**044397 WHITE PACK OF 5**

**044398 BLACK PACK OF 5**

Now even more affordable with stylish updated cosmetics! Simple easy to use directional antenna solution that does not need cranking up or down and requires much less roof space than other RV antennas. Does not include inbuilt signal meter. Rotate the antenna head from inside the RV!

### SPECIFICATIONS

- Dimensions: 226mm(h) x 406mm(w) x 305mm(l)
- Weight: 1.19kg
- Roof Thickness: 25-203mm
- Frequency Bands: VHF (54-216 Mhz), UHF (470-698 Mhz)
- Power requirements: 12V DC / 100mA



## HAPPY WANDERER-POP TOP ANTENNA

**002287**

Simple to erect and stow. Tunes to horizontal and vertical polarised signals and can pick up UHF/VHF TV, FM radio and digital signals.

### FEATURES

- Includes hook-on bracket



## FOLDAWAY TALLBOY ANTENNA

**002277**

Suitable for use on vans, pop tops and wind-up campervans, A-vans and camper trailers.

### FEATURES

- Lightweight and compact
- Folds up quickly to fit in the supplied carry tube
- Includes cable and brackets ready to mount

### SPECIFICATIONS

- Tall boy antenna gives another 500mm height, extending standard antenna a total of 2 meters
- Can be set at various angles
- Cable ends with co-axial fitting
- Approx 7m cable fitted



## FOLDAWAY STANDARD ANTENNA

**002278**

Suitable for standard caravans. Folds into its own carry tube when not in use.

### FEATURES

- 360° of tuning either vertically or horizontally - can even be placed in an inverted "V" configuration
- Compact and ready to plug in
- Includes cable and bracket for outside mounting
- Digital compatible

### SPECIFICATIONS

- Dimensions: 600mm(l) x 90mm(diam) when stored
- Weight: 1.5kg
- Suits caravans/pop top caravans, smaller camper buses and more.

# ANTENNA ACCESSORIES & SPARES



## FOLDAWAY ANTENNA EXTENSION ARM

002280

To suit Foldaway Antennas (refer codes 002277 and 002278).

### FEATURES

- Extends the mast by one section around 500mm

### SPECIFICATIONS

- Plastic



## FOLDAWAY ANTENNA MOUNTING BRACKET

002281

Replacement bracket for Foldaway Antennas (refer codes 002277 and 002278).

### FEATURES

- Foldaway Antenna bottom bracket



## FOLDAWAY ANTENNA UPPER MOUNT CLIP

002282

Replacement upper mount clip for Foldaway Antennas (refer codes 002277 and 002278).



## FOLDAWAY 35DB ANTENNA AMP

044745 - 12V  
002285 - 240V

For campers to improve the TV signal in fringe or low signal areas.

### SPECIFICATIONS

- Satting 35 decibel amplifier
- TV cable



## EXPLORER PLATE FLYLEAD AND CONNECTOR PASSIVE

002344

Ideal for satellite or Foxtel or any brand of antenna.

### FEATURES

- Comes with fitting for existing antenna cable and weather boot
- Thru-the-Wall passive connection kit and low loss fly lead
- A bonus PAL to female adaptor is included



## EXPLORER POWER SUPPLY

002345

Power supply for explorer antenna system. C2 C3 C10 or C3sg, in fact any genuine Explorer system.

### SPECIFICATIONS

- Dimensions: 50mm x 60mm + lead
- Weight: 20gm
- Power: 12V DC



## EXPLORER 3M FLY LEAD TO SUIT ANTENNA KIT

002350

For that extra distance between the antenna socket and where you want to view the TV.

### SPECIFICATIONS

- PAL Male to F Male



## EXPLORER SIDE MOUNT BRACKETS

002372

Side mounts to suit 32mm aluminium, wood or conduit masts. Ideal for all types of caravans, boats, horse trucks, etc.

### FEATURES

- Includes stainless steel fittings

### SPECIFICATIONS

- Pack of 2



## EXPLORER WALL CONNECTOR 19-32MM SPACE THROUGH WALL

002374

Suits cavity or wall thickness of 22mm to 37mm. Designed for Explorer boosted antennas only.

### FEATURES

- Requires PS-P power supply
- Power injector is built onto plate
- If you have a 12V non-explorer system, can be used to tidy up your cables and connections



## EXPLORER PASSIVE THROUGH CONNECTOR PC6A

002378

Connection upgrade to a "PASSIVE" kit - for use with any antenna. These connections will improve performance for TV and satellite signals in the 120Mhz to 840Mhz range.

## EXPLORER THIN WALL THRU CONNECTION

043889

Thru the wall connection Kit for thin walls - less than 3 mm. Campervan Thru the wall Fitting for an external antenna point Fitting is ideal for fiberglass or Thin walls such a motor vehicle outer skin. A bulkhead fitting for a wall thickness of less than 3 mm. No special tools needed.

Use the fitting to bring the antenna signal in through the outer wall and into the vehicle and seal with the rubber and stainless washer - which can accommodate even a slightly curved wall without leaking.

Connect the cable and run to a viewing point. See our range of options for cable and connectors and internal fittings to complete your TV antenna cabling and connection!

This is a useful fitting for vehicles such as Combi Vans, HiAce camper trailers or vehicles with a fiberglass shell or at a bulkhead.

### SPECIFICATIONS

- Wall thickness up to 3mm
- Stainless steel external fittings
- Black UV stabilised Silicon rubber cable weather protection boot
- Rated frequency range: 45 MHz - 3 GHz



## JACK SPARES

- 042068 POWER INJECTOR - SPLITTER
- 042069 POWER SUPPLY 240V-12DVDC
- 042070 SURELOCK W/HOUSING
- 042071 CABLE RG174 M TO M15"



- 042072 CABLE RG174 M TO M21"
- 040863 JACK 12V INJECTOR SOCKET
- 044812 JACK COAX RG174 F TO F 20IN

## ANTENNA ACCESSORIES &amp; SPARES



### CAMLOCK TELESCOPIC MAST ALUMINIUM - 25MM

035132

Aluminium Camlock action. Lightweight and compact.

#### SPECIFICATIONS

- Diameter: 25mm
- Extends from 1.83m to 3.65m
- Telescopic 2 section aluminium mast



### CAMLOCK TV MAST ALUMINIUM - 32MM

002356

Aluminium Camlock action. Lightweight and compact.

#### SPECIFICATIONS

- Diameter: 32mm
- Extends from 1.83m to 3.65m
- Telescopic 2 section aluminium mast



### CAMLOCK TV/POOL POLE ALUMINIUM - 32MM

002363

Aluminium Camlock action. Lightweight and compact.

#### SPECIFICATIONS

- Diameter: 32mm
- Extends from 2.44m to 4.8m
- Telescopic 2 section aluminium mast



### CAMLOCK TV/POOL POLE ALUMINIUM - 25MM

002357

Aluminium Camlock action. Lightweight and compact.

#### SPECIFICATIONS

- Diameter: 25mm
- Extends from 1.83m to 3.65m
- Telescopic 2 section aluminium mast



### SIDE MOUNT KIT AND 2 PIECE, 2.8M MAST

002370

To suit Explorer Antenna. Side mounts are recommended when access to the drawbar is restricted.

#### FEATURES

- Includes 2.8m 2 piece aluminium mast which collapses to 1.5m
- Includes plastic side mounts and stainless steel fittings



### EXPLORER STANDARD DRAW BAR MOUNT

002361

Heavy duty, galvanised, suits "standard" draw bar (4in/100mm).

#### FEATURES

- Suits up to 40mm mast and 100mm draw bar



### JACK ANTENNA MOUNT PLATE

044787

FOR PRE 2018 MODELS TO CURRENT

Mounting plate covers existing holes to create a water-tight seal on the RV roof. Pre-drilled for easy installation. Manufactured with a weather-resistant, automotive-grade plastic UV-protection ensures durability.



### SURELOCK ANTENNA SIGNAL METER SL1000

040286

SureLock is a digital TV signal meter that enables you to pinpoint the location of television towers prior to scanning for television channels.



### A-FRAME MOUNT FOR TV MAST

042664

Universal "A" frame clamp to fix antenna mast to caravan "A Frame".

#### SPECIFICATIONS

- Bracket Dimensions: 40mm diameter, A frame can be 110mm high and 50mm wide



### TV FLY LEAD F TO TV 1.8M

040843

Connects between an RV wall plate with a female F type connector to the back of the TV.

- White
- 1.8m



### ADAPTOR - MALE F TO MALE PAL

040845

To plug in back of TV (PA32U).



**COAXIAL 1.8M FLY LEAD**

040842

Suits TV/antenna Installation.

**SPECIFICATIONS**

- Female to female connector
- 'F' type fittings



**COAXIAL 1.8M LEAD DOUBLE ENDED (HOME STYLE) TV LEAD**

002339

PAL Male - PAL Male



**COAXIAL 4.5M LEAD (HOME STYLE LEAD)**

035134

**FEATURES**

- Includes male to female adaptor

**SPECIFICATIONS**

- Male to male connector



**COAXIAL ADAPTER (FOR USA ANTENNA)**

002387

To suit USA Wall Plate - female connector to standard TV lead.

**SPECIFICATIONS**

- Video adaptor "F" socket to PAL plug



**COAXIAL PLUG MALE CHROME STEEL**

002384

Coaxial male TV plug.

**SPECIFICATIONS**

- No crimp tool required



**THRU THE WALL DIRECT CONNECT TO SUIT COAXIAL CABLE**

034974

Connects antenna directly to the TV to avoid breaks in the connection.



**COAXIAL THROUGH THE WALL KIT**

002382

**FEATURES**

- Works on existing antenna and is ready for digital and satellite
- Quick and easy do-it-yourself kit
- Adjustable to suit various wall thickness
- Rubber weather protection cap to keep out moisture



**COAXIAL DEEP TV SOCKET WHITE**

002394



**COAXIAL TV CABLE 75OHM 1M**

002336

Low loss cable 75OHM.

**SPECIFICATIONS**

- No connectors fitted
- Sold as 100m lengths



**COAXIAL ANGLE SOCKET**

002389

**SPECIFICATIONS**

- 75 OHM surface mount
- White



**COAXIAL MECHANISM**

002392

**SPECIFICATIONS**

- 75 OHM plate mount
- White



# SPEAKERS



## RV MEDIA 100W 5" DUAL CONE RV VALUE SPEAKERS

041369 WHITE

### FEATURES

- Stylish budget speakers
- One piece easy install design
- Dual cone 100W rated
- 30.1mm mounting depth
- Lighter than metal "one piece" speakers
- Screw covers supplied
- Wiring included



## RV MEDIA 180W 6" 2-WAY LED SPEAKER WITH LIGHTS

041371 WHITE

### FEATURES

- Combined speaker and integrated LED interior light
- Saves on roof space and installation time
- Features 33 cool white LEDs (per speaker) with an operating voltage of 10-28V
- 180W 2-way speaker with custom "swirl" grille and one-piece easy install design
- 34.2mm mounting depth



## RV MEDIA 200W 6" WATERPROOF LED 2-WAY RV AND OUTDOOR SPEAKERS

041850 WHITE

042491 BLACK/CHROME

### FEATURES

- 200W 2-way speaker with custom bridge tweeter
- 30 cool white super bright LEDs (per speaker)
- Ideal for RV, marine and home
- Includes rubber screw covers for a neat install
- Supplied with spacers to reduce mounting depth from 36.5mm to 22mm



## RV MEDIA SPEAKER SPACERS WHITE

042623

Spacer to angle the RV-Media Waterproof speaker.

### SPECIFICATIONS

- Pack of 2
- White
- Suit RV Media

## RV MEDIA QUICK FIT FULLY WATERPROOF EXTERNAL 100W 2 WAY SPEAKERS

044144

Suitable for mounting on profiled aluminium or flat panel walls, these Australian designed 100W 2-way speakers do not require a cutout to be mounted yet offer superb sound quality. Simply fit the custom mounting base then push and turn to mount the speaker!

Supplied complete with universal foam sealing rings.

### FEATURES

- Perfect for flat panel RV walls as the rear of the speaker will not protrude in to cupboard areas and reduce storage space PLUS they will not cause internal vibrations in storage spaces
- They are great for campers too where there are no wall cavities available!

### SPECIFICATIONS

- Speaker height: 54.3mm
- Speaker diameter: 166mm
- Frequency response: 52-20kHz
- Power: 100W
- Nominal impedance: 40HM
- Neodymium tweeter magnet
- Polypropylene speaker cone
- IP65 Rated

# AUDIO ACCESSORIES



## RV MEDIA BLACK PVC AM/FM ANTENNA

042493

Black PVC antenna ideal for RV rooftop mounting.

### SPECIFICATIONS

- Adjustable angle head
- Extra long 1500mm cable
- 3 year warranty



## RV MEDIA PILLAR MOUNT AM/FM ANTENNA

041373

Stainless steel pillar antenna ideal for RV side mounting.

### SPECIFICATIONS

- Complete with mid mount support and mounting screws
- Extra long 1500mm cable
- 3 year warranty



## RV MEDIA WHITE PVC AM/FM ANTENNA

041374

White PVC antenna ideal for RV rooftop mounting.

### SPECIFICATIONS

- Adjustable angle head
- Extra long 1500mm cable
- 3 year warranty