



THIS
























EXPLORE ONLINE

Here's where you can find the complete Dometic range, with detailed information about all products.

dometic.com

4 — DOMETIC.COM

MOBILE LIVING MADE EASY — 5



Our innovations give you more freedom and independence to live life on the move. From class-leading RV air conditioners to the latest in refrigeration technology these are your must haves.



FreshJet 7 Series RV Air Conditioners

Fresh design, superior cooling and heating performance, optimised airflow, amazingly quiet operation - these are the outstanding features of Dometic's new generation of RV air conditioners.

Available in three models depending on your needs all including electronic touch control panel and CleanAir technology.



CVI1525 Induction Cooktop

This beautiful 2-zone induction cooktop allows fast and convenient cooking at the campsite or on board a boat. It features an easy-clean glass surface and sensor touch controls for adjusting the cooking heat.



NRX Series Refrigerators

Updated design, class-leading energy efficiency: the smart compressor cooled NRX refrigerators provide plenty of cool storage. Their elegant frameless door, incorporating a dark grey front panel and a convenient full-width handle, opens to a versatile interior. You can easily remove the freezer compartment to use the full cabinet capacity for refrigeration.



RCD10.5XES Compressor Refrigerator

Designed for smarter use of space, the Dometic RCD10.5XES is powered by compressor cooling technology featuring Silent, Turbo and Performance cooling modes. It comes with an advanced smart door that can adapt to different layouts allowing you to store food and drinks conveniently. The refrigerator comes with a versatile interior and a customisable decorpanel that can change to suit all your needs, perfect for your travels.



2 Cook 3 Turbo FFD Deluxe

Step into our world of innovation with the new 2 Cook 3 Turbo FFD Deluxe. The new inner flame burner design gives a higher heat output onto the cooking surface, which gives a quicker heat up time. The two inner flame burners lie lower in the base of the stove, allowing for a slimmer design which is less affected by windy conditions. Each burner is independently operated with its own control knob and piezo ignition. The new 2 Cook 3 is fitted with a flame failure device (FFD) that will shut off gas flow in case of a flame out (for your safety) and is therefore safe to be used indoors.



MOBILE LIVING MADE EASY — 11



DOMETIC FRESHJET RV AIR CONDITIONER

Introducing the new FreshJet RV air conditioner series. Featuring a streamlined design throughout the range, combined with superior cooling performance, optimised airflow, and the quietest operation yet. The Series 7 features the next generation of Dometic's leading inverter technology, delivering the quietest and smoothest operation, perfect for off-grid applications. Each model is designed to be compact and have a minimal footprint so you can utilise valuable rooftop real estate for solar panels and other needs. CleanAir ensures circulating air is fresh and clean thanks to the built-in air purification system. The new air distribution box (ADB) gives you complete control over the system, along with remote and full Wi-Fi/Bluetooth connectivity, cooling and heating is only a touch of a button away.



1. Superior energy efficiency

Reduced power consumption allows a longer run time on batteries and generators



2. CleanAir technology

Keeps your RV smelling fresh and clean thanks to the inbuilt air purification system



3. Premium air distribution box (ADB) with full connectivity

The Air distribution box (sold separately - 9620001693), is packed with new technology and features such as touch control panel and remote, integrated ambient LED light and Wifi/Bluetooth connectivity



4. Next generation of Dometic inverter technology

10 - DOMETIC.COM

The quietest and smoothest operation ever, perfect for off-grid adventures



5. Modern and fresh design

Aerodynamically shaped rooftop unit



6. Lightweight and compact

Ideal for optimised rooftop layout with solar panels and other devices



| SPECIFICATIONS MODEL | FreshJet 7 Series Lite | FreshJet 7 Series Pro | FreshJet 7 Series Plus |
|--|--|---|---|
| SKU | 9620008762 | 9620001685 | 9620001689 |
| Product Description | Roof Air Conditioner | Roof Air Conditioner | Roof Air Conditioner |
| Dimensions W x D x H (mm) | 702 x 752 x 225 (external) 518 x 579 x 48 (ADB) | 700 x 1090 x 240 (external) 518 x 579 x 48 (ADB) | 700 x 1090 x 285 (external) 518 x 579 x 48 (ADB) |
| $\textbf{Roof opening} \ W \times D \ (mm)$ | 360 x 360 / 400 x 400 | 360 x 360 / 400 x 400 | 360 x 360 / 400 x 400 |
| Roof thickness (mm) | 25 - 60 *** | 25 - 60 *** | 25-60 ** |
| Weight (kg) | 35 | 41 | 43 |
| Input Frequency, (Hz) | 50/60 | 50/60 | 50/60 |
| Electrical rating | 220 - 240 V | 220 - 240 V | 220 - 240 V |
| Cooling capacity (ISO 5151) | 2537 W | 2910 W | 3400 W |
| Heating capacity (ISO 5151) | 2285 W | 2692 W | 2903 W |
| Power consumption - Cooling mode (ISO 5151), (W) | 1529 | 1623 | 1748 |
| Power consumption - Heat pump (ISO 5151) - Display, (W) | 1034 | 1276 | 1349 |
| Current draw (cooling/heating) | 6.9A / 4.7A | 7.3A / 5.9A | 7.8A / 6.4A |
| Operating temperature range | -2 °C to +52 °C | -2 °C to +52 °C | -2 °C to +52 °C |
| Airflow (high fan) | 426 m³/h | 491 m³/h | 496 m³/h |

Key Features

| Number of blower speeds | 4 | 4 | 4 |
|-------------------------|---|---|---|
| Remote control | Yes | Yes | Yes |
| Certificates | CB, CE, RCM, ECE R10 | CB, CE, RCM, ECE R10 | CB, CE, RCM, ECE R10 |
| Scope of delivery | Roof Top Unit, Remote Control, Installation Material, Installation Manual, Operation Manual (ADB sold separately) | Roof Top Unit, Remote Control, User Manual, Installation Material, Installation Manual (ADB sold separately) | Roof Top Unit, Remote Control, Installation Material, Installation Manual, Operation Manual (ADB sold separately) |
| General Note | The standard recommendation of the vehicle length can vary between manufacturer, vehicle type and isolation, thereby can also the classification of the air conditioning system vary. | The standard recommendation of the vehicle length can vary between manufacturer, vehicle type and isolation, thereby can also the classification of the air conditioning system vary. | The standard recommendation of the vehicle length can vary between manufacturer, vehicle type and isolation, thereby can also the classification of the air conditioning system vary. |

^{*} Patented

^{**} Thicker roof kit available for up to 100 mm

^{***} For thicker roof sections up to around 100mm additional duct sections are required – available separately

[†] Performance is reduced at temperatures under -7 °C and over 35 °C



WALL MOUNTED AWNINGS



Ensure maximum enjoyment of your surroundings with comfortable, shaded and sheltered outdoor living space. Robust and easy to set up, our RV awnings are ready for action in tough environments.

Dometic 8700 Awning

Wall mounted awning

Enjoy the great outdoors in shaded comfort wherever you are with the Dometic 8700 awning. The rugged and durable construction coupled with ease of operation makes it a perfect choice for RV enthusiasts. Relax under the shade and be protected from the sun's harmful rays with the UV protected polyester reinforced vinyl fabric. The quality heavy-duty material and protection properties aides in fading, scratching and mold prevention. The vinyl cushioned lift handle and cam lock system holds the awning secure for total control, which means it can be conveniently set up by a single person with ease. So you can spend more time relaxing and less on setting up.

- Heavy-duty vinyl with UV protection
- Total operator control where one person can easily open or close
- Secure cam system allows for controlled extension and roll up of the awning
- Extruded alloy one-piece heavy-duty roller tube
- Die cast end caps create a polished finish
- Heavy-duty torsion spring assemblies and solid metal shaft
- Full extension length of 2.4 m





1. Secure locking system

Cam lock system secures the awning for total control when extending and rolling up.



2. Quality fabric

Heavy duty vinyl with UV protection.



3. Stylish valance

Contemporary straight valance to suit all vehicles.



4. Ease of use

Ergonomically designed vinyl cushioned lift handles.



5. Durable materials

Die casted components and solid metal shaft to ensure longevity of awning.



6. Safety first

Patented easy lock flipper provides additional secruity and confidence whilst travelling.

| PRODUCTS | Nominal Width (feet) | Weight (kg) | SKU |
|--------------------------------|----------------------|-------------|------------|
| 8700 AWNING 7' Polar White | 7' | 8.4 | 9600026971 |
| 8700 AWNING 7' Charcoal Black | 7' | 8.4 | 9600026972 |
| 8700 AWNING 9' Polar White | 9' | 10.6 | 9600026973 |
| 8700 AWNING 9' Charcoal Black | 9' | 10.6 | 9600026974 |
| 8700 AWNING 10' Polar White | 10′ | 11.7 | 9600026975 |
| 8700 AWNING 10' Charcoal Black | 10′ | 11.7 | 9600026976 |
| 8700 AWNING 11' Polar White | 11′ | 12.9 | 9600026977 |
| 8700 AWNING 11' Charcoal Black | 11' | 12.9 | 9600026978 |
| 8700 AWNING 12' Polar White | 12′ | 13.9 | 9600026979 |
| 8700 AWNING 12' Charcoal Black | 12′ | 13.9 | 9600026980 |
| 8700 AWNING 13' Polar White | 13' | 14.4 | 9600026981 |
| 8700 AWNING 13' Charcoal Black | 13' | 14.4 | 9600026982 |
| 8700 AWNING 14' Polar White | 14' | 15.2 | 9600026983 |
| 8700 AWNING 14' Charcoal Black | 14' | 15.2 | 9600026984 |
| 8700 AWNING 15' Polar White | 15' | 16.2 | 9600026985 |
| 8700 AWNING 15' Charcoal Black | 15' | 16.2 | 9600026986 |
| 8700 AWNING 16' Polar White | 16' | 16.5 | 9600026987 |
| 8700 AWNING 16' Charcoal Black | 16′ | 16.5 | 9600026988 |
| 8700 AWNING 17' Polar White | 17′ | 17.3 | 9600026989 |
| 8700 AWNING 17' Charcoal Black | 17′ | 17.3 | 9600026990 |
| 8700 AWNING 18' Polar White | 18′ | 18.1 | 9600026991 |
| 8700 AWNING 18' Charcoal Black | 18′ | 18.1 | 9600026992 |
| 8700 AWNING 19' Polar White | 19' | 20.0 | 9600026993 |
| 8700 AWNING 19' Charcoal Black | 19' | 20.0 | 9600026994 |
| 8700 AWNING 20' Polar White | 20′ | 20.0 | 9600026995 |
| 8700 AWNING 20' Charcoal Black | 20' | 20.0 | 9600026996 |
| 8700 AWNING 21' Polar White | 21′ | 21.0 | 9600026997 |
| 8700 AWNING 21' Charcoal Black | 21' | 21.0 | 9600026998 |

Mounting & Repairing



Dometic Universal Awning Hardware

Tall white universal awning hardware SKU: 9600027143



Dometic Universal Awning

Short black universal awning hardware



Dometic Universal Awning Hardware

Tall black universal awning hardware SKU: 9600027144



Hardware

SKU: 9600027145





Dometic Universal Awning Hardware

Ultra short white universal awning hardware SKU: 9600028576



Dometic Universal Awning Hardware

Short white universal awning hardware SKU: 9600027146



RV ROOF WINDOWS

Anyone who likes a lot of daylight and fresh air in their motorhome or caravan has come to the right place. These classic "lift-and-tilt" roof lights are the biggest ones in the Heki range. They have been installed innumerable times and are highly valued for their quality, durability and ease of use. All models come with snug-fitting roller blinds and fly screens.

CONVENIENT OPENING

INDOOR COMFORT

MAXIMISE FRESH AIR

RV Rooflights

There's no easier way to maximise the enjoyment of your journey than to get as much natural light as possible. Not only will you feel good, but your interior will also appear more spacious and welcoming. That's why we urge you to check out our roof lights. They are reliable, easy to install, long lasting – and available in numerous versions.



Dometic Heki 2

Roof light

Pneumatic springs for easy opening

- Separately adjustable darkening and fly screens
- Forced ventilation
- Double acrylic glazing

SKU: 9104104874



Dometic Midi Heki LED

Roof light

Open and close the dome via push-up bar

- LED lights featuring day light white and night light blue
- Dome with new double acrylic glazing
- Separately adjustable darkening and fly screens
- Opening angle of 45 degrees
- Improved aerodynamics to reduce noise

SKU: 9104120362



Dometic Mini Heki Plus

Roof light

- Using handles, it can be placed in three different positions: fully open, half-open, and bad weather
- Separately adjustable darkening and fly screens keep light and insects out
- Forced ventilation maximises intake of fresh air
- 400 x 400 mm
- For roofs 43 60 mm thick
- Insulated dome with single acrylic glazing

SKU: 9104119636



Dometic Mini Heki Plus

Roof light

- Using handles, it can be placed in three different positions: fully open, half-open, and bad weather
- Separately adjustable darkening and fly screens keep light and insects out
- Forced ventilation maximises intake of fresh air
- 400 x 400 mm
- For roofs 25 42 mm thick
- Insulated dome with single acrylic glazing

SKU: 9104119638



Dometic Midi Heki Motorised

Roof light motorised

- An electric motor opens and closes the dome
- Dome with double acrylic glazing
- Separately adjustable darkening and fly screens
- Hassle-free cleaning

SKU: 9104121627



Dometic Midi Heki Crank

Roof light, crank version

- Opens to three positions: fully open, half-open, and bad weather position
- Dome with double acrylic glazing
- Separately adjustable darkening and fly screens
- Crank-operated
- LED Lighting
- Hassle-free cleaning

SKU: 9104120383

| PRODUCTS | Size D x W (mm) | Cut Out Size H x W (mm) | Ventilation Opening (mm²) | Weight (kg) | SKU |
|---------------------|-----------------|-------------------------|---------------------------|-------------|------------|
| Heki 2 | 760 x 1048 | 655 x 960 | 115 | 11 | 9104104874 |
| Midi Heki LED | 617 x 846 | 500 x 700 | 150 | 8 | 9104120362 |
| Mini Heki Plus | 520 x 535 | 400 x 400 | 160 | 3.3 | 9104119636 |
| Mini Heki Plus | 520 x 535 | 400 x 400 | 160 | 3.3 | 9104119638 |
| Midi Heki motorised | 617 x 846 | 500 x 700 | 150 | 9.0 | 9104121627 |
| Midi Heki Crank | 617 x 846 | 500 x 700 | 150 | 8.5 | 9104120383 |

RV ROOF VENTS

Good air quality is essential if you want to enjoy your journey. Dometic provides flexible ventilation solutions to keep you (and your equipment) in good condition. Our roof window/vent comes with an integrated – and energy efficient – variable-speed fan for maximum comfort and convenience. Which means you can look forward to fresh air without it costing you a fortune. You can choose between manual and automatic operation.



Fan-tastic Model 3350 Vent Fan

Vent fan

- A built-in thermostat maintains your desired comfort level
- Three fan blade speeds (low, medium, high)
- Reverse switch controls the fan blade (OUT-exhaust or IN-intake)

SKU: 9108879210




Fan-tastic Model 7350 Vent Fan

Vent fan

- 14 fixed manual speeds or automatic variable speeds
- Reverse switch controls the fan blade direction (OUT-exhaust or IN-intake)
- Rain sensor with On/Off switch and automatic dome open/close switch

SKU: 9108879212

MOBILE LIVING MADE EASY — 19



RV WINDOWS

Whether you want to protect yourself from the sun and insects or let more light and air in, we offer a selection of high-quality windows. Each window comes with a complete kit for easy installation.

Dometic D-Lux Window

Top-hung hinged wall window for curved outlines

- Multi locking system provides security against intruders
- Polyurethane frame
- Flush-fitting double glazed acrylic glass pane
- Fits wall thickness for 34 mm
- Simple and quick installation
- Friction stays



| Ref No. | Description | Size H x W (mm) | Cut Out Size H x W (mm) | Weight (kg) | SKU |
|---------------|----------------------------------|-----------------|----------------------------|-------------|------------|
| Dometic D-Lux | Wall window, Top-hung 300 x 500 | 330 x 544 | 298 x 499 | 4.6 | 9104122495 |
| Dometic D-Lux | Wall window, Top-hung 450 x 500 | 480 x 544 | 448 x 500 | 5.1 | 9104122496 |
| Dometic D-Lux | Wall window, Top-hung 550 x 700 | 581 x 745 | 549 x 700 | 7.8 | 9104122565 |
| Dometic D-Lux | Wall window, Top-hung 800 x 800 | 831 x 846 | 800 x 801 | 10.7 | 9104122497 |
| Dometic D-Lux | Wall window, Top-hung 450 x 900 | 480 x 948 | 448 x 902 | 8.2 | 9104122498 |
| Dometic D-Lux | Wall window, Top-hung 550 x 900 | 581 x 948 | 549 x 902 | 9 | 9104122499 |
| Dometic D-Lux | Wall window, Top-hung 800 x 1000 | 832 x 1048 | 802 x 1002 | 12.4 | 9104122566 |
| Dometic D-Lux | Wall window, Top-hung 450 x 1100 | 481 x 1148 | 448 x 1103 | 9.7 | 9104122500 |
| Dometic D-Lux | Wall window, Top-hung 550 x 1100 | 581 x 1148 | 549 x 1102 | 10.6 | 9104122567 |
| Dometic D-Lux | Wall window, Top-hung 300 x 1200 | 330 x 1248 | 297 x 1201 | 8.7 | 9104122568 |
| Dometic D-Lux | Wall window, Top-hung 500 x 1200 | 531 x 1249 | 500 x 1203 | 11.7 | 9104122501 |
| Dometic D-Lux | Wall window, Top-hung 550 x 1450 | 581 x 1500 | 549 x 1453 | 14.4 | 9104122502 |

20 — DOMETIC.COM

MOBILE LIVING MADE EASY — 21

Dometic CHAL

Top-hung hinged wall window for curved outlines

- Aluminium frame windows powder coated
- Integrated roller blind / Black flynet Clip connection
- Patented clip on system
- 3 position click clack stay
- Double glazed PMMA panes14x Sizes



| PRODUCT | Description | Size H x W (mm) | Cut Out Size H x W (mm) | Weight (kg) | SKU |
|--------------|----------------------------------|-----------------|----------------------------|-------------|------------|
| Dometic CHAL | Wall window, Top-hung 500 x 350 | 530 x 380 | 500 x 350 | 3.8 | 9108400769 |
| Dometic CHAL | Wall window, Top-hung 550 x 1450 | 530 x 450 | 500 x 450 | 4.68 | 9108400766 |
| Dometic CHAL | Wall window, Top-hung 500 x 450 | 530 x 530 | 500 x 500 | 5.2 | 9108400765 |
| Dometic CHAL | Wall window, Top-hung 500 x 500 | 730 x 830 | 700 x 800 | 8.48 | 9108400764 |
| Dometic CHAL | Wall window, Top-hung 700 x 800 | 930 x 480 | 900 x 450 | 7.5 | 9108400763 |
| Dometic CHAL | Wall window, Top-hung 900 x 450 | 930 x 530 | 900 x 500 | 7.66 | 9108400139 |
| Dometic CHAL | Wall window, Top-hung 900 x 500 | 930 x 580 | 900 x 550 | 8.5 | 9108400772 |
| Dometic CHAL | Wall window, Top-hung 900 x 900 | 930 x 930 | 900 x 900 | 11.02 | 9108400767 |
| Dometic CHAL | Wall window, Top-hung 1000 x 800 | 1030 x 830 | 1000 x 800 | 11 | 9108400768 |
| Dometic CHAL | Wall window, Top-hung 1100 x 450 | 1130 x 480 | 1100 x 450 | 8.6 | 9108400773 |
| Dometic CHAL | Wall window, Top-hung 1100 x 550 | 1130 x 580 | 1100 x 550 | 9.58 | 9108400776 |
| Dometic CHAL | Wall window, Top-hung 1200 x 350 | 1230 x 380 | 1200 x 350 | 7 | 9108400775 |
| Dometic CHAL | Wall window, Top-hung 1200 x 500 | 1230 x 530 | 1200 x 500 | 10 | 9108400770 |
| Dometic CHAL | Wall window, Top-hung 1450 x 550 | 1480 x 580 | 1450 x 550 | 12.5 | 9108400774 |



RV WINDOWS & DOORS



DUST REDUCTION SYSTEM FOR CARAVANS

Through its smart design, the Dometic Dust Reduction System 2.0 (DRS2) minimises the amount of dust, harmful airborne particles and pollens that can enter your caravan and remain suspended in the air for an extended time after stopping. Building upon the extensive performance testing in Australia's dusty country, the second-generation DRS has been further fine-tuned and optimised to achieve improved waterproofness and airflow, all designed to cut down the dust so there is less cleaning when you arrive. The unit is fitted to the roof of the caravan and operates while the vehicle is in motion. Best of all there are no motors or electrical parts so there's no need for power. The easiest way to arrive at your destination with a clean caravan is preventing dust from entering.



1. Patented design

Clever system that manages the airflow distribution when driving or stationary



2. Stylish airflow grille

The grille allows airflow through the unit and prevents debris from entering the vehicle.



3. Modern design

Modern rooftop unit with a low profile and lightweight design.



4. Easy to use

Changing the air filter is simple thanks to the ceiling cover that is easy to open and close.



5. Versatile installation

Simple and clean design that can be installed in a range of rooftop openings from 290×290 to 400×400 mm.



6. Replaceable air filters

Additional air filters sold separately and can be changed in a matter of seconds

Dometic DRS 2.0

Dust reduction system

- Significantly reduces the amount of dust, harmful airborne particles and pollens entering the caravan
- Filters out dust particles with a PM10 filter
- Dust filters can be easily replaced from inside the caravan
- Reduces cleaning time after caravan trip
- Non-powered operation requires no opening or closing of vents
- \bullet Fits roof openings between 290 x 290 mm and 400 x 400 mm and roof thicknesses between 30 mm and 65 mm
- Low profile rooftop unit is extremely lightweight at approximately 5 kg

Dimensions W x H x D (mm): 444 x 248 x 473 Weight (kg): 5.14 SKU: 9620008568



CLIMATE ACCESSORIES

To ensure you get the most out of your Dometic ventilation solution and/or roof light, we provide a broad selection of helpful accessories. These include installation, assembly and upgrade kits, inner frames, spoilers, vent covers and, of course, all the spare parts you need.



Dometic DRS Air Filter

Filter for dust reduction system

Dimensions W x L x H (mm): 225 x 225 x 44 Weight (kg): 0.115 SKU: 9600025580



Dometic Safety Net

Safety Net

Dimensions W x H (mm): 1800 x 580 Weight (kg): 1.2 SKU: 9104105086



Dometic Heki-SPLR

Skylight spoiler - 1100

Dimensions W \times H \times D (mm): 1110 \times 50 \times 110 Weight (kg): 0.46 SKU: 9104100237



Dometic Heki-SPLR

Skylight spoiler - 800 mm

Dimensions W x H x D (mm): 809 x 50 x 110 Weight (kg): 0.35 SKU: 9104100236



DOMETIC CARAD PREMIUM RV DOORS

The Dometic CaraD door is a modern caravan door designed with safety in mind. A key feature of the door is its highly resistant safety mesh. Tested by an independent company in Germany, the door can withstand 180 J of impact.

The mesh will let air into your caravan without having to sacrifice your security. Another safety feature is the four-point locking system and an easy to operate chrome door lever, which ensures extra protection and comfort when travelling. It also includes a stylish integrated blind that blocks light from entering the caravan and provides additional privacy.



1. Keep safe

Four-point locking system provides extra safety and comfort while traveling.



2. Block out

Integrated blind is ideal for blocking out the sun or Window clip keeps panel in position when closed. to ensure privacy.



3. Secured

Dometic CaraD Doors

Caravan doors

- Highly durable glass
- Highly resistant safety mesh
- Four-point locking system
- Easy to operate chrome door lever
- Integrated blind that blocks incoming light





Specifically designed to fit a wide range of recreational vehicles, the Dometic CaraD door range provides peace of mind with a number of world-class safety features. Available in alucobond or glass door, CaraD doors feature tried and tested, highly resistant safety mesh that is virtually indestructible.

| ROBUST | LOCKING SYSTEM | HIGH-PERFORMANCE |
|--------|----------------|------------------|

| PRODUCTS | Size H x W (mm) | Cut Out Size H x W (mm) | Weight (kg) | SKU |
|---------------------------------------|-----------------|-------------------------|--------------------|------------|
| 1850 LH Aluminium caravan door | 1870 x 653 | 1851 x 622 | 24.5 | 9104114672 |
| 1850 RH Aluminium caravan door | 1870 x 653 | 1851 x 622 | 24.5 | 9104114673 |
| 1750 LH Aluminium caravan door | 1770 x 653 | 1751 x 622 | 24 | 9104114676 |
| 1750 RH Aluminium caravan door | 1770 x 653 | 1751 x 622 | 24 | 9104114677 |
| 1850 LH Glass caravan door | 1870 x 653 | 1851 x 622 | 24.5 | 9104117908 |
| 1750 LH Glass caravan door | 1770 x 653 | 1751 x 622 | 24 | 9104114266 |
| 1750 RH Glass caravan door | 1770 x 653 | 1751 x 622 | 24 | 9104114267 |
| 1750 RH vented aluminium caravan door | 1770 x 653 | 1751 x 622 | 24 | 9104117551 |
| 1850 LH vented aluminium caravan door | 1870 x 653 | 1851 x 622 | 24.5 | 9104117552 |
| 1850 RH vented aluminium caravan door | 1870 x 653 | 1851 x 622 | 24.5 | 9104117553 |
| 1750 LH vented glass caravan door | 1770 x 653 | 1751 x 622 | 24 | 9104117121 |





DOMETIC SLIDE OUT KITCHENS

Not only does the Dometic Slide Out Kitchen save valuable space, but its telescopic runners also make it quick and easy to pull-out and stow away after use. It provides all the kitchen essentials: a three burner cooktop with a sink and tap, a chopping board and dual sided access to storage. Standard accessories include a bottle opener and cup holder. The kitchen's modular aluminium construction makes it lighter, while a generous amount of built-in storage keeps dining and cooking equipment safe and secure. Easy to install on most RVs thanks to its simple three-step installation method, the Small Slide Out Kitchen takes cooking outdoors to new levels of convenience!



1. Generous storage capacityDual sided access to large storage compartments.



4. Range of optional accessories available

A wind deflector, utensil holders as well as additional bottle openers, cup and utensil holders, chopping boards and serving trays (for SKL101), are also available.



2. Lightweight aluminium construction
Easy to slide out and avoids adding unnecessary
weight to the RV.



5. Delivered ready-to-install Includes heavy-duty slide rails and mounting heavests



3. Versatile functionalityDedicated areas for cooking, cleaning, chopping and serving.



6. High resistance to corrosionAluminium and stainless steel construction



Dometic SKS101

Slide out kitchen, small

- Dedicated area for cooking, cleaning, and serving
- Easy 3-step installation process
- Compatible with all popular access doors
- Lightweight aluminium construction
- Large storage compartments with dual sided access
- Range of accessories available, including wind deflector, bottle opener, cup and utensil holders and chopping board

Dimensions W x H x D (mm): 630 x 280 x 1220 SKU: 9600019015



Dometic SKL101

Slide out kitchen

- Dedicated area for cooking, cleaning, chopping and serving
- Easy 3-step installation process
- Compatible with all popular access doors
- Lightweight aluminium construction
- Large storage compartments with dual sided access
- Range of standard and optional accessories available, including wind deflector, bottle opener, cup and utensil holders, chopping board and serving tray
- Additional preparation area and portable serving platter.
- Additional pull-out storage drawer

Dimensions W x H x D (mm): 640 x 335 x 1670 SKU: 9600006441

ACCESSORIES



Dometic SKA-UH

Utensil holder

- Keep everything in one place, easily accessible during cooking
- Utensil accessory for Dometic Slide Out Kitchen
- Made from durable PBT material which is resistant to solvents

Dimensions W x H x D (mm): 204 x 52 x 48 SKU: 9600014077



Dometic SKA SKA Wind Deflector

Wind deflector

SKU: 9600015515



DOMETIC CVI INDUCTION COOKTOP SERIES

Cooking in style, as fast and convenient as at home: this elegant, dual-zone induction cooktop makes it possible. Featuring an easy-clean glass surface with integrated sensor touch controls, the Dometic CVI1525 satisfies the highest demands on functionality and aesthetics. Based on Dometic's Cooking Vision, a modular design concept for RVs and boats, the induction cooktop can be nicely combined with a matching sink or other Cooking Vision products. It can also replace a 2-burner gas hob of the same size – ideal for those wishing to power their on-board devices with electricity instead of gas. Despite its impressive cooking power, the CVI1525 is electrically dimensioned to respect current amperage limitations of the RV industry and at campsites.



1. Sensor touch controls

Convenient regulation of the cooking heat with 9 heat settings



2. Easy-clean glass surface

Seamless design ensures it is easy keep clean



3. Convenient Installation

Supplied with a 10A plug

Dometic CVI1525

2-zone induction cooktop

- 2-zone cooktop with induction technology
- Convenient regulation of the cooking heat with 9 heat settings
- Easy-clean glass surface.
- Vibration resistance tested according to RV-specific standards
- Designed to respect 10A /2300 W limitations at campsites and in recreational vehicles
- Extra-fast heat-up with automatic over-boost cut-off



Dometic CVI1350

Single-zone induction cooktop

- Single-zone cooktop with induction technology
- Convenient regulation of the cooking heat with 9 heat settings
- Easy-clean glass surface.

Weight (kg): 4.5 kg

SKU: 9620016731

- Vibration resistance tested according to RV-specific standards
- Designed to respect 10A /1700 W limitations at campsites and in recreational vehicles
- Extra-fast heat-up with automatic over-boost cut-off

Dimensions W x H x D (mm): 350 x 55 x 350

HBG SERIES

Integrated hobs with glass lid: cooking in close quarters

Our compact HBG hobs let you cook in the confined spaces of your mobile kitchen almost like at home. They are fitted flush with the worktop, and the knobs are ergonomically placed for convenient cooking control. When there are no pots and pans on the hob, you can close the glass lid to gain additional workspace and protect your hob at the same time.



Dometic PI8022

Two burner gas stove

- Two gas burners with combined total output of 10.5 MJ/h
- Stylish stainless steel finish
- Durable glass lid

Dimensions W x H x D (mm): 480 x 80 x 370 Weight (kg): 3.58 SKU: 9600027604



Dometic PI8023

Three burner gas stove

- Three gas burners with combined total output of 15.6 MJ/h
- Stylish stainless steel finish
- Durable glass lid

Dimensions W x H x D (mm): 560 x 88 x 440 Weight (kg): 5.30 SKU: 9600027607

HSG SERIES

Hob/sink combinations with glass lids: cooking and washing up in small kitchens

If you want to save on space without compromising on quality, one of our hob/sink combinations is perfect for you. Made from stainless steel, they are easy to clean and long lasting too. HSG series hob/sink combinations feature separate heat resistant safety glass lids for the hob and sink. The practical glass cover gives you some extra workspace when folded down.

Dometic MO9722

Two burner stove with sink

- Compact two burner gas stove with improved efficiency
- Easy push button 12 V ignition and gas safety valves fitted for each burner
- 2 new burners with a high combined heat output of 10.5 MJ/h.
- Two integrated heat-resistant safety glass lids provide protection and extra workspace when closed
- Easy-to-clean detachable trivets
- Stylish stainless-steel finish
- Compatible with the Dometic DM-WT02 Tap (sold separately)

Dimensions: W x H x D (mm): 760 x 178 x 325 SKU: 9600029354



OVENS

Ovens with grill and hob: cooking, baking and grilling on board

Why do without familiar ways of cooking food just because you are on the move? The MC101 and MC102 ovens give you a choice of fully fledged stoves. Treat your family to a delicious home-made meal wherever you are. Enjoy the sparkling sight of your kitchen or galley, and rest assured that everything is safe.





MC101

Cooktop, Grill, Oven

- Spill friendly
- Easy to grab handles and knobs
- Spacious cooking with a generous 39 I oven and fan forced option
- Hybrid fuel flexibility with one electric hotplate and three gas burners
- New grill shelves protect hands from getting burnt
- Input voltage: 12 V & 240 V

Dimensions W x H x D (mm): 514 x 649 x 497 SKU: 9620015794

MC102

Cooktop and grill

- Recessed surfaces drain away spillages
- Easy to grab handles and knobs
- Hybrid fuel flexibility with one electric hotplate and three gas burners
- Square corners to squeeze into tight spaces
- Input voltage: 12 V & 240 V

Dimensions W x H x D (mm): 514 x 306 x 497 SKU: 9620015795







2. Spill friendly Recessed surfaces drain away spillages



3. Convenient Easy to grab handles and knobs



DOMETIC 2 COOK 3 TURBO FFD DELUXE

Step into our world of innovation with the new 2 Cook 3 Turbo FFD Deluxe. The new inner flame burner design gives a higher heat output onto the cooking surface, which gives a quicker heat up time. The two inner flame burners lie lower in the base of the stove, allowing for a slimmer design which is less affected by windy conditions. Each burner is independently operated with its own control knob and piezo ignition. The new 2 Cook 3 Turbo is fitted with a flame failure device (FFD) that will shut off gas flow in case of a flame out (for your safety) and is therefore safe to be used indoors. Cooking versatility with independent grill plates gives the option of simultaneous grilling, frying, boiling or heating up of food and coffee. The rubber feet prevents the stove from slipping. After use, you can clip the lid closed. Pack away your stove after use in the convenient carry bag that is included.



1. Flame Failure Device (FFD) Safe for indoor use (in a well ventilated space)



2. Powerful Inner flame burner design gives a higher heat output



3. Versatile Switch up the cooking surfaces or stands to whatever you need to prepare

Dometic 2 Cook 3 Turbo FFD Deluxe

Lightweight 2-burner gas stove

- Versatile portable stove with 2 burners with individual Piezo ignition on both.
- Stove comes with ribbed and Flat GreenGrill ceramic coated non-stick grill plates with removable handle, 2 x pot stands, stainless steel coffee pot stand and wind shields.
- · Stainless steel for easy cleaning
- Deluxe carry bag

Dimensions (W x H x D) mm: 569 x 90 x 309 (lid closed) 569 x 312 x 341 (lid open)

Weight (kg): 6.3

Connection pressure: 2.75 kPa Nominal gas consumption: 160/hr

SKU: 9610004290



SNG SERIES

Sinks and drainers with a beautiful lid

Washing up, cleaning the place - do it all with style! SNG series sinks and sink/drainer combinations are practical to use, easy to clean and a pleasure to look at. All products in this product family come with a beautiful, heat-resistant glass lid.



Dometic VA8006

Square sink with lid

- Integrated heat resistant safety glass lid offers extra workspace
- Low profile bench mount with rubber seal
- Tap fitting mounted inside
- Supplied with hole for tap (Ø 39mm)
- Designed to work with DM-WT02 tap (sold separately)

Dimensions W x H x D (mm): 420 x 440 x 146.5 Weight (kg): 3.0 SKU: 9600029460



Dometic VA7306

Round sink with lid

- Integrated heat resistant safety glass lid offers extra workspace
- Low profile bench mount with rubber seal
- Tap fitting mounted inside
- Supplied with hole for tap (Ø 39mm)
- Designed to work with DM-WT01 tap (sold separately)

Dimensions W x H x D (mm): 420 x 420 x 148 Weight (kg): 2.4 SKU: 9600029463



Dometic DM-WT02

Low-profile Sink Tap

- Made from long-lasting chrome plated brass
- Easy to use with the spout on the left-hand side and handle on the right-hand side
- Maximum water temperature of 75°C
- Maximum working pressure of 500 kPa
- Suitable for most motorhomes, caravans and camper trailers
- Designed to work with the Square Sink with Lid

SKU: 9600025252



Dometic DM-WT01

- Made from long-lasting chrome plated brass
- Easy to use with the spout on the left-hand side and handle on the right-hand side
- Maximum water temperature of 75°C
- Maximum working pressure of 500 kPa
- Suitable for most motorhomes, caravans and camper trailers

SKU: 9600006140

ACCESSORIES



Dometic Vacuum

Vacuum sealer

Sealer

- Airtight seal to store food and keep it fresher up to five times longer
- Easy to pack for any trip
- Close the lid until it locks into place, press the START button and seal food in seconds
- Locks in flavour, colour and nutrition

Dimensions $W \times H \times D$ (mm): 373 x 85 x 150 Weight (kg): 1.41 SKU: 9108400481



Sealer rolls

- 8" bag size
- Airtight seal to store food and keep it fresher up to five times longer
- Easy to pack for any trip
- Locks in flavour, colour and nutrition
- Eliminate freezer burn and wasted food
- For outdoor and indoor use
- Maximize fridge and freezer space

Dimensions W x H x D (mm): 90 x 45 x 203 Weight (kg): 0.24 SKU:.9108400482

GY SERIES

Roof ventilators: Get rid of kitchen fumes and unpleasant odours!

Dometic GY11

Roof ventilator with motor

- Powerful motorised roof ventilator
- Adjustable two-speed fan
- Robust waterproof roof dome

Dimensions W x D (mm): 200 x 64 Weight (kg): 0.6 SKU: 9107300318







RUA/RUC SERIES REFRIGERATORS

Available in both absorption and compressor variations, the Dometic RUA and RUC refrigerators provide the reliable refrigeration performance that the RV market has come to expect from Dometic refrigerators. The T-rated cooling systems ensure excellent performance in both high and low ambient temperatures, making these refrigerators an excellent choice for all conditions. The built-in control panel is intuitive and easy to use, allowing users to select a temperature range and a variety of preset modes. Each model features double hinge opening giving you the convenience to open from either left or right at any time.



1. Touch control

TFT colour display with unique rotary touch control



2. Built-in door storage

Perfect for storing bottles and cans



3. Double Hinge

Easily access the fridge from the left or right at any time



4. T-rated cooling unit

Ensures great cooling performance even in harsh conditions



5. Perfectly controlled

Full-width crisper with humidity control



6. Interior LED lighting

Elegant LED lighting illuminates the cabin

RUA SERIES



Dometic RUA 5308X

Absorption refrigerator, 146 L

- Narrow cabinet design with slim footprint
- Double hinged for easy access from either side
- Reversible door suits any layout
- Freezer compartment with internal door
- Easy-to-use control panel with colour TFT display
- T-rated cooling system ensures excellent cooling performance in all conditions
- Adjustable shelves and door bins

Total volume (I): 146 Fridge storage volume (I): 133 Freezer storage volume (I): 13 Dimensions (W x H x D) mm: 550 x 1195 x 667 Weight (kg): 53 SKU: 9620013295

RUC SERIES



Dometic RUC 5308X

Compressor refrigerator, 146 L

- Narrow cabinet design with slim footprint
- Double hinged for easy access from either side
- Reversible door suits any layout
- Freezer compartment with internal door
- Easy-to-use control panel with colour TFT display
- T-rated cooling system ensures excellent cooling performance in all conditions
- · Adjustable shelves and door bins


Total volume (I): 146 Fridge storage volume (I): 133 Freezer storage volume (I): 13 Dimensions (W x H x D) mm: 550 x 1195 x 667 Weight (kg): 42 SKU: 9620013298

Dometic RUA 6508X

Absorption refrigerator, 180 L

- 2 door fridge & freezer
- Double hinged for easy access from either side
- Generous storage capacity of 180 I
- Narrow cabinet design with slim footprint
- T-rated cooling system ensures excellent cooling performance in all conditions • Automatic switching from DC to AC power
- when AC mains is available • Easy-to-use control panel with colour
- TFT display
- Adjustable shelves and wire doors

Total volume (I): 180 Fridge storage volume (I): 134 Freezer storage volume (I): 46 Dimensions (W x H x D) mm: 550 x 1451 x 667 Weight (kg): 66 SKU: 9620013296





Dometic RUA 8508X

Absorption refrigerator, 216 L

- 2 door fridge & freezer
- Double hinged for easy access from either side
- Generous storage capacity of 216 l
- Narrow cabinet design with slim footprint
- T-rated cooling system ensures excellent cooling performance in all conditions
- Automatic switching from DC to AC power when AC mains is available
- Easy-to-use control panel with colour TFT display
- Adjustable shelves and wire doors

Total volume (I): 216 Fridge storage volume (I): 170 Freezer storage volume (I): 46 Dimensions (W x H x D) mm: 550 x 1661 x 667 Weight (kg): 73 SKU: 9620013297



Dometic RUC 6508X

Compressor refrigerator, 180 L

- 2 door fridge & freezer
- Double hinged for easy access from either side
- Generous storage capacity of 180 l
- Narrow cabinet design with slim footprint
- T-rated cooling system ensures excellent cooling performance in all conditions
- Automatic switching from DC to AC power when AC mains is available
- Easy-to-use control panel with colour TFT display
- Adjustable shelves and wire doors

Total volume (I): 180 Fridge storage volume (I): 134 Freezer storage volume (I): 46 Dimensions (W x H x D) mm: 550 x 1451 x 667 Weight (kg): 47 SKU: 9620013300



Dometic RUC 8508X

Compressor refrigerator, 216 L

- 2 door fridge & freezer
- Double hinged for easy access from either side
- Generous storage capacity of 216 I
- Narrow cabinet design with slim footprint
- T-rated cooling system ensures excellent cooling performance in all conditions
- Automatic switching from DC to AC power when AC mains is available
- Easy-to-use control panel with colour TFT display
- Adjustable shelves and wire doors

Total volume (I): 216 Fridge storage volume (I): 170 Freezer storage volume (I): 46 Dimensions (W x H x D) mm: 550 x 1661 x 667 Weight (kg): 51 SKU: 9620013299



NRX SERIES REFRIGERATORS



Are you looking for a stylish and energy-efficient cooling solution that easily adapts to your needs? Here you are! The Dometic NRX refrigerator range can be used as a fridge, freezer or both at the same time. Their powerful high-end compressor gives you a choice of three operating modes to be set on the illuminated touch control panel neatly integrated inside the cabinet: Eco for maximum energy efficiency, Performance mode for a quick cool-down, Quiet for a peaceful night's sleep. The elegant frameless door, incorporating a dark grey front panel and a convenient full-width handle, opens to a well-equipped interior: removable freezer compartment, multiple shelves, two crispers, plus a bottle holder and door shelf/shelves.



1. Full-width door handle

Neatly integrated for easy access from every angle



2. Touch control panel

Flush-mounted inside the cabinet, with nicely integrated LED light bar



3. Removable freezer

The freezer compartment can be easily removed to make room for more fridge storage



4. Two crispers

For storing fruits and vegetables for optimal freshness



5. Well equipped interior

Freezer, shelves, bottle holder, door tray, crispers - it's all there



Dometic NRX 50

Compressor refrigerator, 44 I

Total volume (I): 44 Fridge storage volume (I): 39.6 Freezer storage volume (I): 4.4 Dimensions W x H x D (mm): 380 x 525 x 510 Weight (kg): 18 Ref No. 9620001870



Dometic NRX 60

Compressor refrigerator, 55 l

Fridge storage volume (I): 48.9 Freezer storage volume (I): 6.1 Weight (kg): 18 Ref No. 9620001872



Dometic NRX 80



Total volume (I): 55 Dimensions W x H x D (mm): 448 x 525 x 537



Total volume (I): 75 Fridge storage volume (I): 68.4 Freezer storage volume (I): 6.6 Dimensions W x H x D (mm): 475 x 625 x 537 Weight (kg): 20 Ref No. 9620001868



Dometic NRX 115



Compressor refrigerator, 113 I

Total volume (I): 113 Fridge storage volume (I): 104.8 Freezer storage volume (I): 8.2 Dimensions W x H x D (mm): 525 x 745 x 568 Weight (kg): 27 Ref No. 9620001871



Dometic NRX 130



Compressor refrigerator, 126 I

Total volume (I): 126 Fridge storage volume (I): 117.8 Freezer storage volume (I): 8.2 Dimensions W x H x D (mm): 525 x 812 x 568 Weight (kg): 28 Ref No. 9620001867



12 / 24 V DC



ACCESSORIES

NRX Universal Mounting Frame



| PRODUCT | SKU |
|-----------------------------|------------|
| Mounting Frame NRX35/50 BLK | 9620012874 |
| Mounting Frame NRX60 BLK | 9620012875 |
| Mounting Frame NRX80 BLK | 9620012880 |
| Mounting Frame NRX115 BLK | 9620012879 |
| Mounting Frame NRX130 BLK | 9620012883 |

CD SERIES

The CD series of refrigeration turns a small unused space into a very usable drawer fridge



Dometic Coolmatic CD 20

Drawer fridge, 20 I

- Its compact design is perfect if you're low on space
- Temperature control with continuously variable thermostat improves efficiency
- Convenient access with easy-pull drawer running on roller bearing slides
- User-friendly unlocking and opening with a single movement
- Temperature range +15 °C to 0 °C
- The cooling unit can be installed up to 1.5 m away giving you flexibility of position

Gross volume (I): 20 Dimensions W x H x D (mm): 440 x 250 x 564 Weight (kg): 16.1 SKU: 9600008369



Dometic Coolmatic CD 30

Drawer fridge, 30 I

- Compact design and smart solution: the compressor can be fitted to the side of the refrigerator (left or right) and up to 1.5 m away
- Temperature control with continuously variable thermostat improves efficiency
- Convenient access with easy-pull drawer running on roller bearing slides
- User friendly unlocking and opening with a single movement
- Safe locking mechanism

Gross volume (I): 30 Dimensions W x H x D (mm): 440 x 250 x 730 Weight (kg): 19.3 SKU: 9105330083

LS SERIES

Ventilation grills

Ventilation grill for single and double-door models: Attached to the outside of the vehicle. Specially designed ventilation system for mounting on the outside wall of the vehicle. Built to prevent energy wasting heat accumulation behind the fridge. In addition, they allow easy access for service and maintenance without removing the fridge. The lower ventilation grill leads cold air behind the refrigerator while the upper grill allows hot air to escape. Consists of a mounting frame, exhaust stake, grill with fly screen and winter protection. LS 300 vents are designed for models with two doors, which can be used for both top and bottom.



Dometic Ventilation Grill LS300-B

Black ventilation grill

- Avoid wasting energy by removing heat which builds up around your fridge
- The lower grill allows cool air in while the upper grill allows warm air
- Suitable for Dometic single/double door refrigerators

Dimensions W x H x D (mm): 518 x 278 x 42 SKU: 9620000525



Dometic Ventilation Grill LS300

White ventilation grill

- Avoid wasting energy by removing heat which builds up around your fridge
- The lower grill allows cool air in while the upper grill allows warm air
- Suitable for Dometic single/double door refrigerators

Dimensions W x H x D (mm): 518 x 278 x 42 SKU: 9620000524

ROOF VENTS



Dometic Roof Ventilation R500

White base and cover roof ventilation

- Avoid wasting energy by removing heat which builds up around your fridge
- Suitable for Single/Double door refrigerators
- Vent Base

Dimensions W x H x D (mm): 210 x 92 x 660

Vent Cover Dimensions W x H x D (mm): 305 x 99 x 686 SKU: 9620008609



RM SERIES

For keeping food and drink cool and fresh while on the road, the Americana refrigerators are reliable, efficient and stylish. The internal layout is well designed to maximize capacity. Available in a range of sizes and a choice of single or double doors, the Americana is designed to suit a wide range of needs - all at an affordable price.



1. Easy to use Conveniently adjust settings with control panel



2. LED lighting Interior is lit up by crisp LED lighting



3. Large capacity Total storage volume



4. Sub-zero temperature The freezer comes in handy for long trips away



5. Robust Heavy-duty hinges that are built to last



6. Flexible convenience Internal shelving can be easily arranged as needed

Dometic RM 2350

Absorption refrigerator, 90 I

- T-rated cooling unit ensures excellent performance in all conditions
- Manual Energy Selection (MES)
- Powerful absorption refrigeration technology
- No moving parts results in completely silent operation

Gross volume (I): 90 Fridge storage volume (I): 73 Freezer storage volume (I): 11 Dimensions W x H x D (mm): 556 x 766 x 577 Cut-out Dimensions W x H x D (mm): $521 \times 756 \times 542$ Weight (kg): 32 Ref No. 9600028635



Dometic RM 2356

Absorption refrigerator, 95 I

- Switchable between manual (MES) and automatic energy select (AES)
- Same cut out size as most 0.85 cubic metre models but 10% bigger inside
- User friendly control panel featuring LED indicator lights
- Generous door and wall insulation for greater performance
- Includes hinge kit to easily change the door's opening direction
- Easy access to inter

Gross volume (I): 95 Fridge storage volume (I): 75 Freezer storage volume (I): 11 Dimensions W x H x D (mm): 556 x 766 x 577 Cut-out Dimensions W x H x D (mm): 521 x 756 x 542 Weight (kg): 32 Ref No. 9600028637





10-SERIES REFRIGERATORS

Designed for smarter use of space, the 10-Series refrigerators comes with an advanced smart door that can adapt to different layouts allowing you to store food and drinks conveniently. The Dometic 10 series refrigerators are available in two models: absorption (3-way) and compressor (2-way). Both types offer the same cavity sizes for maximum installation compatibility. However, compressor model generously offers 27 I more capacity than absorption model within the same cavity size. The refrigerator comes with a versatile interior and a customisable decor panel that can change to suit all your needs, perfect for your travels.



1. Powerful cooling

Functions are easily chosen by the LED control panel (RMD10.5XES display shown)



2. Smart locking system

Enhanced with a smart lock system on each side of the fridge door for easy, safe, and quick hinging reversibility



3. Spacious interior

Versatile interior incorporates smart storage solutions (RMD10.5XES interior shown)



4. Maximum efficiency

LED Light-bar provides uniform energy-saving illumination of the refrigerator compartment



5. Enhanced versatility

Includes adjustable humidity crispers and a lid that serves as an extra storage shelf



6. Ultimate flexibility

Detachable door panel allows you to match the colour of the doors with interior of your RV or caravan

Dometic RCD10.5XES

Compressor refrigerator, 200 I

- Smart door that can be changed from the left-hand side to right-hand side with ease
- Interior parts comply with food safety regulation
- User-friendly control panel featuring LED Colour display
- Flexible interior storage with crispers
- Detachable door decor panel can be customised
- Silent, Turbo and Performance cooling modes
- Greener option using R600a refrigerant
- Same size and fitment as RMD series
- The refrigerator works well with both external ventilation and internal ventilation

Total volume (I): 200 Fridge storage volume (I): 159 Freezer storage volume (I): 40.6 Dimensions W x H x D (mm): 550 x 1260 x 615 Weight (kg): 48.5 SKU: 9600050531



Dometic RMD10.5XS

Absorption refrigerator, 173 I

- Smart door that can be changed from the left-hand side to right-hand side with ease
- Interior parts comply with food safety regulation
- User-friendly control panel featuring LED colour display
- Flexible interior storage with crispers
- Detachable door decor panel can be customised
- Smart lock system
- Noiseless absorption cooling

Total volume (I): 173
Fridge storage volume (I): 140
Freezer storage volume (I): 33
Dimensions W x H x D (mm): 550 x 1260 x 615
Weight (kg): 52.5
SKU: 9600028656





Sometimes all you need to know is that you are choosing a comfortable, clean and safe toilet. The Saneo ceramic toilet is unrivalled in the conscientious design involved in ensuring your ultimate well-being is always protected. This ceramic toilet has patented safety features. We care and we think about it, so that you don't have to.

CT4000

1 YEAR WARRANTY

A perfectly designed range of toilets for motorhomes. The toilets within this CT4000 range are perfect for motorhomes as they are lightweight, functional and beautifully designed with a high-quality ceramic inlay bowl for a scratch resistant, hygienic finish. They can also be retrofitted with the SOG air ventilation system for an ultra fresh adventure into the unknown.





1. Optimised bowl design

The ergonomic toilet bowl ensures comfort.

2. High power flush

Optimised flush ring and vacuum breaker for impressive flushing capacity.

Dometic CTS 4110

Cassette toilet

- The scratch-resistant ceramic inlay is also easy to clean
- It is 30% lighter than purely ceramic toilets
- An anatomically respectful design
- Seat adjustable by up to 90° in both directions to accommodate space
- Simple and accessible control panel

Tank capacity wastewater: 19 I Dimensions W x H x D (mm): 382 x 672 x 530 Weight (kg): 12 SKU: 9107100618





52 — DOMETIC.COM

MOBILE LIVING MADE EASY -53

HYGIENE & SANITATION





GENERATORS

The Dometic TEC 29 petrol generator is built for life on the road. It is compact, lightweight, easy to install and guiet. Utilising Dometic inverter technology, the TEC 29 generator ensures a convenient, safe and reliable power supply whenever mains power is unavailable. It is easily controlled remotely from inside the vehicle via the wall-mounted digital control panel and conveniently features an auto start function which starts the generator to recharge a battery as soon as its voltage becomes low. The flexible and anti-vibration design of the TEC 29 allows the unit to be mounted externally, suspended from the vehicle chassis or mounted to the floor in a vehicle locker. Sound is suppressed to 54 dB A measured at 7 m thanks to its insulated steel cabinet and the 2600 W of continuous output is extremely efficient. There's no reason to ever be without power!

Dometic Tec 29

Petrol generator

- Small footprint for flexible internal or external mounting
- Inverter technology 230 V \pm 1 % pure sign wave with total distortion
- Low unleaded petrol fuel consumption, generator RPM adjusts to the load applied at max 1.2 l/h
- Stainless steel cabinet
- High continuous and peak output power (2600/2900 W)
- Parallel connection to boost power to 4800 W
- Bonded earth to neutral for RCD fitment


Dimensions W x H x D (mm): 480 x 290 x 385 Weight (kg): 44 SKU: 9102900291



CHARGERS

Perfectcharge MCA

IUOU automatic charge



These special features must be considered by the charging technology to protect the batteries from damage and ensure they have a long service life. The IUOU battery chargers function using a unique six-stage charging cycle. They provide optimum charging for all gel, AGM and wet batteries, because they charge quickly and gently at the same time.



Battery charger

Dometic Perfectcharge

• 15 A charger

MCA1215

- Gentle charging of 12 V batteries with optimised 6-stage IUOU charging technology
- Simultaneous charging of one battery plus the starter battery
- · Very compact design, lightweight and easy to install
- Sleep mode for quiet charging at half power - ideal at night or in parking spaces with low electrical circuit protection
- Comes standard with a bus interface for smooth integration in existing bus systems
- Compatible with the Dometic MPC 01 battery controller for perfect power management

Dimensions W x H x D (mm): 179 x 63 x 238 Weight (kg): 1.6 SKU: 9108400809



Dometic Perfectcharge MCA1225

Battery charger

- 25 A charger
- Gentle charging of 12 V batteries with optimised 6-stage IUOU charging technology
- Simultaneous charging of one battery plus the starter battery
- Very compact design, lightweight and easy
- Sleep mode for quiet charging at half power - ideal at night or in parking spaces with low electrical circuit protection
- Comes standard with a bus interface for smooth integration in existing bus systems
- Compatible with the Dometic MPC 01 battery controller for perfect power management

Dimensions W x H x D (mm): 179 x 63 x 238 Weight (kg): 1.7 SKU: 9108400810



Dometic Perfectcharge MCA1235

Battery charger

- 35 A charger
- Gentle charging of 12 V batteries with optimised 6-stage IUOU charging technology
- Simultaneous charging of one battery plus the starter battery
- Very compact design, lightweight and easy to install
- Sleep mode for quiet charging at half power - ideal at night or in parking spaces with low electrical circuit protection
- Comes standard with a bus interface for smooth integration in existing bus systems
- Compatible with the Dometic MPC 01 battery controller for perfect power management

Dimensions W x H x D (mm): 179 x 63 x 274 Weight (kg): 1.9 SKU: 9108400811

INVERTERS



Dry your hair, brew an espresso, watch your favourite movies as you would at home. Travel with all the amenities you love. Your SinePower sine wave inverter will gladly deliver the perfect voltage. Simply select the model to suit your wattage needs.




Dometic sinepower MCI-150-12 MSI 412

Sine wave inverter

- 230 V AC like at home
- Suitable for supplying sensitive devices
- Quick and easy installation
- Compact design easy to store
- 350 W continuous output
- 700 W peak output
 Dimensions W x H x D (mm):

124 x 49 x 199 Weight (kg): 0.8 SKU: 9108400851



Power inverter

- Compact: the size of a drinks can, it will conveniently fit in vehicle's cup holder!
- 150 W continuous output
- USB output for charging
- Overload, short circuit, high voltage and battery polarity protection system
- Low voltage shutdown
- Peak output power 250 W
- DC cigarette lighter socket

Dimensions W x H x D (mm): 21 x 21 x 173 Weight (kg): 0.49 SKU: 9109002373

SOLAR PANELS



Dometic RTS 160

Solar panel

- Easy to install with mounting brackets
- Withstands extreme conditions including strong wind and snow
- Strong yet lightweight aluminium frame
- $\bullet \quad \text{Integrated with two bypass diodes to prevent cell damage from overheating} \\$
- Efficient monocrystalline silicon cells
- Topped with durable tempered glass
- IP65 junction box protects against dust and water

Dimensions W x H x D (mm): $1480 \times 35 \times 670$ Weight (kg): 10.5 SKU: 9600028740

ACCESSORIES





Dometic SC1230

30 A solar charge controller

- 3 stage intelligent PWM solar charging
- Twin USB ports
- Low voltage disconnect
- Suitable for use with a range of battery types
- Informative backlight LCD display
- Operating temperature range of -25°C +55°C
- Multiple load control modes

Dimensions WxHxD (mm): $181 \times 100.9 \times 59.8$ Weight (kg): 0.55 SKU: 9600005819

Dometic BK 150mm Dometic BK 300mm

Bracket

- Made from durable materials
- Easy to install to the rooftop of RVs
- Allows airflow to circulate under the solar panel

SKU: 9600005820 (150 mm) SKU: 9600006224 (300 mm)

ACCESSORIES



No need to accept any restrictions in the use of your cooling box, even if you have a simple or older make. CoolPower accessories give you plenty of flexibility. You can run a 12 V device from a 24 V battery, or from a mains supply in your holiday home. You can also connect a clever device to prevent excessive battery drainage.



Dometic Coolpower EPS-157

Power adapter

This rectifier adapter converts 240 V AC to 12 V DC power. Ideal for the connection of listed DC compressor driven fridges and freezers. Suitable for all other 12 V thermoelectric coolers or as a universal power unit via the vehicle's integrated cigarette lighter socket.

- Maximum power consumption of 72 W
- Ideal for use at home, in a hotel, or on a campsite
- Suitable for CF, CDF, MDC fridge/freezer models

Dimensions W x H x D (mm): $115 \times 64 \times 170$ Weight (kg): 0.6SKU: 9109002086

58 — DOMETIC.COM

MOBILE LIVING MADE EASY — 59



^> DOMETIC