

INTRO 02

TRAVEL WITH THETFORD, SERVICE LOCATIONS AVAILABLE AUSTRALIA WIDE.

Unleash Your Adventure with Thetford.

For over 60 years, Thetford has been your trusted companion on countless adventures.

Pioneers in caravan appliances and off-grid accessories; Thetford fuels innovation that meets adventure. From the ground-breaking invention of the world's first Porta Potti to marketleading mobile sanitation systems, toilet care products, refrigeration, kitchen, and cooking appliances, Thetford has meticulously curated a

comprehensive collection of solutions to equip your off and on the beaten path expeditions.

Australian-Based Support agents are always within reach; with a network of dealers, retailers, and service locations across Australia and New Zealand. Embrace the Adventure, let Thetford handle the rest. Creating a home on the road.

Visit us at www.thetford. com.au

Find your nearest store at www.thetford.com.au/storelocator







Designed for outdoor adventures.
Compact, lightweight, and easy to transport.
Features include a flushing system, a high-capacity waste-holding tank, ergonomic seating and versatile usage. Experience convenience and comfort wherever you go, embracing the great outdoors without compromising on sanitation.







FFATURES


- Permanently installed toilet
- Removable waste-holding tank
- Left and right-handed options available for C400 series toilets only

BENEFITS

- Optimal use of space
- Easy and convenient emptying
- Highest level of seating comfort on the market
- Lightweight, high-quality, durable plastic
- Quiet yet powerful flushing system with full bowl coverage
- Home-like in size and comfort, with a ceramic bowl option in selected models
- Standard 3-year warranty on all finished products







C223 - CS Electric Swivel

Item Number 200859SP



Dimensions (HxWxD)	Seating height	Colour	Bowl material	Net weight	Flushing system	Capacity of flush-water tank	Removable Waste tank mechanism
535x414x580	498mm	White	Plastic	7.2kg	Electric	-	Yes

Required for installation:





Service Door White - 2680584 Black - 2680527



Waste Tank 18L waste-holding tank capacity. Wasteholding tank on wheels.

Part Number: 20097706

C263 - Ceramic Bowl Swivel

Item Number 93365SP



Dimensions (HxWxD)	Seating height	Colour	Bowl material	Net weight	Flushing system	Capacity of flush-water tank	Removable Waste tank mechanism
750x417x603mm	492mm	White	Ceramic	17.1kg	Electric	-	Yes

Required for installation:





Service Door White - 2680584 Black - 2680527



Waste Tank 17.5L waste-holding tank capacity. Waste-holding tank on wheels.

Part Number: 5070006

C402 - Left Hand Cassette C402 - Right Hand Cassette Item Number 51700SP Item Number 51696SP C403L* - Left Hand C403R* - Right Hand Item Number 51707SP Item Number 51712SP



Dimensions (HxWxD)	Seating height	Colour	Bowl material	Net weight	Flushing system	Capacity of flush-water tank	Removable Waste tank mechanism
522x670x400mm	473mm	White	Plastic	8.8kg	Electric	15L	Yes

Required for installation:





Service Door White - 2680584 Black - 2680527



Waste Tank 19.3L waste-holding tank capacity. Waste-holding tank on wheels

Part Number LH: 3232606 Part Number RH: 3232706

BRING THE COMFORT OF HOME WHEREVER YOU ROAM

^{*403} excludes flush tank, with the 403 directly plumbed into the caravan.



Please refer to the comparison table to find out which portable toilet matches your requirements.



	PortaPotti145	PortaPotti165	PortaPotti335	PortaPotti345	PortaPotti365	Porta Potti 565P & 565E
						6
Comfort Class	••••	•••00	••••	••••	••••	••••
Size	Medium	Large	Small	Medium	Large	Luxury Large
Dimensions (HxWxD)	330x383x427mm	414x383x427mm	313x342x382mm	330x383x427mm	414x383x427mm	448x388x450mm
Seat Height	324mm	408mm	308mm	324mm	408mm	443mm
Flushing System	Bellow Pump	Bellow Pump	Piston Pump	Piston Pump	Piston Pump	565P - Piston Pump 565E - Electric Pump
Level Indicator Display for the waste-holding tank	No	No	Yes	Yes	Yes	Yes
Capacity of the waste-holding tank	12L	21L	10L	12L	21L	21L
Level indicator display for the flush-water tank	No	No	No	No	No	Yes
Capacity of flush- water tank	15L	15L	10L	15L	15L	15L
Net weight	3.6Kg	3.8Kg	3.3Kg	3.8Kg	4.0Kg	565P - 4.9Kg 565E - 5.0Kg
Additional Information	~	Option on floor attachment (Hold down kit: 92922111)	Porta Potti 335 comes with a hold down kit	~	Option on floor attachment (Hold down kit, partnumber 92922111)	Toilet paper holder with option for a grey floor plate (partnumber 9241507)
Partnumber	92802	92806	92828	92814	92820	565P - 92305 565E - 92306




The Fresh-Up-Set

Maintain a fresh appearance and optimal performance of your Thetford toilet with the Thetford Toilet Fresh-Up Set. This convenient set features replacement parts for two essential components of your existing RV toilet system:

- · A new waste-holding tank
- · New seat and cover

Available for, Thetford Cassette Toilets C2/C3/C4*, C200, C220, C400*, ceramic and plastic bowl C250/C260.





Hold Down Kit

The Thetford Hold Down Kit is designed to securely fasten and stabilise your RV toilet to the floor. It ensures that the toilet remains in place during travel or movement, preventing any unwanted shifting or loosening. This kit is an essential accessory that helps maintain the stability and reliability of your RV's toilet system.

The Hold-Down Kit is compatible with Porta Potti models 145, 345 and 335 (9292211). The floor plate (9241507) is recommended for securing your Porta Potti 565.



Toilet Thetford Porta Potti Bags

Designed for easy transport and storage, the Porta Potti Carry Bag makes it easy to move your Porta Potti on the go.

- Maximum carrying weight of 30kg
- Easy Cleaning, without shrinkage (washable) max 40 degrees)
- Easy and convenient carrying



EMBARK ON LIFE'S ADVENTURES WITH THE PORTABLE SOLUTIONS.







TOILET & BATHROOM CARE

Formulated to efficiently clean and prolong the lifespan of your Thetford Toilet. Thetford Additives offer exceptional odour control, waste liquefaction, and a reduction of gas accumulation. Our toilet fluids and maintenance items are certified in accordance with Australian standards in terms of quality management and are thoroughly tested in Thetford laboratories before going to market.

The Aqua Kem Collection is available in sachets or concentrate liquids. Aqua Kem Blue offers three scents in concentrate form, while, Aqua Kem Green offers an eco-conscious alternative that can be used in septic tanks. Aqua Kem Green is recommended when using a septic tank to maintain the health of the tank.







✓	Outstanding odour control
✓	Liquefies waste for easier tank emptying
✓	Convenient small bottle, less weight
√	Pine scent

√	Outstanding odour control
√	Liquefies waste for easier tank emptying
✓	Reduction of gas build up
✓	Lavender scent

✓	Outstanding odour control
✓	Liquefies waste for easier tank emptying
✓	Convenient small bottle, less weight
√	Eucalyptus scent





Outstanding odour control

Pine scent

Liquefies waste for easier tank emptying

Convenient small bottle, less weight









✓	Outstanding odour control
✓	Liquefies waste for easier tank emptying
✓	Convenient small bottle, less weight
✓	Lemon/Lime scent



FOR THE TOILETBOWL





SEPTIC TANK









√	Septic tank safe
✓	Coats the toilet bowl with a protective layer for a smoother flush
✓	Prevents staining
√	Smells fresh after spraying
√	Saves water as fewer flushes are required

✓	Safely removes hard water and soil
√	Deposits from both plastic and ceramic toilet bowls
√	Leaves a protective layer behind
√	Pleasant fresh scent
√	Safe for plastics, ceramics and rubber toilet seals

✓	Dissolves quickly
✓	Prevents clogging
✓	Super-soft toilet paper
✓	Easier to empty waste-holding tank
✓	Prevents malfunctions or damage to waste-holding tank

TOILET & BATHROOM CARE 17

FOR THE GREYWATERTANK

Duo Tank Cleaner Concentrated -







PERIODICAL USE

Convenient small bottle

Greywater fresh concentrated - 800ml





✓	Reduces deposit formation in the grey water tank
✓	Outstanding grey water odour control
✓	Keeps the grey water fresh and clean for longer
√	Odour free discharging of the grey water tank
✓	Convenient small bottle
√	Prevents malfunctions or damage to the waste-holding tank
	REGULAR USE

MAINTAINING YOURTHETFORD FORADVENTURES THATNEVEREND TOO SOON

FOR DAILY MAINTENANCE

Seal Lubricant - 200ml







Saves water as fewer flushes are required

Bathroom Cleaner - 500m





✓	Powerful cleaning agent for daily maintenance
✓	Safe for all plastics surfaces
✓	Active foam removes calcium deposits
✓	For daily cleaning
✓	Effective on lime scale and soap scum

FOR THE FLUSH WATER TANK

Agua Rinse Concentrated - 700m





✓	Septic Tank Safe (Thetford anaerobic biodegradability test)
✓	Safe for both plastic and ceramic toilet bowls
✓	Prevents limescale build-up in your flush water tank
✓	Keeps your toilet bowl shinier
✓	Ensures a more effective and smoother flush

KEEP COOL ON THE OPEN ROAD

Extensively tested to meet the demands of the Australian and New Zealand traveler, our refrigerator range, offers unparalleled performance and reliability while journeying away from the comforts of home. Adhering to high-quality standards, Thetford compressor and absorption refrigerators have a standard three-year warranty, providing reassurance to fuel your thirst for leisurely escapades.







SUPERIOR QUALITY DESIGN

- First-class cooling performance
- Maximised use of kitchen space
- Compliant with Australian Standards
- Extensive service network Australia-wide
- A Standard 3-year warranty on all products

REFRIGERATOR MODELS

- Compressor (12V) refrigerators
- Absorption (3-way) refrigerators








Thetford Compressor Refrigerators are optimised for 12-volt power and equipped with an internal ventilation system that rapidly cools the appliance, helping to maintain high performance in hot conditions. Featuring a powersaving night mode to minimise disruptive noises when it matters. For off-grid functionality, we recommend exploring supplementary power options such as batteries and vehicle solar panels, enabling you to enjoy uninterrupted operation wherever your adventures take you.

The Thetford-developed Compressor Refrigerator sports an efficient cooling system with an integrated venting system that effectively separates hot and cold air, maximizing overall efficiency and performance. Selected models include a split thermostat that creates the flexibility to independently adjust temperature settings for the fresh and frozen food compartments. All 12-volt refrigerator models feature a Day and Night mode for noise-free operation for quiet performance. The absence of external vents prevents any dust from entering your vehicle.

	T2152	T2175	T2208	T1274
				15-2-77-4
Item Number	692939	692948	692966	692959
Dimentions incl. depth door (HxWxD)	1512x441x580mm	1256x544x613mm	1469x544x613mm	1534x614x684mm
Enclosure cut-out dimensions (HxWxD)	1504x420x527mm	1249x527x551mm	1464x534x566mm	1523x598x610mm
Total volume	150L	174L	224L	274L
Gross volume fresh food compartment	133L	140.5L	174L	202L
Gross volume frozen food compartment	17L	33.5L	47L	72L
Colour	Black	Black	Black	Black
Usable power source	12V DC	12V DC	12V DC	12V DC
Display	Capacitive Touch	Capacitive Touch	Capacitive Touch	LED
Door shape	Flat - Framed	Flat - Framed	Flat	Flat - Frameless
Door type hinging	Right (reversible)	Right (reversible)	Right (reversible)	Right (reversible)
Size door panel - 2mm thickness (HxW)	1394x399mm	382 x 499mm (frozen food cabinet) 700 x 499 mm (fresh food cabinet)	865x503mm (Cabniet) 396 x 499mm (Drawer)	N/A
Door panel included	Yes	Yes	Yes	N/A
Energy consumption - «Wh/24h	0.24kWh/24h (16°C) 0.7kWh/24h (32°C) 0.47kWh/24h (16 + 32/2°C)	0.3kWh/24h (16°C) 0.85kWh/24h (32°C) 0.62kWh/24h (16 + 32/2°C)	0.45kWh/24h	0.39kWh/24h (16°C) 0.86kWh/24h (32°C)
Energy consumption - Ampere (Ah)	20Ah/24h (16°C) 58.3Ah/24h (32°C) 39Ah/24h (16 + 32/2°C)	25Ah/24h (16°C) 68.3Ah/24h (32°C) 46.7Ah/24h (16 + 32/2°C)	37.5Ah/24h	32.5Ah/24h (16°C) 70Ah/24h (32°C) 51.7Ah/24h (16 + 32/2°C)
Net. weight	38.8Kg	42.3Kg	53.5Kg	57Kg



Thetford Compressor Refrigerators are optimised for 12-volt power and equipped with an internal ventilation system that rapidly cools the appliance, helping to maintain high performance in hot conditions. Featuring a power-saving night mode to minimise disruptive noises when it matters. For off-grid functionality, we recommend exploring supplementary power options such as batteries and vehicle solar panels, enabling you to enjoy uninterrupted operation wherever your adventures take you.


The Thetford-developed Compressor Refrigerator sports an efficient cooling system with an integrated venting system that effectively separates hot and cold air, maximizing overall efficiency and performance. Selected models include a split thermostat that creates the flexibility to independently adjust temperature settings for the fresh and frozen food compartments. All 12-volt refrigerator models feature a Day and Night mode for noise-free operation for quiet performance. The absence of external vents prevents any dust from entering your vehicle.

	DE105	T2095
Item Number	692565	692967
Dimensions incl. depth door (HxWxD)	765x523x566mm	906 x 398 x 680mm
Enclosure cut-out dimensions (HxWxD)	763x527x511mm	908 x 400 x 682mm
Total volume	105L	90.2L
Gross volume fresh food compartment	90L	82.9L
Gross volume frozen food compartment	15L	7.0L
Colour	Black	Black
Usable power source	12V DC	12V DC
Display	N/A	Internal, Direct Feedback
Door shape	Flat - Framed	Flat - Door Panel Included
Door type hinging	Right (reversible)	N/A
Size door panel - 2mm thickness (HxW)	720x494mm	871 x 380mm
Door panel included	Yes	Yes
Energy consumption - kWh/24h	0.2kWh/24h (16°C) 0.7kWh/24h (32°C)	0.36 kW/24h
Energy consumption - Ampere (Ah)	45.0Ah/24h	28.8Ah/24h
Net. weight	32.5Kg	34Kg

ABSORPTION REFRIGERATORS FEATURES 3-way power source works on gas, 240-volt, and 12-volt Silent operation Automatic energy source selection External fan to boost cooling performance Built in the Netherlands 3-year standard warranty LCD display Sleek black colour • Certified to Australian standards Left or right door hinge option

Ideal for extended off-grid adventures, Thetford Absorption Refrigerators utilize a 3-way power source, offering the flexibility to operate on ULP gas, 12 volts (DC), or 240 volts (AC). These refrigerators are specifically designed for RVs, catering to our customers' needs as they explore the highways and byways. Perfectly suited for smaller and compact spaces, the Absorption Fridges excel in providing an ideal cooling solution. They operate silently, thanks to the absence of moving parts in the cooling unit. Each model comes equipped with automatic energy source selection, which intuitively selects the most optimal available energy source for enhanced efficiency and a consistent supply. Additionally, all fridges are equipped with external fans to further amplify cooling performance.

	N4141-A	N4175-A	N4208-A
Item Number	692620SP	692612SP (LH) 692613SP (RH)	692732SP (LH) 692730SP (RH)
Dimensions incl. depth door (HxWxD)	1510x438.5x561mm	1250x546x628mm	1470x545x636mm
Enclosure cut-out dimensions (HxWxD)	570mm	606mm	585mm
Total gross volume	134L	166L	199L
Gross volume fresh food compartment	118.4L	135.5L	155.9L
Gross volume frozen food compartment	15.4L	30.3L	42.9L
Colour	Black	Black	Black
Energy source selection	Automatic	Automatic	Automatic
Usable power source	12V DC / 240V AC / Gas	12V DC / 240V AC / Gas	12V DC/ 240V AC/ Gas
Display	LCD (touch screen)	LCD (touch screen)	LCD (touch screen)
Ignition	Electric	Electric	Electric
Door shape	Flat - Framed	Curved - Framed	Curved - Framed
Door type hinging	Right (reversible)	Left or Right (not reversible)	Left or Right (not reversible)
Size door panel - 2mm thickness (HxW)	950x394mm (cabinet) 453x394mm (drawer)	275x469mm (frozen food) 876x469mm (fresh food)	371.9x469mm (frozen food) 991.3x469mm (fresh food)
Door panel included	Yes	Yes	Yes
Energy consumption / gas	2.8kWh/24h (16°C) 5.5kWh/24h (32°C)	2.7kWh/24h (16°C) 5.4kWh/24h (32°C) 400g/24h (16°C) 600g/24h (32°C)	2.4kWh/24h (16°C) 6.2kWh/24h (32°C) 474g/24h (16°C) 550g/24h (32°C)
Total fans	3 (2 external & 1 internal)	3 (2 external & 1 internal)	3 (2 external & 1 internal)
Net. weight	38Kg	45Kg	53Kg
Required for installation - vents	2 x Vent 257x432mm	2 x Vent 281x533mm	2 x Vent 281x533mm
Required for installation - flue kit	White - 636974WH Black - 636974BK	White - 636974WH Black - 636974BK	White - 636974WH Black - 636974BK



VENTS	Large Vent	N4141 Vent
		The state of the s
Item Number	White - 63114084 Black - 63114027	White - 69110084 Black - 69110027
Main dimensions (HxW)	281x533mm	257x432mm
Cut-out dimensions (HxW)	249x489mm	225x398mm
Net. weight	0.7Kg	0.6Kg
Colour	White / Black	White / Black
Applicable for	N4175 (top and bottom) N4208 (top and bottom)	N4141



CREATURE COMFORTS AWAY FROM HOME

Experience the convenience and culinary delight of home cooking right in your campervan with our contemporary and efficient cooking appliances. Crafted to replicate the functionality and accessibility of your kitchen at home, Thetford cookers, hobs, ovens, and sinks are meticulously designed using premium materials and undergo rigorous safety testing. All Thetford products are backed by a comprehensive three-year warranty, empowering you to embark on your journey with confidence, knowing that your wheels and meals are in capable hands.







FFATURES

- High-quality materials and components
- Contemporary, home-like design
- Domestic-size knobs
- Automatic shut off on glass lids
- Easy to clean
- Optimal use of space
- Ouality finishes
- Certified to Australian standards
- 3-year warranty on all products







K1520 - All-in-one combination unit with stove, grill and oven

This all-in-one combination unit with stove, grill and oven offers you all the convenience to make the best meals.

	Gas Only	Dual Fuel	Dual Fuel w/ Fan Forced Oven
Item Number	SCK41134Z	SCK42134Z	SCK43134Z
Overall dimensions (HxWxD)	642x517x543mm	642x517x543mm	642x517x543mm
Enclosure cut-out dimensions (HxWxD)	646x496x493mm	646x496x493mm	646x496x493mm
Total heat input	9.75kW	7.45kW	7.45kW
Gas hotplate burners	1 x 0.89kW 3 x 1.72kW	1 x 0.89kW 2 x 1.72kW	1 x 0.89kW 2 x 1.72kW
Electric hotplate (220 - 240V ~ 50Hz)	N/A	145mm 1.025kW 4.5A (hotplate)	145mm 1.040kW 4.6A (hotplate & fan)
Grill burner	1.65kW	1.65kW	1.65kW
Oven burner	1.53kW	1.53kW	1.53kW
Ignition	12V	12V	12V
Oven capacity (HxWxD)	34L 250x380x360mm	34L 250x380x360mm	34L 250x380x360mm
Grill capacity (HxWxD)	15L 130x380x303mm	15L 130x380x303mm	15L 130x380x303mm
Net. weight	24.5Kg	25.5Kg	27.5Kg
Features	Flame failure d	evice on valves, glass lid with automatic shut off multi-functional pan, detachable handle and pa	

K1540 - Stove and grill combination

This compact grill and hob combination offers multi-function versatility in a durable, light-weight and easy-to-clean unit.

	Gas Only	Dual Fuel
Item Number	SHG41134Z	SHG42134Z
Overall dimensions (HxWxD)	310x517x543mm	310x517x543mm
Enclosure cut-out dimensions (HxWxD)	312x496x493mm	312x496x493mm
Total heat input	7.70kW	6.0kW
Gas hotplate burners	1 x 0.89kW 3 x 1.72kW	1 x 0.89kW 2 x 1.72kW
Electric hotplate (220 - 240V ~ 50Hz)	N/A	145mm 1.025kW / 4.5A
Grill burner	1.65kW	1.65kW
Ignition	12V	12V
Grill capacity (HxWxD)	15L 130x380x303mm	15L 130x380x303mm
Net. weight	14.5Kg	15.5Kg
Features		glass lid with automatic shut off, hable handle and pan trivet

Duplex MK3 - Oven and grill combination

 $Enhance your kitchen with a Thetford \ Duplex. The \ Duplex is a high quality combined oven and \ grill, with easy to clean stainless steel interior.$



Item Number	SOG70814Z
Overall dimensions (HxWxD)	445x456x440mm
Enclosure cut-out dimensions (HxWxD)	438x445x490mm
Total heat input	1.6kW
Grill burner	1kW
Oven burner	1.6kW
Ignition	12V
Oven capacity (HxWxD)	36L 258x380x363mm
Net. weight	13.5Kg
Features	Flame failure device on valves, oven shelf, multi-functional pan, detachable handle and pan trivet

Triplex MK3 - Compact all-in-one combination unit with stove, grill and oven

If space is limited, this oven, grill and hob combination offers you all the quality features to make the best meals.

	Gas Only	Dual Fuel
	S S S S S S S S S S S S S S S S S S S	Sadiraci
Item Number	SOH70933Z	SOH71934Z
Overall dimensions (HxWxD)	468x456x500mm	468x463x500mm
Enclosure cut-out dimensions (HxWxD)	463x445x493mm	463x445x493mm
Total heat input	7.6kW	6.0kW
Gas hotplate burners	2 x 1.8kW 1 x 2.4kW	2 x 1.8KW
Electric hotplate (220 - 240V ~ 50Hz)	N/A	145mm 1.025kW / 4.5A
Grill burner	1.65kW	1.65kW
Oven burner	1.5kW	1.5kW
Ignition	12V	12V
Oven capacity (HxWxD)	36L 257x380x362mm	36L 257x380x362mm
Net. weight	21.5Kg	23.1Kg
Features		c shut off on glass lid, glass lid, oven shelf, chable handle and pan trivet

FUELING YOUR JOURNEY YOUR WAY. GAS ONLY AND DUEL FUEL OPTIONS TO SUIT YOUR TRAILBLAZING ADVENTURES.



Topline 902 and 922 Hob

The Topline 902 and 922 hobs are sleek, surface mounting 2 burner hobs. Both come with a ceramic glass top for a clean and modern look. When combined next to each other. Induction offers fast cooking, saving time to do other things during your holidays.

	Topline 902 Hob	Topline 922 Hob
Item Number	SHB90280Z	SHB92290Z
Overall dimensions (HxWxD)	50x305x500mm	95x305x500mm
Worktop cut-out dimensions (WxD)	274x482mm	285x485mm
Total heat input	2.3kW (shared between both zones)	3.0kW
Gas hotplate burners	N/A	2 x 1.5kW
Induction	1 x rapid burner 1.8kW (2.3kW - B*) 1 semi rapid burner 1.4 kW (1.8kW - B*)	N/A
Ignition	N/A	12V
Power	2.3kW (6A / 10A / 13A)	N/A
Net. weight	5.4Kg	4.8Kg
Features	240V Electrical supply, pan detection, auto heat up, safety indication if glass is hot, child safety lock	Modern satin chrome knobs, flame failure device on valves

B* - Power Boost: Power Boost directs the full allowed power to one heat zone to increase cooking time.

INTRO 36

Topline 169 Hob

The Topline hob is a modern, flush-mounting hob with a glass lid that covers the burners for a clean look. It has an electric 12V DC ignition and detachable pan rests.

Argent Hob

The Argent hob is a stainless steel hob with detachable pan stands that are easy to clean and enamelled burner lids. Available in a 3 and 4 Burner model.





Item Number	SHB16963Z
Overall dimensions (HxWxD)	105x546x482mm
Worktop cut-out dimensions (WxD)	538.5x473mm
Total heat input	5.4kW
Gas hotplate burners	2 x 1.5kW \ 1 x 2.4kW
Ignition	12V
Net. weight	10.7Kg
Features	Flame failure device on valves, black glass lid, flush bench top fitment and automatic shut off on lid

Item Number	SHB14572Z
Overall dimensions (HxWxD)	110x570x470mm
Worktop cut-out dimensions (WxD)	545x433mm
Total heat input	5.4kW
Gas hotplate burners	2 x 1.5kW \ 1 x 2.4kW
Ignition	AA Battery (1.5V)
Net. weight	6.4Kg
Features	Flame failure device on valves, spark ignition, black glass lid and automatic shut off on lid

Basic Line Triangular Hob

The Basic Line Triangular Hob is a stainless steel hob that has an electric 12V spark ignition and detachable pan stands that are easy to clean.



Item Number	SHB33015Z
Overall dimensions (HxWxD)	100x480x480mm
Worktop cut-out dimensions (WxD)	453x460mm
Total heat input	4.5kW
Gas hotplate burners	3 x 1.5kW
Ignition	12V
Net. weight	4.1Kg
Features	Flame failure device on valves, 12V spark ignition, black glass lid and automatic shut off on lid

COOKING APPLIANCES 37

Topline Hybrid Hob

The Topline Hybrid brings a combination of induction and gas cooking. Made of the highest quality Schott Ceran black glass, The Topline Hybrid Hob is both sleek and easy to clean.

353 Series - Combination Unit

The 353 Combo unit comes with left or right handed sink. A versatile choice, the 353 Combination Unit is a good choice for a slide-out kitchen. The split glass lid has a clean and organic shaped look, that can be used as extra work space when the lids are down.





Item Number	SHB98150Z 100 x 500 x 380 mm			
Overall dimensions (HxWxD)				
Vorktop cut-out imensions (WxD)	480 x 360 mm			
Total heat input	Max 1.4 kW (7Amp)			
Gas hotplate burners	1 x 1.5 kW 1 x 1.0 kW			
nduction (kW)	1 x 1.4 kW (7A Draw)			
gnition	12V			
Net. weight	6.5 Kg			
Material	Schott Ceran Black Glass			
eatures	Pan detection, safety indication if glass is hot, child safety lock, 240V Electrical supply			

SCU353000Z (LH) SCU353100Z (RH)		
160x980x410mm		
962x389mm		
4.9kW		
1 x 1.0 (kW) 1 x 1.5 (kW) 1 x 2.4 (kW)		
12V		
4.1Kg		
Brushed stainless		
2 pieces - cast iron		
10.7Kg		

COMPACT COOKING WITH LIMITLESS POSSIBILITIES FOR THE MODERN MOBILE KITCHEN.

CREATING A HOME ON THE ROAD THETFORD.COM.AU



SINKS 3

Enamelled Kitchen Centre

The Enamelled Kitchen Centre is the latest addition to the Thetford sink family. This modern, high quality sink comes with a black glass lid, plastic wash bowl, chopping board, draining board and draining rack.



Item Number	SBL1054Z
Overall dimensions (HxWxD)	153x360x470mm
Worktop cut-out dimensions (WxD)	335x430mm
Inside bowl dimensions	99x290x368mm
Sink capacity	11L
Net. weight	5.8Kg

Topline 922 Hob - Page 35

Kitchen Centre

Complete kitchen sink set, including plastic wash bowl, chopping board, draining board and draining rack. Accessories fit inside the sink when not in use, which makes the Kitchen Centre a beautiful space saver.



Item Number	SBL1011Z
Overall dimensions (HxWxD)	153x360x470mm
Worktop cut-out dimensions (WxD)	335x430mm
Inside bowl dimensions	99x290x368mm
Sink capacity	11L
Net. weight	5.2Kg

PERFECT MATCH Topline 902 Hob - Page 35

Argent Sink

This Argent sink is available with a Left or Right Handed drain and comes with a black glass lid.



Item Number	SSK1073Z (LH) SSK1074Z (RH)
Overall dimensions (HxWxD)	152x630x470mm
Worktop cut-out dimensions (WxD)	605x415mm
Inside bowl dimensions	100x290x368mm
Sink capacity	9.6L
Net. weight	4.8Kg



Round Sink

This Stainless steel round sink comes with black glass lid.




Item Number	SBL3013Z
Overall dimensions (HxWxD)	405x145mm
Worktop cut-out dimensions (WxD)	390mm
Inside bowl dimensions	328x93mm
Sink capacity	7.4L
Net. weight	2.4Kg



Plugs & Plumbing Not Included For Thetford Sinks

CREATING A HOME ON THE ROAD THEF FORD. COM.AU



SERVICE DOOR 41

Enhance accessibility to designated spaces such as the luggage compartments, gas cylinders, generator, barbecues, or the Cassette Toilet through the installation of a convenient hatch or door. Thetford Service Doors are purpose designed and crafted with utmost durability using top-quality, lightweight plastics. With a double seal for superior insulation against external weather conditions and a secure push-button lock, your door will provide safety and security throughout your travels.

ADVANTAGES

- UV resistant
- Double seal ensures optimum insulation
- For horizontal or vertical installation
- Special push-button locks allow the doors to be closed securely, so they can't spring open unexpectedly
- Easy self-installation

Service Doors

	Door 3	Door 4	Door 5	Door 6	Door 7
Item Number	White - 2680584 Black - 2680527	White - 2681884 Black - 2681827	White - 2682484 Black - 2682427	White - 2686484 Black - 2686427	White - 2644584 Black - 2644527
Application	Standard door for the Cassette Toilet and compact general door	Door for gas cylinders generators and barbecue	General luggage door	Wider door for large pieces of general luggage	Wider door for large pieces of general luggage
Main dimensions (HxW)	386x342mm	703x395mm	786x344mm	1039x467mm	1109x347mm
Door/opening dimensions (HxW)	330x280mm	630x330mm	730x280mm	980x400mm	1051x282mm

THE KEY TO INNOVATING SMALL SPACES FOR FUNCTIONALITY.

CREATING A HOME ON THE ROAD THETFORD.COM.AU




INDUS SMART SANITATION 43

iNDUS offers a complete smart sanitation system, providing caravan & motorhome users more convenience, more hygiene and more freedom with use of the iNDUS mobile app. With iNDUS smart sanitation system users can be off-grid up to 7 days*.

BENEFITS

- Powerful two-step macerator toilet
- Re-use of grey water for flushing
- Flush with fresh water when grey water is not available
- Small (200ml) and large (500ml) flush
- Soft close seat and cover
- Lightweight

COMPARED TO ACTUAL MACERATOR TOILETS



CREATING A HOME ON THE ROAD THETFORD.COM.AU


NEED A HELPINGHAND?


SCANTHE QR CODE TO GET THE LATEST INFORMTION ON THETFORD GOODS.

5 steps to cleaning your waste tank

Essentials for your caravan kitchen

A guide to caravan toilets





SNAPSHOTS FROMFRIENDS

STRAIGHT FROM THE ALBUM. THETFORD FRIENDS LIVE AND IN ACTION WHEN THEY HIT THE ROAD.



@peachwoodco_



@_aswewander





@royalflaircaravans

AS A THANK YOU FROM US, HERE'S FREE SHIPPING

As a thank you for being our friend please use the code FREESHIPPING at checkout to receive free shipping on your order from www.thetford.com.au/shop





@southcoastvanfitouts

Thetford Australia Pty. Ltd. 130-132 Freight Drive Somerton VIC 3062

T: +61(03) 9358 0700 E: infoaus@thetford.com.au

FOLLOW US:

@ThetfordAustralia

W: thetford.com.au

