

## CONTENTS

Roof hatches - Camec .....	223
Roof hatches - Fiamma .....	225
Roof hatches - Other .....	227
Vents and cowls .....	230



# HATCHES AND VENTS



### CAMEC 4 SEASONS HATCH

The Camec Four Seasons Hatch, the most versatile and easy to use hatch on the market, is now even easier to install thanks to pre installed EPDM foam tape around the perimeter. Easy to open and close on all 4 sides and featuring fully removable fly screens for ease of cleaning or replacement. The hatch can be left partly open while out of the caravan for the day, allowing airflow into your caravan while having no concerns of water getting in through the hatch if it rains.

**FEATURES:**

- Complies with gas codes
- One piece moulded main body
- Easy to fit
- Screens removed easily for cleaning

**SPECIFICATIONS:**

- Cut-Out: 660mm x 660mm
- Fits old 4 Seasons Hatch cut out
- Fitted tape with pre-drilled holes
- Supplied with wind deflector

041398



### CAMEC 4 SEASONS HATCH INTERNAL TRIM

To suit Camec 4 Seasons Hatch - refer code 041398.

NAME	ROOF THICKNESS	COLOUR	CODE
CAMEC 4SH INTERNAL TRIM (FROM 2011 ONWARDS)	40MM	WHITE	039977
CAMEC 4SH INTERNAL TRIM (FROM 2011 ONWARDS)	50MM	WHITE	039927
CAMEC 4SH INTERNAL TRIM (FROM 2011 ONWARDS)	60MM	WHITE	039978
CAMEC 4SH INTERNAL TRIM (FROM 2011 ONWARDS)	70MM	WHITE	039979
CAMEC 4SH INTERNAL TRIM (FROM 2011 ONWARDS)	80MM	WHITE	040033



**CAMEC 4 SEASONS HATCH OPENING FLAP**

Replacement hatch opening flap for Camec 4 Seasons Hatch (refer code 041398).  
 • White

040159



**CAMEC 4 SEASONS HATCH FLY SCREEN**

Replacement fly screen for Camec 4 Seasons Hatch (refer code 041398).

040158



**CAMEC 4 SEASONS HATCH WINDER**

Replacement hatch winder for Camec 4 Seasons Hatch (refer code 041398). Does not include black pin.

040160



**CAMEC 4 SEASON HATCH INSECT SCREEN**

(Old Style - Prior 2011) Replacement insect screen for Camec 4 Seasons Hatch.

016430



**CAMEC 4 SEASONS HATCH MIDGE INSECT SCREEN**

(Old Style - Prior 2011) Replacement midge insect screen for Camec 4 Seasons Hatch.

016431



**CAMEC 4 SEASONS HATCH LIFT MECH/FASTENER/CENTRE BAR**

(Old Style - Prior 2011) Replacement lift mechanism, fastener and centre bar for Camec 4 Seasons Hatch.

**SPECIFICATIONS:**

- Set of 3 parts

016432



**CAMEC 4 SEASONS HATCH PLASTIC FRAME (OLD STYLE - PRIOR 2011)**

Replacement plastic frame for Camec 4 Seasons Hatch.

**SPECIFICATIONS:**

- 3mm ABS

NAME	ROOF THICKNESS	COLOUR	CODE
4SH PLASTIC FRAME (OLD STYLE - PRIOR 2011)	50MM	WHITE	016437
4SH PLASTIC FRAME (OLD STYLE - PRIOR 2011)	75MM	WHITE	016438





### FIAMMA TURBO VENT 280MM x 280MM WITH FAN

Ideal for airing small spaces such as bathrooms. The aerodynamic vent is supplied with fan, and with an air flow ventilation system and insect screen.

**FEATURES:**

- Includes anti-theft device and roller blinds
- Rainproof
- Internal installation system - not necessary to drill holes in vehicle
- High quality UV ray resistant materials

- Polar control thermostat - regulates incoming and outgoing air according to the vehicle's inside temperature
- Water tight

**SPECIFICATIONS:**

- Dimensions: 280mm x 280mm
- Feeding Tension: 12V

- Absorbed Power: 25W
- Fan Diameter: 180mm
- Maximum Air Flow: 9M3/min
- Maximum Electric Input: 1.9A

WHITE  
CRYSTAL

008641  
040826



### FIAMMA CRYSTAL VENT 500MM x 500MM COMBI WITH ROLLER BLIND

Opens on all four sides with practical handles. Maintains constant ventilation in the vehicle. Available with a standard roller blind with two rollers, one blackout and one with fly screen.

**FEATURES:**

- Locking anti-theft device on handle
- ABE approved
- High quality UV ray resistant materials
- Permanent ventilation
- Rainproof and windproof

**SPECIFICATIONS:**

- Dimensions Outside: 570mm x 570mm
- Dimensions Inside: 550mm x 550mm
- Cutout: 500mm x 500mm
- Hatch Closed: 85mm
- Suits roof thickness 30mm to 70mm

CRYSTAL  
WHITE

008636  
008637



### FIAMMA VENT 280MM X 280MM

Ideal for airing small spaces such as bathrooms, the aerodynamic vent is supplied with an air flow ventilation system and insect screen.

#### FEATURES:

- Includes anti-theft device and roller blinds
- Rainproof
- High quality UV ray resistant materials
- Permanent ventilation
- Water tight

#### SPECIFICATIONS:

- 12V
- Maximum Air Flow: 9M3/min
- White

008640

### FIAMMA TURBO VENT PRO HATCH

Compact with transparent grating permits maximum airflow and passage of light. Sturdy outside fibreglass net prevents accumulation of leaves and other debris.

#### FEATURES:

- 12V DC variable speed motor with 10 blades exchanges inside air within seconds
- Finger touch control
- Transparent grating permits maximum air circulation and light filtration
- Polar control thermostat: regulates incoming and outgoing air according to



the vehicle's inside temperature

- Water tight

#### SPECIFICATIONS:

- 12V
- Absorbed Power: 36W
- Maximum Air Flow: 35M3/min
- Fan Diameter: 300mm
- Minimum Electric Input: 0.3A
- White

008645



### FIAMMA CRYSTAL HATCH 400MM X 400MM (14" X 14")

Simple and functional ventilation system. Can be left open while traveling and provides ventilation even when closed.

#### FEATURES:

- Easily installed in 360mm x 360mm or 400mm x 400mm opening
- Includes fly screen
- Crystal

008617



### FIAMMA HATCH BLIND KIT 400MM X 400MM ROLLO VENT 40 (14" X 14")

Roller blind system, perfect for installing on Fiamma Vent 40 x 40 roof lights. Permanent air flow and ventilation thanks to side grills. Low profile frame. 2 rollers, one is a block-out, the other is a fly screen. Easy installation without drilling: use the same fixing points of Fiamma Vent 40 and Turbo Vent frames.

- Ivory

008638



### FIAMMA HATCH LID 400MM X 400MM (14" X 14")

Replacement lid for Fiamma standard and turbo 40 x 40 vents. Note: Please be aware of aerodynamics of vent. Will not fit earlier model.

- White

008615



### FIAMMA HATCH LID 400MM X 400MM - OLD STYLE (14" X 14")

Replacement lid to suit Fiamma 14" x 14" vent.

008613



### FIAMMA LID 500MM X 500MM OUTER AND INNER (20" X 20")

Suits Fiamma 50 x 50 roof vent.

#### FEATURES:

- Comes in two sections - outer cover and inner lid cover
- No additional fittings included
- White

008644



### FIAMMA TURBO VENT HATCH OPENING MECHANISM

Opening mechanism suitable for Turbo Vent.

008624





**JENSEN ROOF VENT 12V 14" x 14" METAL BASE**

Ideal to allow air to flow in and out of the RV.

- FEATURES:**
- Self-centering device eliminates installation guess work and assures perfect alignment in roof opening
  - Radius corners are standard
  - Screen allows air through while keeping insects out
  - Acrylic UV resistant translucent lid
  - 12V Fan
  - White

008589



**JENSEN ROOF HATCH 400MM x 400MM METAL BASE (14" x 14")**

Ideal to allow air to flow in/out of RV vehicle.

- FEATURES:**
- Self-centering device eliminates installation guess work and assures perfect alignment in roof opening
  - Radius corners are standard
  - Screen allows air through while keeping insects out
  - Acrylic UV resistant translucent lid
  - One piece seamless frame with a deep drawn painted metal base
- SPECIFICATIONS:**
- Injection moulded garnish - accommodates a variety of roof thicknesses
  - White

008581



**ELIXIR 12V ROOF VENT 14" x 14" METAL BASE**

This roof vent is fitted with a 12V fan to extract unwanted steam and exhaust fumes. Ideal for caravans or motorhomes.

- FEATURES:**
- Self-centering metal base with radius corners
  - Interior garnish with wider 1 1/4" flange
  - Galvanised metal base
  - 12V Fan
  - Positive-seal weather stripping
- SPECIFICATIONS:**
- Universal - fits all rough openings
  - Flange covers all screw holes
  - One piece metal frame, deep drawn metal base
  - Covers all interior stains left by previous garnishes

008603



**REMI SMALL SKY LIGHT 400MM x 400MM PUSH UP VERSION**

Easy to fit small skylight with lightweight ABS plastic frame, double glazed acrylic window and decorative adjustable block out blind.

008662



**HATCH LID SOPRÚ VW 550MM x 355MM**

Fibreglass with 10mm lip.

035452



### ELIXIR ROOF VENT - 228MM x 228MM (9' x 9')

Compact and lightweight, ideal for providing air flow in small areas such as kitchens or bathrooms. Suitable for caravans and motorhomes.

#### FEATURES:

- Lightweight vent ideal for providing air flow in small spaces
- Opens with the included handle to 45° and when closed sits only 30mm above the roof top
- Waterproof
- Weatherproof
- Rustproof

#### SPECIFICATIONS:

- Adjustable inner trim allowing for most roof thicknesses
- 228mm x 228mm (9"x9")
- White

033578



### FANTASTIC VENT 2250 MANUAL

This model has a built in thermostat. The fan will operate at one of the three pre-selected speeds when the thermostat calls for cooler air. Once the thermostat is satisfied, the fan shuts off automatically. Designed to ensure consistent temperatures. Ideal for caravans or motorhomes.

#### FEATURES:

- Quiet 12V ceiling fan with 3 speeds
- Manual lift dome
- Built in thermostat
- Reversible air flow

#### SPECIFICATIONS

- Fits 14" x 14" opening
- Replaces model 5000RBT
- Dimensions: 355mm(w) x 355mm(l) x 30mm(d)
- Power: 12V DC
- Weight: 5.5kg

WHITE LID  
SMOKE LID

043516  
043391



### FANTASTIC VENT 3350 POWER

Activated when any of the three speeds are selected and the dome opens and closes with the press of a button. To activate the fan blade, the built-in thermostat must be turned to a lower temperature than the current interior temperature. The fan will shut off when the pre-selected temperature is reached, but dome stays open for ventilation until the down switch is selected or the built-in rain sensor automatically closes the dome. A built-in manual knob can be used to close the dome in an emergency, to adjust the dome to a desired partially open height, or to override the rain sensor. Including a reverse switch for either intake or exhaust, the fan draws only 3A. max. and has a built in 6A fuse which is easily accessible on the face.

#### FEATURES:

- Lid automatically closes in rain
- Reversible fan
- Thermostatically controlled fan and manual override

#### SPECIFICATIONS

- Suits a hole size 355mm x 355mm
- 12Volts, 3 Amps
- 3 Speed fan
- Weight: 5.12kg

WHITE LID  
SMOKE LID

043517  
043392



### JENSEN LID 14'' - NEW STYLE

Replacement lid for Jensen Roof Vent 355mm.

#### FEATURES:

- Grooved/slotted hinge spigots
- Central metal brace is removed during installation
- Plastic is 335mm square and low profile
- Easy to replace by removing the central metal slide by screws from above. This releases hatch which can then pivot over hinge. The

metal slide is moved up or down until it can slip over the end of the winder mechanism

#### SPECIFICATIONS:

- Dimensions: 355mm(w) x 90mm(h) x 355mm(d)

008583



**JENSEN LID 14" - OLD STYLE**

Replacement lid for Jensen Roof Vent 355mm.

**SPECIFICATIONS:**

- 4 attachment spigots - pin hinged (pin not included)

008582



**JENSEN FLY SCREEN 14" STANDARD NEW STYLE**

Replacement fly screen to suit 12V or standard Jensen hatch.

**SPECIFICATIONS:**

- Dimensions: 355mm(w) x 35mm(h) x 355mm(d)

008585



**ELIXIR LID 14" - OLD STYLE**

Replacement lid to suit 12V or standard Elixir hatch. Centre bar is riveted to lid and metal slide bar (difference between the Elixir old style lid and the new style lid).

**SPECIFICATIONS:**

- Suits Elixir PVC roof vent 355mm x 355mm
- White

008591



**ELIXIR LID 14" - NEW STYLE**

Replacement lid to suit 12V or standard Elixir hatch.

Centre bar is riveted to lid and metal slide bar (difference between the Elixir old style lid and the new style lid).

**SPECIFICATIONS:**

- Suits Elixir PVC roof vent 355mm x 355mm
- White

008592



**FANTASTIC VENT NEW LID**

Replacement lid for Fantastic roof vents. Easily identifiable by grooved/slotted hinge spigots.

**SPECIFICATIONS:**

- Smoke glass - dark tint

008652



**ELIXIR 12V MOTOR**

008604



**ROOF VENT INSTALLATION KIT 38-8444**

Safe for all vents and skylights, plus works on all types of roofs and surfaces (except silicone). Eliminates messy roof coating and paint brushes - just peel and stick.

**KIT INCLUDES:**

- 1" x 60" roll of double stick tape
- 2" x 70" roll of Super Stick tape
- 28 hex head screws

043186







**ROTARY VENT HODGES**

Cutaway: 100mm hole

PLASTIC 016543  
METAL 016544



**PLASTIC VENT**

Suitable for cupboards and pantries or any enclosed space that requires ventilation.

**SPECIFICATIONS:**

- Removable with mesh
- White
- 127MM X 76MM 007973
- L4 45MM X 230MM 007965
- RL3 145MM X 230MM 007971
- RC6 150MM X 230MM 007968
- C5 STICK ON 150MM X 230MM 007969
- AC44 175MM X 207MM 007966



**SCUPPER VENT SMALL**

Used to scoop in air under pressure from forward travel. Suitable for RV vehicles.

**FEATURES:**

- Available in white or unpainted

**SPECIFICATIONS:**

- Dimensions: 170mm(w) x 113mm(h) x 70mm(d)
- WHITE 016550
- UNPAINTED 016551



**SCUPPER VENT LARGE**

Used to scoop in air under pressure from forward travel. Suitable for RV vehicles.

**FEATURES:**

- Available in white, polished grey or unpainted

- POLISHED GREY 016552
- WHITE 016554
- UNPAINTED 016555



**SCUPPER VENT INTERNAL TRIM**

- White

- SMALL TRIM 40MM ROOF THICKNESS 016561
- LARGE TRIM 40MM ROOF THICKNESS 016563
- LARGE TRIM 50MM ROOF THICKNESS 016562



**SCUPPER VENT SPRING - SINGLE**

Replacement spring for small scupper vent (refer code 016550, 016551)

016557



**SCUPPER VENT SPRING - DOUBLE**

Replacement double spring for large scupper vent (refer code 016552, 016554, 016555).

016558



**SOLAR EXHAUST VENT PVC**

**FEATURES:**

- Weatherproof
- Solar powered exhaust vent
- Extracts up to 680 cu ft of air per hour in bright sunlight
- Will also work successfully in natural daylight
- No wiring or running costs

008563



**MULLER VENT - PLASTIC**

**FEATURES:**

- Teardrop shaped plastic exhaust ventilator
- Venturi technique extracts air even while vehicle is stationary
- Dimensions: 285mm(l) x 185mm(w)

016519



**VENT SEA BIRD PLASTIC**

**FEATURES:**

- Generates large airflow
- Either intake or exhaust
- Waterproof

**SPECIFICATIONS:**

- Dimensions: 190mm(l) x 110mm(h) x 145mm(w)

016520



**FLUSH PLASTIC VENT**

Suitable for lockers, doors, cupboards. Flush mounted.

**SPECIFICATIONS:**

- Dimension: 90mm(l) x 90mm(h)
- White

016530

### ALUMINIUM VENT

Painted aluminium vents are available in smooth white or stucco white. Each louvre provides approximately 600 square millimetres of venting. The number of louvres per vertical row varies with height. When ordering vents please nominate required size by stating height and width.

**SPECIFICATIONS:**

- 190mm wide vent feature 1 vertical row of venting
- 381mm wide vent feature 2 vertical rows of venting
- 572mm wide vent feature 3 vertical rows of venting
- 762mm vent feature 4 vertical rows of venting
- 953mm wide vent feature 4 vertical rows of venting
- White

**SMOOTH**

95MM X 190MM	016454
210MM X 190MM	016462
210MM X 381MM	016466
286MM X 572MM	016470
629MM X 572MM	016485
SF10 X 440MM	016515



**STUCCO**

95MM X 190MM	016452
133MM X 190MM	016456
210MM X 190MM	016460
210MM X 381MM	016464
286MM X 572MM	016468
324MM X 381MM	016472
629MM X 381MM	016476
629MM X 572MM	016483
705MM X 572MM	016487
705MM X 762MM	016494
705MM X 953MM	016500
705MM X 1143MM	016506



### 12V EXTRACT FAN AND 10W LIGHT

Ideal for showers in caravans or motorhomes.

**FEATURES:**

- Complete with 10W light
- Available in white, gold or chrome

<b>WHITE</b>	016536
<b>CHROME</b>	016538

### VENT CENTAUR 623

Black Centaur 623 vents are ideal for caravans and RV vehicles.

**FEATURES:**

- The frame and springs require just 10mm clearance below the outside mounting and the supplied internal finger grip extends just 18mm below the outside front face
- Opens to 30 degrees and extends 80mm above the outside mounting
- Positive dust and waterproof seal when closed
- Black

<b>SMALL 190MM X 100MM</b>	035299
<b>MEDIUM 215MM X 165MM</b>	016510



### ALUMINIUM LOUVRE VENT

**SPECIFICATIONS:**

- Natural anodised aluminium
- Available in a range of sizes

75MM X 225MM	016516
150MM X 225MM	016517
150MM X 300MM	016518



### PLASTIC LOUVRE VENT

Suitable for cupboards and pantries or any enclosed space that requires ventilation.

125MM X 260MM BLACK	016527
125MM X 260MM WHITE	016528
225MM X 225MM WHITE	016531
70MM X 445MM BLACK	016525



### STAINLESS STEEL VENT

SINGLE 127MM X 65MM	016539
SINGLE 127MM X 115MM	016540
SINGLE 127MM X 227MM	016541
DOUBLE 227MM X 115MM	016542



### ALI ROOF COWL

The roof cowl (outer section) sits on the roof, providing a waterproof vent.

<b>SMALL 100MM</b>	016581
<b>MEDIUM 150MM</b>	016583
<b>LARGE 203MM</b>	016585



### INSERT ROOF COWL

<b>SMALL 75MM</b>	016582
<b>MEDIUM - LARGE 150MM</b>	016584



### ROSE VENT

**SPECIFICATIONS:**

- Used for cross flow ventilation
- Adjustable opening vent

<b>PLASTIC</b>	016548
<b>ALUMINIUM</b>	016549



### BLOWER VENT 90MM X 90MM

**SPECIFICATIONS:**

- 75mm tail plastic
- Dimensions: 90mm x 90mm
- White

016533